G & S Good Environmental

Phase 1 & II Environmental Assessments

Soil and Groundwater Testing • Tank Closures

Contamination Remediation • Asbestos

September 17, 2024

Oak Grove on Park Ave, LLC.
220 Charles Street
Port Orange, FL 32129

Attention: Ms. Chris Myers

Reference: **PHASE I ENVIRONMENTAL SITE ASSESSMENT**
Mango Key- Vacant Parcels
West Park Avenue and Carol Ann Drive
Edgewater, Volusia County, Florida
G&S Project No. 6976-001-01
G&S Report No. 11561

Dear Ms. Chris Myers:

G&S Good Environmental, Inc. (G&S) has completed a Phase I Environmental Site Assessment (ESA) Report in significant compliance with the American Society for Testing and Materials (ASTM) Format E1537-21 for the above referenced property. The purpose of this evaluation was to identify recognized environmental conditions as described in ASTM E1527-21.

- Based on the results of the Phase I ESA conducted at the referenced property, G&S found no evidence of recognized environmental conditions (RECs) associated with the subject property. Based on our current findings it is our opinion that further environmental assessment is not warranted at this time.

Please contact our office if you have any questions regarding this report.

Respectfully submitted,

G&S Good Environmental, Inc.

Bill Good, P.G.
Professional Geologist

TABLE OF CONTENTS

1.0 SUMMARY

2.1 PURPOSE
2.2 DETAILED SCOPE OF SERVICES
2.3 SIGNIFICANT ASSUMPTIONS
2.4 LIMITATIONS AND EXCEPTIONS
2.5 SPECIAL TERMS AND CONDITIONS
2.6 USER RELIANCE

3.0 SITE DESCRIPTION

3.1 LOCATION AND LEGAL DESCRIPTION
3.2 PROPERTY AND VICINITY CHARACTERISTICS
3.3 CURRENT USE OF THE SUBJECT PROPERTY
3.4 STRUCTURES, ROADS, AND/OR OTHER IMPROVEMENTS WITHIN THE SUBJECT PROPERTY
3.5 CURRENT USES OF ADJOINING PARCELS

4.0 USER PROVIDED INFORMATION

4.1 TITLE RECORDS
4.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS
4.3 SPECIALIZED KNOWLEDGE
4.4 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES
4.5 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION
4.6 REASON FOR PERFORMING PHASE I ESA
4.7 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION ABOUT THE PROPERTY
4.8 OTHER

5.0 RECORDS REVIEW

5.1 STANDARD ENVIRONMENTAL RECORD SOURCES
5.1.1 FEDERAL, STATE AND COUNTY RECORDS REVIEW
5.1.2 VAPOR MIGRATON SCREENING
5.2 ADDITIONAL ENVIRONMENTAL RECORDS
5.3 PHYSICAL SETTING SOURCES
5.3.1 TOPOGRAPHY
5.3.2 SOILS/ENVIROLOGY
5.3.3 HYDROENVIROLOGY

5.4 HISTORICAL USE INFORMATION ON THE PROPERTY

5.4.1 SITE PLAN REVIEW

5.4.2 PROPERTY OWNERSHIP RECORDS
5.4.3 SANBORN FIRE INSURANCE MAP REVIEW
5.4.4 CITY DIRECTORY REVIEW
5.4.5 LAND USE RECORDS
5.4.6 HISTORICAL TOPOGRAPIC MAPS
5.4.7 OTHER HISTORICAL SOURCES

5.5 HISTORICAL USE INFORMATION ON ADJOINING PARCELS

6.0 INFORMATION FROM SITE RECONNAISSANCE

6.2 GENERAL SITE SETTING
6.3 OBSERVATIONS

7.0 INTERVIEWS

7.1 INTERVIEW WITH OWNERS
7.2 INTERVIEW WITH SITE MANAGER
7.3 INTERVIEWS WITH OCCUPANTS
7.4 INTERVIEWS WITH LOCAL GOVERNMENT OFFICIALS
7.5 INTERVIEW WITH USER
7.6 INTERVIEW WITH OTHERS

8.0 FINDINGS

10.0 CONCLUSIONS

11.0 DEVIATIONS

12.0 ADDITIONAL SERVICES

13.0 REFERENCES

14.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

15.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

LIST OF APPENDICES

APPENDIX A
USGS SITE LOCATION MAP A-1
SITE PLAN A-2

APPENDIX B
GENERAL CONDITIONS ..... B

APPENDIX C
LEGAL DESCRIPTION C

APPENDIX D
ENVIROSITE REPORTS ..... D

APPENDIX E
USER QUESTIONNAIRE ..... E

APPENDIX F
PHOTOGRAPHS ..... F

APPENDIX G
INTERVIEW DOCUMENTATION ..... G

APPENDIX H
REFERENCES ..... H

APPENDIX I
QUALIFICATIONS I

1.0 SUMMARY

The subject property evaluated by G&S Good Environmental, Inc. (G&S) as part of this Phase I Environmental Site Assessment (ESA) consists of approximately 15.46 +/- acres of a vacant parcels (Mango Key) located at West Park Avenue and Carol Ann Drive, Edgewater, Volusia County, Florida. More specifically, the subject property is described in Volusia County Real Estate Identification Numbers: 743208000130, 743208000120, 743208000110, 74520100037G, 74520100037H. Please refer to the USGS Site Location Map presented in Appendix A-1 and the 2024 site plan presented in Appendix A-2 for additional site information.

Based on our field observations, historical research, public records review and interviews conducted in accordance with American Society for Testing and Materials (ASTM) Format E1537-21, the findings of this Phase I ESA are as follows:

1. Based on our field observations, historical research, public records review and interviews, we found no evidence of Recognized Environmental Conditions (RECs) with respect to current or past uses of the subject property.

2. We found no evidence of petroleum product or hazardous materials storage or use at the subject property during the site reconnaissance.

3. We found no evidence indicating the presence of obvious surface discharges such as stained soil or pavement, indications of solid or liquid waste dumping or disposal, USTs, ASTs, polychlorinated biphenyls (PCBs), drums, commercial septic tanks, seeps, unusual odors, pits, ponds, lagoons, stressed vegetation, or roads/paths with no outlet likely to have been used for disposal of hazardous wastes or petroleum products on the subject property.

4. We found evidence indicating the presence within the ASTM minimum search distance that contained two (2) leaking underground storage tanks (LUSTs)based on G&S' regulatory agency contacts and field observations. Based on the proximity to the subject property and apparent groundwater/surface water flow patterns, these facilities are not, in our opinion, a REC.

5. We found evidence indicating the presence of four (4) facilities within the ASTM minimum search distances that formerly or currently handled/generate(d) hazardous waste or use(d) hazardous materials. (Please refer to Table 3 for a listing of these facilities). Based on the proximity to the subject property and apparent groundwater/surface water flow patterns, these facilities are not, in our opinion, a REC.

Based on the conclusions of the Phase I ESA conducted at the referenced property, G&S found no evidence of recognized environmental conditions (RECs) associated with the subject property. Based on our current findings, it is our opinion that further environmental assessment is not warranted at this time.

2.0 INTRODUCTION

2.1 PURPOSE

The primary purpose of this environmental site assessment was to conduct an evaluation of the subject property and surrounding properties to identify recognized environmental conditions associated with the past or present uses of the subject property and neighboring properties. The term “recognized environmental conditions” means the presence or likely presence of any hazardous substances or petroleum products in, on or at a property: (1) due to any release to the environment; (2) under conditions indicative of a release to the environment; (3) under conditions that pose a material threat of a future release to the environment.

This environmental assessment was conducted following the ASTM E1527-21 Standard Practice for Environmental Site Assessments. This assessment was also intended to identify potential off-site contaminant sources within the distances set forth in ASTM E1527-21 guidelines.

ASTM E1527-21 defines a Historical REC or HREC as a past release of any hazardous substances or petroleum products that has occurred in connection with the property and has been addressed to the satisfaction of the applicable regulatory authority or meeting unrestricted use criteria established by a regulatory authority, without subjecting the property to any required controls (e.g., property use restrictions, AULs, institutional controls or engineering controls).

ASTM E1527-21 defines a Controlled REC or CREC as a past release of hazardous substances or petroleum products that has been addressed to the satisfaction of the applicable regulatory authority (e.g., as evidenced by the issuance of a NFA letter or equivalent or meeting risk based criteria as established by regulatory authority) with hazardous substances or petroleum products allowed to remain in place subject to the implementation of required controls (e.g., property use restrictions, AULs, institutional controls or engineering controls).

ASTM E-1527-21 also defines a *business environmental risk* as a risk that may have a material environmental or environmentally-driven impact on the business associated with the current or planned use of a parcel of commercial real estate, not necessarily limited to those environmental issues required to be investigated in this practice.

These terms are not intended to include *de minimis* conditions that generally do not present a material risk of harm to public health or the environment, and that generally would not be the subject of an enforcement action if brought to the attention of appropriate governmental agencies.

Methodology followed good commercial and customary practice with a goal to identify recognized environmental conditions that would be subject to an enforcement action if brought to the attention of appropriate government agencies.

2.2 DETAILED SCOPE OF SERVICES

The scope of work does not include an evaluation of asbestos containing building materials, lead based paint, lead in drinking water, regulatory compliance, cultural and historical resources, industrial hygiene, health and safety, ecological resources, indoor air quality, radon, site Geotechnics (soils, foundations, site retention, etc.), wetlands, karst activity, endangered species, or construction materials testing. G&S can provide these additional services if necessary. Also, substances that are not included in the definition of hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) as set forth

in 42 United States Code Section 9601 et seq., as amended, are beyond the scope of this Phase I ESA.

The contracted scope of services consists of the preparation of a Phase I ESA of the subject property in compliance with the requirements set forth in ASTM E1527-21. The accuracy, correctness and completeness of this Phase I ESA is provided with knowledge of the CERCLA as set forth in 42 United States Code Section 9601 et seq., as amended.

2.3 SIGNIFICANT ASSUMPTIONS

Significant assumptions made by G&S during the preparation of this Phase I ESA include:

- The reason G&S was contracted to perform this Phase I ESA was to check for the presence of or likely presence of hazardous substances or petroleum products that indicate an existing release, past release or material threat of release into structures on the property or into the ground, groundwater or surface water of the property which may pose an environmental liability to or restrict the use of the property.

2.4 LIMITATIONS AND EXCEPTIONS

The findings of this report represent our professional judgment; no warranty is express or implied. These findings are relevant to the dates of our site work and the information cited herein. This report should not be relied upon to represent property conditions on other dates or at locations other than those specifically cited within the report.

G&S Good Environmental, Inc. can accept no responsibility for interpretations of these data made by other parties. Performance of this practice is intended to reduce, but not eliminate, uncertainty regarding the potential for recognized environmental conditions in connection with the subject property.

2.5 SPECIAL TERMS AND CONDITIONS

This report, and the information contained herein, shall be the sole property of G&S until payment of any unpaid balance is made in full. Oak Grove on Park Ave, LLC. hereinafter referred to as the User of this Phase I ESA report, agrees that until payment is made in full, the User shall not have a proprietary interest in this report, or the information contained herein. G&S shall have the absolute right to request the return of any and all copies of this report submitted to other parties, public or private, on behalf of the User in the event of nonpayment of outstanding fees by the User pursuant to G&S' General Conditions.

2.6 USER RELIANCE

This report is intended for the sole use of the User. Its contents may not be relied upon by other parties without the explicit written consent of G&S. This is not a statement of suitability of the property for any use or purpose. In accepting this report, all parties herein mentioned agree to the General Conditions of the Agreement between G&S and the User. A copy of the General Conditions is contained in Appendix B.

3.0 SITE DESCRIPTION

3.1 LOCATION AND LEGAL DESCRIPTION

The subject property is located at West Park Avenue and Carol Ann Drive, Edgewater, Volusia County, Florida (Mango Key). More specifically, the subject property consists of five total parcels and is described in Volusia County Real Estate Identification Numbers: 743208000130, 743208000120, 743208000110, 74520100037G, 74520100037H. The subject property is located within Section 32, Township 17 South, and Range 34 East as referenced in the "Edgewater, Florida" United States Geological Survey (USGS) Topographic Quadrangle Map presented in Appendix A (Site Location Map – Figure A-1). Please also refer to the 2024 Site plan Figure A-2) in Appendix A. The legal description of the subject property is presented in Appendix C.

3.2 PROPERTY AND VICINITY CHARACTERISTICS

At the time of our assessment, the subject property was a vacant parcels. The lot was heavily wooded and vacant. There were some paths and minor debris located on the subject property. The subject property also included a small pond. The property does include fencing on certain portions, and the entrance to the property includes a locked gate. G&S did observe some buried utilities. The vicinity of the subject property consisted of commercial properties to the northeast and residential to the south.

The property vicinity is characterized by developed commercial and residential properties. Please refer to the Site plan (Figure A-2) and to the 2024 site plan (Figure A-2) in Appendix A.

3.3 CURRENT USE OF THE SUBJECT PROPERTY

At the time of the site reconnaissance, the subject property was a vacant parcel. It did not appear that the current uses of the subject property were likely to involve the use, treatment, storage, disposal, or generation of hazardous substances or petroleum products.

3.4 STRUCTURES, ROADS, AND/OR OTHER IMPROVEMENTS WITHIN THE SUBJECT PROPERTY

At the time of our site assessment, the subject property is undeveloped and consists of five (5) total parcels of vacant, wooded land. There were some paths and minor debris located on the subject property. The subject property also included a small pond. The property does include fencing on certain portions, and the entrance to the property includes a locked gate.

3.5 CURRENT USES OF ADJOINING PARCELS

Currently, the parcels adjoining the subject property are used as follows:

Table 1
Description of Adjoining Parcels

Direction from Subject property	Description of Current Use
North	J L Hag's - Auto body shop
East	Holland Pump and a former waste cleanup site (see table 3)

Table 1 Description of Adjoining Parcels	
Direction from Subject property	**Description of Current Use**
South	residential
West	residential

None of the current uses of the adjoining properties appear likely to indicate the presence of recognized environmental conditions in connection with the subject property.

4.0 USER PROVIDED INFORMATION

4.1 TITLE RECORDS

The user did not provide a copy of the historical property ownership chain-of-title report, nor was G&S contracted to obtain a copy. It is our understanding that the user will be responsible for completing a review of the property chain-of-title information. According to information provided by the Volusia County Property Appraiser's report, the current owners of the subject parcel(s) are: Mango Storage, Oak Grove on Park Ave., and Dewitt David Frederick..

4.2 ENVIRONMENTAL LIENS OR ACTIVITY AND USE LIMITATIONS

G&S was not requested to conduct an environmental lien search for the subject property. The User was not aware of any environmental liens, use limitations or other activities in connection to the subject property. The current owner stated that there were no environmental liens or land use restrictions filed against the property.

4.3 SPECIALIZED KNOWLEDGE

The User indicated they had no information to provide G&S with respect to any specialized knowledge or experience that may pertain to recognized environmental conditions in connection to the subject property. Please refer to the User Questionnaire included in Appendix E for additional information.

4.4 VALUATION REDUCTION FOR ENVIRONMENTAL ISSUES

The User did not provide G&S with information pertaining to the value of the purchase price in relation to the purchase price of comparable parcels located within the subject area. Information pertaining to the assessed value of the subject property is included in the Volusia County Property Appraiser's Information presented in Appendix C.

4.5 OWNER, PROPERTY MANAGER, AND OCCUPANT INFORMATION

The User indicated that the current owners of the subject parcel(s) are: Mango Storage, Oak Grove on Park Ave., Dewitt David Frederick, and Paul Reggep.

4.6 REASON FOR PERFORMING PHASE I ESA

It is our assumption that G&S was contracted to perform this Phase I ESA in conjunction with a real estate loan in order for the prospective User to satisfy one of the requirements to qualify for the innocent landowner, contiguous property owner, or bona fide prospective purchaser limitations under CERCLA liability.

4.7 COMMONLY KNOWN OR REASONABLY ASCERTAINABLE INFORMATION ABOUT THE PROPERTY

Based on the information obtained from the User Questionnaire, the User is not aware of past uses, spills or other chemical releases, or environmental cleanups that have taken place at the subject property. Please refer to the User Questionnaire included in Appendix E for additional information.

4.8 OTHER

The User did not provide any other information pertaining to the subject property.

5.0 RECORDS REVIEW

The purpose of the records review is to obtain and review records that will help identify recognized environmental conditions in connection with the subject property. Accuracy and completeness of record information varies among information sources, including governmental sources. Record information is often inaccurate or incomplete. Standard sources that are reasonably ascertainable were reviewed by G&S for this Phase I ESA.

5.1 STANDARD ENVIRONMENTAL RECORD SOURCES

As a part of this assessment, we reviewed information sources to obtain existing information pertaining to a release of hazardous substances or petroleum products on or near the subject property. G&S obtained an ASTM site search report through Envirosite Corporation (ENVIRO). The ENVIRO Radius Map Report is presented in Appendix D. The following State and Federal sources were consulted during this record review:

State, County and Tribal Database Review (FDEP)

- FDEP, Leaking Underground Storage Tanks (LUST)
- FDEP, Registered Underground Storage Tanks (UST)
- FDEP, Registered Aboveground Storage Tanks (AST)
- FDEP, State Hazardous Waste Sites (SHWS)
- FDEP, Landfill/ Solid Waste Disposal Sites (SWL)
- FDEP, State Brownfield Areas (BROWNFIELDS)
- FDEP, Voluntary Cleanup Sites (VCP)
- FDEP, Institutional Controls Registry (Institutional & Engineering Controls)

Federal Database Review - United States Environmental Protection Agency (EPA)

- EPA, National Priorities List (NPL), including Delisted and Proposed NPL Sites
- EPA, Comprehensive Environmental Response Compensation and Liability Act Information System (CERCLIS)

- EPA, CERCLIS No Further Remedial Action Planned (CERCLIS-NFRAP)
- EPA, RCRA Treatment, Storage and Disposal (RCRA TSD)
- EPA, RCRA Corrective Action Report (RCRA CORRACTS)
- EPA, RCRA Generators (RCRA GEN)
- EPA, Resource Conservation & Recovery Act Information System List (RCRIS)
- EPA, Institutional Controls Registry Database (Institutional & Engineering Controls)
- EPA, Emergency Response Notification System List (ERNS)
- EPA, RCRA Administrative Action Tracking System (RAATS)
- EPA, Brownfield Management System (BMS)
- EPA, Superfund Hazardous Waste Sites

Table 2 lists the approximate minimum search distances used during this assessment as set forth in ASTM E1527-21.

TABLE 2
Approximate Minimum Search Distances - ASTM E1527- 13

SOURCE	SEARCH DISTANCE
Federal NPL Site List (National Priorities List)	1.0 mile
Federal Delisted NPL Site List	0.5 mile
Federal CERCLIS List (Comprehensive Environmental Response Compensation and Liability Act of 1980)	0.5 mile
Federal CERCLIS NFRAP Site List	0.5 mile
Federal RCRA CORRACTS Facilities List (Resource Conservation and Recovery Act)	1.0 mile
Federal RCRA non-CORRACTS TSD Facilities List	0.5 mile
Federal RCRA Generators List	Subject property and adjoining parcels
Federal Institutional Control/Engineering Control Registries	Subject property only
Federal ERNS List (Emergency Response Notification System)	Subject property only
States and Tribal Lists of Hazardous Waste Sites identified for investigation or remediation: State- and Tribal-equivalent NPL State- and Tribal-equivalent CERCLIS	 1.0 mile 0.5 mile
State and Tribal Landfill and/or Solid Waste Disposal Site Lists	0.5 mile
State and Tribal Leaking Storage Tanks Lists	0.5 mile
State and Tribal Registered Storage Tank Lists	Subject property and adjoining properties
State and Tribal Institutional Control/Engineering Control Registries	Subject property only
State and Tribal Voluntary Cleanup Sites	0.5 mile

TABLE 2 Approximate Minimum Search Distances - ASTM E1527- 13	
SOURCE	**SEARCH DISTANCE**
State and Tribal Brownfield Sites	0.5 mile

5.1.1 FEDERAL, STATE AND COUNTY RECORDS REVIEW

According to information provided by ENVIRO, the subject property is not listed on the Federal, State or County databases. Forty-seven (47) facilities within the ASTM minimum search distances from the subject property are listed within the ENVIRO Radius Map Report.

G&S listed the more proximate mapped facilities in Table 3. For more details relating to a mapped facility please refer to the ENVIRO Radius Map Report located in Appendix D of this report.

TABLE 3
FACILITIES IDENTIFIED WITHIN MINIMUM SEARCH DISTANCES

Facility	Location	Database	Evaluation of REC
Edgewater Redevelopment Area (ERA)- Former Waste Cleanup Site	Map ID A1 East Adjoining Property	BROWNFIELDS_AREAS - FL SP	This area was evaluated as part of the FDEP evaluation. Buried drums of paint were discovered at this facility. The drums were excavated and disposed of, and the soil and groundwater were tested. No soil or groundwater impacts were tested above the cleanup standards. This site has received a "No Further Action". G&S does not consider this a REC associated with the subject property.
City of Edgewater	409 Mango Tree Drive 868 Feet E	LUST	A petroleum discharge was reported at this facility. The facility is listed as open. The petroleum discharge received an NFA. Based on the NFA and separation distance between this facility and the subject property, this facility is not considered a REC.
Edgewater Ready Mix Titan Florida Edgewater	200 N. Flagler Ave. 2032 Feet NNE	LUST	A petroleum discharge was reported at this facility. The facility is listed as open. The petroleum discharge received an SRCR complete in 2024. Based on this information and the separation distance between this facility and the subject property, this facility is not considered a REC.
Royal Oaks Goldens	800 West Park Avenue 53 Feet NW	RCRA	This facility is listed as a site that contains a Resource Conservation and Recovery Act

TABLE 3 FACILITIES IDENTIFIED WITHIN MINIMUM SEARCH DISTANCES			
Facility	**Location**	**Database**	**Evaluation of REC**
			(RCRA) listing of a licensed non-generator. They have not received a violation and comply with inspections. This facility is not considered a REC.
Homac Mfg. Co. Waco Manufacturing	710 W. Park Ave. 274 Feet N	RCRA	This facility is listed as a site that contains a Resource Conservation and Recovery Act (RCRA) listing of a licensed non-generator. They received a violation in 1986 and 1991 and have since achieved compliance. They comply with inspections. This facility is not considered a REC.
Susie Q Products	702 W. Park Ave. 539 Feet NNE	RCRA	This facility is listed as a site that contains a Resource Conservation and Recovery Act (RCRA) listing of a licensed non-generator. They received a violation in 1998 and have since achieved compliance. They comply with inspections. This facility is not considered a REC.
LL Hags	821 W. Park Ave. 123 Feet NW	RCRA	This facility is listed as a site that contains a Resource Conservation and Recovery Act (RCRA) listing of a licensed non-generator. They received a violation in 1998 and have since achieved compliance. They comply with inspections. This facility is not considered a REC.

Orphan Sites – Several additional facilities were listed as "unmappable" or "orphan" sites in the ENVIRO database report. These facilities could not be plotted due to errors or missing information in the regulatory records. G&S reviewed this "orphan summary" in the database report.

In addition to reviewing the ENVIRO report, G&S performed reconnaissance of the property vicinity to identify any sites not mapped by ENVIRO due to inadequate or inaccurate address information (orphan sites) and to look for unregistered facilities. No additional petroleum or hazardous waste facilities were observed within a half mile of the subject property during the field reconnaissance performed by G&S.

5.1.2 VAPOR MIGRATON SCREENING

G&S conducted a Tier 1 Vapor Encroachment Screening for the subject property in accordance with ASTM E 2600-10. The Tier 1 screening process utilizes the information collected as part of this Phase I ESA. Based upon the results of the Tier 1 screening, there is no potential for vapor encroachment condition (VEC) located within the area of concern.

5.2 ADDITIONAL ENVIRONMENTAL RECORDS

The FDEP Contamination Locator Map identifies petroleum clean-up sites, Superfund sites, Brownfields sites and other waste cleanup sites. Three (3) DEP cleanup sites (petroleum cleanup sites/dry cleaner) were shown within a one-mile of the subject property. G&S does not consider these facilities to be threats to the subject property.

5.3 PHYSICAL SETTING SOURCES

The “Edgewater, Florida" USGS Topographic Quadrangle Map, Volusia County Soil Survey, and available regulatory files regarding properties of environmental concern in the property vicinity were reviewed as sources for obtaining information regarding the physical setting of the subject property and surrounding vicinity. Based on our site reconnaissance, review of USGS maps, site plans, location of the subject property, and the present environmental related conditions of adjacent and nearby properties, the potential for migration of petroleum contamination or hazardous waste contamination from off-site sources appears to be low. See section 5.1 for an explanation of nearby sites.

5.3.1 TOPOGRAPHY

The USGS Topographic Quadrangle Map titled “Edgewater, Quadrangle, Florida” was referenced as a source for obtaining information regarding the physical setting of the subject property and surrounding vicinity. The subject property is located at an elevation of approximately 6 feet above sea level. The local topography in the vicinity of the subject property is mostly flat. A copy of the USGS Quadrangle Map is provided as Appendix A-1 (Site Location Map).

5.3.2 SOILS/GEOLOGY

The general geology of Volusia County is characterized by 30 to 50 feet of undifferentiated fine to medium grained sands and clayey sands of Recent to Holocene age overlying the Miocene age Hawthorn Group. The Hawthorn is approximately 350 feet thick and is comprised of interbedded layers of clay, clayey sand, sandy clay, and phosphatic carbonates. The underlying Tertiary age carbonates gently dip southeast under an increasing thickness of younger sediments.

According to the US Soil Conservation Service, Volusia County Soil Survey, the surficial soils at the subject property are classified primarily as Cassia.

5.3.3 HYDROGEOLOGY

The general hydrogeology of Volusia County includes an unconfined surficial aquifer separated from the Floridian aquifer by the Hawthorn Group. The surficial aquifer is recharged by rainfall and can yield small to moderate amounts of water to small diameter wells. The Floridian aquifer may reach 2,000 feet in thickness and is the primary source of the public water supply.

The direction of shallow groundwater flow is generally toward surface water bodies and is a subdued replica of the surface topography. The general direction of shallow groundwater flow, based on the USGS Topographic Map, is most likely to the south/southeast.

5.4 HISTORICAL USE INFORMATION ON THE PROPERTY

5.4.1 SITE PLAN REVIEW

G&S reviewed site plans from 1943 to 2023 which were provided by ENVIRO. Please refer to Appendix A-2 for a copy of the 2023 site plan. Descriptions of G&S' observations are outlined in Table 5.

TABLE 5
Summary of Site plan Observations

Photograph Date	Resolution	Photograph Quality	Remarks
1943 – 1958	1 " = 500 ft or 1,000 ft	Fair/Good	**Site:** Wooded/undeveloped **North:** Road followed by undeveloped **South:** Wooded/undeveloped **East:** Undeveloped/wooded **West:** Wooded/undeveloped and sparce residential
1977	1 " = 500 ft or 1,000 ft	Good	**Site:** Wooded/undeveloped **North:** Road followed by undeveloped **South:** Wooded/undeveloped **East:** The site is cleared in the former mobile home development. The western section of the mobile home development appears to be a shell pit. There is also a commercial building to the east. **West:** Wooded/undeveloped and sparce residential
1980	1 " = 500 ft or 1,000 ft	Good	**Site:** Wooded/undeveloped **North:** Road followed by undeveloped **South:** Wooded/undeveloped **East:** The site is cleared in the former mobile home development. The western section of the mobile home development appears to be a shell pit. The shell pit has increased in size and now is expanding to the east. There appears to be a residential home on the south section of the property. There is also a commercial building to the east. **West:** Wooded/undeveloped and sparce residential
1983-1985	1 " = 500 ft or 1,000 ft	Good	**Site:** Wooded/undeveloped **North:** Road followed by undeveloped and commercial **South:** Wooded/undeveloped **East:** The site is cleared in the former mobile home development. The western section of the mobile home development appears to be a shell pit. The eastern section of the shell pit appears to be filled followed by the entire shell pit being filled. There appears to be a residential home on the south section of the property. There is also a commercial building to the east. **West:** Residential

TABLE 5 Summary of Site plan Observations			
Photograph Date	**Resolution**	**Photograph Quality**	**Remarks**
1989-1999	1 " = 500 ft or 1,000 ft	Good	**Site:** Wooded/undeveloped **North:** Road followed by undeveloped and commercial **South:** Wooded/undeveloped **East:** The site is under development as a mobile home park. Appears to be a residential house in the southern section of the subject property. There is also a commercial building to the east. **West:** Residential
2007-2023 Appendix A-2	1 " = 500 ft or 1,000 ft	Good	The subject property, adjoining properties and vicinity appear much the same as our September 2024 site reconnaissance.

5.4.2 PROPERTY OWNERSHIP RECORDS

According to information provided by the Volusia County Property Appraiser's report the current owners of the subject parcel(s) are: Mango Storage, Oak Grove on Park Ave., Dewitt David Frederick, and Paul Reggep.

5.4.3 SANBORN FIRE INSURANCE MAP REVIEW

Due to the historic rural nature of the subject property and surrounding properties, no Fire Insurance Maps were available.

5.4.4 CITY DIRECTORY REVIEW

Information from ENVIROs City Directory for Edgewater, Florida regarding the site and surrounding properties was obtained by G&S from ENVIRO for the years between 1964 and 2020in approximately one to seven-year increments. This information was reviewed in an attempt to identify land use and areas of potential environmental concern.

Table 6 City Directory Information		
ADDRESS	**BUSINESS**	**YEARS LISTED IN DIRECTORY**
West Park Avenue and Carol Ann Drive (Subject property)	Undeveloped/Not listed	
821 W Park Ave (North adjoining)	JL Hag's Hag's Custom Automotive	1998-2020 1988-1993
710 W Park Ave (East adjoining)	Complete Dewatering Pumps S J Share Amy Johnson	2020 2006-2011 2006-2011

	Bob Freeze Howard Brunet Homac Waco Mfg.	2006-2011 2006-2011 2001 1983-1998
(West adjoining)	Residential	
(South adjoining)	Residential	

The facilities identified by the City Directories in the vicinity of the subject property are not considered RECs.

Based on our review of site plans, the Volusia County Property Appraisers webpage, City Directories, and interviews, the subject property is undeveloped and has remained undeveloped. The property is heavily wooded and includes some paths and some very minor debris. We identified no past uses of the subject property that present an environmental concern.

5.4.5 LAND USE RECORDS

According to the Volusia County Property Appraiser's report, the subject property is designated as vacant industrial and vacant residential.

5.4.6 HISTORICAL TOPOGRAPIC MAPS

Historical topographic Maps provide information related to physical land configuration such as elevation, ground slope, surface water and other features. While most buildings in densely developed urban centers are not depicted, topographic maps typically show structures equal to or larger than the size of a single-family residence in rural areas, Other notable features such as woods, pipelines, municipal boundaries, and areas of filled land are often marked on topographic maps.

A search of historical topographic maps depicting the subject property and vicinity was conducted by ENVRIO. Historical topographic maps depicting the subject property were reviewed and summarized in the following table. Copies of the maps are presented in Appendix D.

Table 7
Topographic Map Summary

YEAR	ISSUES NOTED	OBSERVATIONS
1950	None	**Subject Property:** Undeveloped
		Surrounding Properties: Road to the north followed by Florida East Coast railway and some ponds to the west along with a landing strip, some undeveloped land to the east followed by small structures/residential
2012, 2015, 2023	None	**Subject Property:** Urban land
		Surrounding Properties: Urban land - retention pond to the east of the subject property

5.4.7 OTHER HISTORICAL SOURCES

No other historical sources were reviewed during this assessment.

5.5 HISTORICAL USE INFORMATION ON ADJOINING PARCELS

According to a review of the earliest aerial photograph available (1943), city directories (1964), and the Volusia County Property Appraisers webpage it appears that the north adjoining property operated as an autobody shop starting in the 1980s, and continues to operate as an autobody shop. The west adjoining property was initially undeveloped but later became residential. The south adjoining property was undeveloped and later was developed residentially.

The east adjoining property was developed with a Holland Pump and a former waste cleanup site: Based on our aerial photograph review, it appears that the northern section of this property was the only area utilized as a shell borrow pit. It also appears that this area was evaluated as part of the FDEP evaluation. Polyfluoroalkyl substances (PFAS) are a diverse group of human-made chemicals used in a wide range of consumer and industrial products. Many PFAS are resistant to grease, oil, water, and heat. For this reason, beginning in the 1940's, PFAS have been used in a variety of applications including in stain- and water resistant fabrics and carpeting, cleaning products, paints, and fire-fighting foams. This facility has received a "No Further Action" for the chemicals that were previously detected at the site. G&S does not consider this a REC associated with the subject property.

The past uses of the parcels adjoining to the subject property do not appear likely to indicate the potential presence of recognized environmental conditions in connection with the subject property.

6.0 INFORMATION FROM SITE RECONNAISSANCE

On September 7, 2024**,** a site reconnaissance of the subject property was completed by Bill Good, Professional Geologist of G&S. The purpose of the site reconnaissance was to evaluate the current conditions of the subject property and to obtain information indicating the likelihood of identifying recognized environmental conditions in connection with the property.

6.1 METHODOLOGY AND LIMITING CONDITIONS

The reconnaissance included walking both inside the boundaries and the perimeter of the subject property. This visual observation of the property focused primarily on its surface features. Property use, and significant features are indicated on the site plan (Figure A-2) and the 2024 site plan (Figure A-2) in Appendix A-2. Site photographs are included in Appendix F. The subject property is undeveloped and vacant. The exterior areas consist of fencing and gates.

6.2 GENERAL SITE SETTING

At the time of our site assessment, the subject property was undeveloped and vacant. The north adjoining property is occupied by J L Hag's - Auto body shop. The west adjoining property is occupied with residential homes. The east adjoining property consists of Holland Pump and a former waste cleanup site/mobile home site. The south adjoining property is utilized for residential homes. The vicinity of the subject property generally consists of residential and commercial properties.

Please refer to the Site plan (Figure A-2) and the 2024 site plan (Figure A-2) in Appendix A and the Site Photos in Appendix F.

6.3 OBSERVATIONS

At the time of our assessment, the subject property was a vacant parcels. The lot was heavily wooded and vacant. There were some paths and minor debris located on the subject property. The subject property also included a small pond. The property does include fencing on certain portions, and the entrance to the property includes a locked gate. G&S did not observe indications of the storage of petroleum products.

G&S found no evidence of petroleum product or hazardous materials storage/use at the subject property. We found no evidence indicating the presence of obvious surface discharges such as stained soil or pavement, indications of solid or liquid waste dumping or disposal, USTs, ASTs, polychlorinated biphenyls (PCBs), leaking drums, commercial septic systems, monitoring wells, seeps, unusual odors, pits, ponds, lagoons, stressed vegetation, or roads/paths with no outlet likely to have been used for disposal of hazardous wastes or petroleum products on the subject property. G&S did not identify any recognized environmental concerns in connection with the subject property.

7.0 INTERVIEWS

7.1 INTERVIEW WITH OWNERS

G&S interviewed Mr. E.V. LaCour, the owner / user of the subject property. He stated that the subject property does not maintain any petroleum storage tanks. He is not aware of any recognized environmental conditions. Please refer to Appendix G.

7.2 INTERVIEW WITH SITE MANAGER

The site manager was not available for an interview at the time of the site reconnaissance.

7.3 INTERVIEWS WITH OCCUPANTS

The occupant was not available for an interview at the time of the site reconnaissance.

7.4 INTERVIEWS WITH LOCAL GOVERNMENT OFFICIALS

G&S obtained environmental records on the FDEP oculus webpage.

7.5 INTERVIEW WITH USER

G&S interviewed Mr. E.V. LaCour, the owner / user of the subject property. He stated that the subject property does not maintain any petroleum storage tanks. He is not aware of any recognized environmental conditions. Please refer to Appendix G.

7.6 INTERVIEW WITH OTHERS

The adjoining property owners were not available for comment.

8.0 FINDINGS

Based on our field observations, historical research, public records review and interviews conducted in accordance with American Society for Testing and Materials (ASTM) Format E1537-21, the findings of this Phase I ESA are as follows:

1. Based on our field observations, historical research, public records review and interviews, we found evidence of Recognized Environmental Conditions (RECs) with respect to current or past uses of the subject property.

2. We found no evidence of petroleum product or hazardous materials storage or use at the subject property during the site reconnaissance.

3. We found evidence indicating the presence of obvious surface discharges such as stained soil or pavement, indications of solid or liquid waste dumping or disposal, USTs, ASTs, polychlorinated biphenyls (PCBs), drums, commercial septic tanks, seeps, unusual odors, pits, ponds, lagoons, stressed vegetation, or roads/paths with no outlet likely to have been used for disposal of hazardous wastes or petroleum products on the subject property.

4. We found evidence indicating the presence within the ASTM minimum search distance that contained two (2) leaking underground storage tanks (LUSTs)based on G&S' regulatory agency contacts and field observations. Based on the proximity to the subject property and apparent groundwater/surface water flow patterns, these facilities are not, in our opinion, a REC.

5. We found evidence indicating the presence of four (4) facilities within the ASTM minimum search distances that formerly or currently handled/generate(d) hazardous waste or use(d) hazardous materials. (Please refer to Table 3 for a listing of these facilities). Based on the proximity to the subject property and apparent groundwater/surface water flow patterns, these facilities are not, in our opinion, a REC.

Based on the conclusions of the Phase I ESA conducted at the referenced property, G&S found no evidence of recognized environmental conditions (RECs) associated with the subject property. Based on our current findings, it is our opinion that further environmental assessment is not warranted at this time.

10.0 CONCLUSIONS

We have performed this Phase I ESA in significant compliance with the scope and limitations of ASTM Practice E1537-21 of the subject property located at West Park Avenue and Carol Ann Drive, Edgewater, Volusia County, Florida. More specifically, the subject property is described in Volusia County Real Estate Identification Numbers: 743208000130, 743208000120, 743208000110, 74520100037G, 74520100037H. Any exceptions to or deletions from this practice are described in Sections 2.2, 2.3 and 2.4 of this report. Based on the conclusions of the Phase I ESA conducted at the referenced property, G&S found no evidence of recognized environmental conditions that warrant further assessment.

11.0 DEVIATIONS

G&S prepared this Phase I ESA in significant compliance with ASTM E1527-21. No data gaps were encountered that prohibited us from completing this Phase I ESA, except for the following:

The Historical City Directories were incomplete. However, G&S was able to fill-in this data gap by using the other historical data available for the subject property and surrounding area.

12.0 ADDITIONAL SERVICES

Under the terms of the agreement between G&S and the User, no additional services were authorized or provided in association with this Phase I ESA.

13.0 REFERENCES

References reviewed during the Phase I ESA are documented in Appendix G.

14.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

Please refer to the title page for signatures of the environmental professionals who prepared and reviewed this Phase I ESA.

15.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

This assessment was completed by Bill Good, Professional Geologist of G&S Good Environmental, Inc. We declare that, to the best of our professional knowledge and belief, we meet the definition of Environmental Professional Team as defined in §312.10 of 40 CFR 312 and we have specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. We have developed and performed all appropriate inquiries in conformance with the standards and practices set forth in 40 CFR Part 312. Qualifications of personnel participating in this assessment are provided in Appendix I.

APPENDIX A- MAPS

PHASE I ENVIRONMENTAL SITE ASSESSMENT
MANGO KEY: WEST PARK AVENUE AND CAROL ANN DRIVE
EDGEWATER, FL

SITE LOCATION

DRAWN BY:	GWG	DATE:	9/13/24	CHECKED BY:	GWG	DATE:	9/13/2024
SCALE:	UNKNOWN	ORDER NO:	6976-001-01	REPORT NO:	11561	PAGE NO:	A-1

G&S GOOD ENVIRONMENTAL, INC.
PROFESSIONAL GEOLOGISTS
4390 S. RIDGEWOOD AVE., PORT ORANGE, FLORIDA 32127
PHONE: (386) 679 7133 FAX: (386) 957-1831

PHASE I ENVIRONMENTAL SITE ASSESSMENT

MANGO KEY:

WEST PARK AVE. & CAROL ANN DR.

TALLAHASSEE, FLORIDA

SITE PLAN

PROJECT #: 6976-001-01

REPORT #: 11561

DRAWN BY: GWG
DATE: 9/13/2024

REVISIONS:
1.
2.
3.
4.
5.

SCALE: NTS

APPENDIX B- GENERAL CONDITIONS

1. **Scope of Services.** The scope of Consultant's services is described in the Scope of Services section of the Proposal ("Services"), unless Services are otherwise described in Exhibit B to this Agreement (which section or exhibit is incorporated into this Agreement). Portions of the Services may be subcontracted. Consultant's Services do not include the investigation or detection of, nor do recommendations in Consultant's reports address occupant safety issues, such as vulnerability to natural disasters, terrorism, or violence. If Services include purchase of software, Client will execute a separate software license agreement. Consultant's findings, opinions, and recommendations are based solely upon data and information obtained by and furnished to Consultant at the time of the Services.

2. **Acceptance/ Termination.** Client agrees that execution of this Agreement is a material element of the consideration Consultant requires to execute the Services, and if Services are initiated by Consultant prior to execution of this Agreement as an accommodation for Client at Client's request, both parties shall consider that commencement of Services constitutes formal acceptance of all terms and conditions of this Agreement. Additional terms and conditions may be added or changed only by written amendment to this Agreement signed by both parties. In the event Client uses a purchase order or other form to administer this Agreement, the use of such form shall be for convenience purposes only and any additional or conflicting terms it contains are stricken. This Agreement shall not be assigned by either party without prior written consent of the other party. Either party may terminate this Agreement or the Services upon written notice to the other. In such case, Consultant shall be paid costs incurred and fees earned to the date of termination plus reasonable costs of closing the project.

3. **Change Orders.** Client may request changes to the scope of Services by altering or adding to the Services to be performed. If Client so requests, Consultant will return to Client a statement (or supplemental proposal) of the change setting forth an adjustment to the Services and fees for the requested changes. Following Client's review, Client shall provide written acceptance. If Client does not follow these procedures, but instead directs, authorizes, or permits Consultant to perform changed or additional work, the Services are changed accordingly and Consultant will be paid for this work according to the fees stated or its current fee schedule. If project conditions change materially from those observed at the site or described to Consultant at the time of proposal, Consultant is entitled to a change order equitably adjusting its Services and fee.

4. **Compensation and Terms of Payment.** Client shall pay compensation for the Services performed at the fees stated in the Compensation section of the Proposal unless fees are otherwise stated in Exhibit C to this Agreement (which section or Exhibit is incorporated into this Agreement). If not stated in either, fees will be according to Consultant's current fee schedule. Fee schedules are valid for the calendar year in which they are issued. Consultant may invoice Client at least monthly and payment is due upon receipt of invoice. Client shall notify Consultant in writing, at the address below, within 15 days of the date of the invoice if Client objects to any portion of the charges on the invoice, and shall promptly pay the undisputed portion. Client shall pay a finance fee of 1.5% per month, but not exceeding the maximum rate allowed by law, for all unpaid amounts 30 days or older. Client agrees to pay all collection-related costs that Consultant incurs, including attorney fees. Consultant may suspend Services for lack of timely payment. It is the responsibility of Client to determine whether federal, state, or local prevailing wage requirements apply and to notify Consultant if prevailing wages apply. If it is later determined that prevailing wages apply, and Consultant was not previously notified by Client, Client agrees to pay the prevailing wage from that point forward, as well as a retroactive payment adjustment to bring previously paid amounts in line with prevailing wages. Client also agrees to defend, indemnify, and hold harmless Consultant from any alleged violations made by any governmental agency regulating prevailing wage activity for failing to pay prevailing wages, including the payment of any fines or penalties.

5. **Third Party Reliance.** This Agreement and the Services provided are for Consultant and Client's sole benefit and exclusive use with no third party beneficiaries intended. Reliance upon the Services and any work product is limited to Client, and is not intended for third parties. For a limited time period not to exceed three months from the date of the report, Consultant will issue additional reports to others agreed upon with Client, however Client understands that such reliance will not be granted until those parties sign and return Consultant's reliance agreement and Consultant receives the agreed-upon reliance fee.

6. **LIMITATION OF LIABILITY.** CLIENT AND CONSULTANT HAVE EVALUATED THE RISKS AND REWARDS ASSOCIATED WITH THIS PROJECT, INCLUDING CONSULTANT'S FEE RELATIVE TO THE RISKS ASSUMED, AND AGREE TO ALLOCATE CERTAIN OF THE ASSOCIATED RISKS. TO THE FULLEST EXTENT PERMITTED BY LAW, THE TOTAL AGGREGATE LIABILITY OF CONSULTANT (AND ITS RELATED CORPORATIONS AND EMPLOYEES) TO CLIENT AND THIRD PARTIES GRANTED RELIANCE IS LIMITED TO THE GREATER OF $50,000 OR CONSULTANT'S FEE, FOR ANY AND ALL INJURIES, DAMAGES, CLAIMS, LOSSES, OR EXPENSES (INCLUDING ATTORNEY AND EXPERT FEES) ARISING OUT OF CONSULTANT'S SERVICES OR THIS AGREEMENT. UPON WRITTEN REQUEST FROM CLIENT, CONSULTANT MAY NEGOTIATE A HIGHER LIMITATION FOR ADDITIONAL CONSIDERATION. THIS LIMITATION SHALL APPLY REGARDLESS OF AVAILABLE INSURANCE COVERAGE, CAUSE(S) OR THE THEORY OF LIABILITY, INCLUDING NEGLIGENCE, INDEMNITY, OR OTHER RECOVERY. THIS LIMITATION SHALL NOT APPLY TO THE EXTENT THE DAMAGE IS PAID UNDER CONSULTANT'S COMMERCIAL GENERAL LIABILITY POLICY.

7. **Indemnity/Statute of Limitations.** Consultant and Client shall indemnify and hold harmless the other and their respective employees from and against legal liability for claims, losses, damages, and expenses to the extent such claims, losses, damages, or expenses are legally determined to be caused by their negligent acts, errors, or omissions. In the event such claims, losses, damages, or expenses are legally determined to be caused by the joint or concurrent negligence of Consultant and Client, they shall be borne by each party in proportion to its own negligence under comparative fault principles. Neither party shall have a duty to defend the other party, and no duty to defend is hereby created by this indemnity provision and such duty is explicitly waived under this Agreement. Causes of action arising out of Consultant's services or this Agreement regardless of cause(s) or the theory of liability, including negligence, indemnity or other recovery shall be deemed to have accrued and the applicable statute of limitations shall commence to run not later than the date of Consultant's substantial completion of services on the project.

8. **Warranty.** Consultant will perform the Services in a manner consistent with that level of care and skill ordinarily exercised by members of the profession currently practicing under similar conditions in the same locale. CONSULTANT MAKES NO WARRANTIES OR GUARANTEES, EXPRESS OR IMPLIED, RELATING TO CONSULTANT'S SERVICES AND CONSULTANT DISCLAIMS ANY IMPLIED WARRANTIES OR WARRANTIES IMPOSED BY LAW, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

9. **Insurance.** Consultant represents that it now carries, and will continue to carry: (i) workers' compensation insurance in accordance with the laws of the states having jurisdiction over Consultant's employees who are engaged in the Services, and employer's liability insurance ($1,000,000); (ii) commercial general liability insurance ($1,000,000 occ / $2,000,000 agg); (iii) automobile liability insurance ($1,000,000 B.I. and P.D. combined single

limit); and (iv) professional liability insurance ($1,000,000 claim / agg). Certificates of insurance will be provided upon request. Client and Consultant shall waive subrogation against the other party on all general liability and property coverage.

10. **CONSEQUENTIAL DAMAGES. NEITHER PARTY SHALL BE LIABLE TO THE OTHER FOR LOSS OF PROFITS OR REVENUE; LOSS OF USE OR OPPORTUNITY; LOSS OF GOOD WILL; COST OF SUBSTITUTE FACILITIES, GOODS, OR SERVICES; COST OF CAPITAL; OR FOR ANY SPECIAL, CONSEQUENTIAL, INDIRECT, PUNITIVE, OR EXEMPLARY DAMAGES.**

11. **Dispute Resolution.** Client shall not be entitled to assert a Claim against Consultant based on any theory of professional negligence unless and until Client has obtained the written opinion from a registered, independent, and reputable engineer, architect, or geologist that Consultant has violated the standard of care applicable to Consultant's performance of the Services. Client shall provide this opinion to Consultant and the parties shall endeavor to resolve the dispute within 30 days, after which Client may pursue its remedies at law. This Agreement shall be governed by and construed according to Kansas law.

12. **Subsurface Explorations.** Subsurface conditions throughout the site may vary from those depicted on logs of discrete borings, test pits, or other exploratory services. Client understands Consultant's layout of boring and test locations is approximate and that Consultant may deviate a reasonable distance from those locations. Consultant will take reasonable precautions to reduce damage to the site when performing Services; however, Client accepts that invasive services such as drilling or sampling may damage or alter the site. Site restoration is not provided unless specifically included in the Services.

13. **Testing and Observations.** Client understands that testing and observation are discrete sampling procedures, and that such procedures indicate conditions only at the depths, locations, and times the procedures were performed. Consultant will provide test results and opinions based on tests and field observations only for the work tested. Client understands that testing and observation are not continuous or exhaustive, and are conducted to reduce - not eliminate - project risk. Client agrees to the level or amount of testing performed and the associated risk. Client is responsible (even if delegated to contractor) for requesting services, and notifying and scheduling Consultant so Consultant can perform these Services. Consultant is not responsible for damages caused by services not performed due to a failure to request or schedule Consultant's services. Consultant shall not be responsible for the quality and completeness of Client's contractor's work or their adherence to the project documents, and Consultant's performance of testing and observation services shall not relieve Client's contractor in any way from its responsibility for defects discovered in its work, or create a warranty or guarantee. Consultant will not supervise or direct the work performed by Client's contractor or its subcontractors and is not responsible for their means and methods.

14. **Sample Disposition, Affected Materials, and Indemnity.** Samples are consumed in testing or disposed of upon completion of tests (unless stated otherwise in the Services). Client shall furnish or cause to be furnished to Consultant all documents and information known or available to Client that relate to the identity, location, quantity, nature, or characteristic of any hazardous waste, toxic, radioactive, or contaminated materials ("Affected Materials") at or near the site, and shall immediately transmit new, updated, or revised information as it becomes available. Client agrees that Consultant is not responsible for the disposition of Affected Material unless specifically provided in the Services, and that Client is responsible for directing such disposition. In the event that test samples obtained during the performance of Services (i) contain substances hazardous to health, safety, or the environment, or (ii) equipment used during the Services cannot reasonably be decontaminated, Client shall sign documentation (if necessary) required to ensure the equipment and/or samples are transported and disposed of properly, and agrees to pay Consultant the fair market value of this equipment and reasonable disposal costs. In no event shall Consultant be required to sign a hazardous waste manifest or take title to any Affected Materials. Client shall have the obligation to make all spill or release notifications to appropriate governmental agencies. The Client agrees that Consultant neither created nor contributed to the creation or existence of any Affected Materials conditions at the site. Accordingly, Client waives any claim against Consultant and agrees to indemnify and save Consultant, its agents, employees, and related companies harmless from any claim, liability or defense cost, including attorney and expert fees, for injury or loss sustained by any party from such exposures allegedly arising out of Consultant's non-negligent performance of services hereunder, or for any claims against Consultant as a generator, disposer, or arranger of Affected Materials under federal, state, or local law or ordinance.

15. **Ownership of Documents.** Work product, such as reports, logs, data, notes, or calculations, prepared by Consultant shall remain Consultant's property. Proprietary concepts, systems, and ideas developed during performance of the Services shall remain the sole property of Consultant. Files shall be maintained in general accordance with Consultant's document retention policies and practices.

16. **Utilities.** Client shall provide the location and/or arrange for the marking of private utilities and subterranean structures. Consultant shall take reasonable precautions to avoid damage or injury to subterranean structures or utilities. Consultant shall not be responsible for damage to subterranean structures or utilities that are not called to Consultant's attention, are not correctly marked, including by a utility locate service, or are incorrectly shown on the plans furnished to Consultant.

17. **Site Access and Safety.** Client shall secure all necessary site related approvals, permits, licenses, and consents necessary to commence and complete the Services and will execute any necessary site access agreement. Consultant will be responsible for supervision and site safety measures for its own employees, but shall not be responsible for the supervision or health and safety precautions for any other parties, including Client, Client's contractors, subcontractors, or other parties present at the site.

APPENDIX C- LEGAL DESCRIPTION

Volusia County Property Appraiser
123 W. Indiana Ave., Rm. 102
DeLand, FL. 32720
Phone: (386) 736-5901 Web: vcpa.vcgov.org

AltKey: 8025307 **Parcel ID: 74520100037H**
MANGO STORAGE LLC **816 W PARK AVE, EDGEWATER, FL**

Parcel Summary

Alternate Key:	8025307
Parcel ID:	74520100037H
Township-Range-Section:	17 - 34 - 52
Subdivision-Block-Lot:	01 - 00 - 037H
Owner(s):	MANGO STORAGE LLC - FS - Fee Simple - 100%
Mailing Address On File:	220 CHARLES ST PORT ORANGE FL 32129
Physical Address:	816 W PARK AVE, EDGEWATER 32132
Property Use:	1000 - VACANT COMM
Tax District:	604-EDGEWATER
2024 Proposed Millage Rate:	18.629
Neighborhood:	7464
Subdivision Name:	ALVAREZ GRANT ASSOR
Homestead Property:	No

Working Tax Roll Values by Taxing Authority

	Tax Authority	Just Value	Assessed	Ex/10cap	Taxable	Millage	Estimated
0017	CAPITAL IMPROVEMENT	$194,463	$194,463	$0	$194,463	1.5000	$291.69
0012	DISCRETIONARY	$194,463	$194,463	$0	$194,463	0.7480	$145.46
0011	REQ LOCAL EFFORT	$194,463	$194,463	$0	$194,463	3.0370	$590.58
0050	GENERAL FUND	$194,463	$194,463	$0	$194,463	3.2862	$639.04
0053	LAW ENFORCEMENT FUND	$194,463	$194,463	$0	$194,463	1.5994	$311.02
0055	LIBRARY	$194,463	$194,463	$0	$194,463	0.3891	$75.67
0520	MOSQUITO CONTROL	$194,463	$194,463	$0	$194,463	0.1647	$32.03
0530	PONCE INLET PORT AUTHORITY	$194,463	$194,463	$0	$194,463	0.0692	$13.46
0058	VOLUSIA ECHO	$194,463	$194,463	$0	$194,463	0.2000	$38.89
0057	VOLUSIA FOREVER	$194,463	$194,463	$0	$194,463	0.2000	$38.89
0065	FLORIDA INLAND NAVIGATION DISTRICT	$194,463	$194,463	$0	$194,463	0.0288	$5.60
0120	SOUTH EAST VOLUSIA HOSPITAL AUTHORITY	$194,463	$194,463	$0	$194,463	0.7506	$145.96
0060	ST JOHN'S WATER MANAGEMENT DISTRICT	$194,463	$194,463	$0	$194,463	0.1793	$34.87
0290	EDGEWATER	$194,463	$194,463	$0	$194,463	6.3300	$1,230.95
0291	EDGEWATER I&S 2005	$194,463	$194,463	$0	$194,463	0.0200	$3.89
0292	EDGEWATER I&S 2016	$194,463	$194,463	$0	$194,463	0.1267	$24.64
						18.6290	$3,622.65

Non-Ad Valorem Assessments

Project	Units	Rate	Total
			$0.00

Estimated Ad Valorem Tax:	$3,622.65
Estimated Non-Ad Valorem Tax:	$0.00
Estimated Taxes:	**$3,622.65**
Estimated Tax Amount without SOH:	$3,622.65

Previous Years Certified Tax Roll Values

Year	Land Value	Impr Value	Just Value	Non-Sch Assd	Exemptions	Taxable	HX Savings

Land Data

#	Land Use	Type	Units	Acres	Sq Feet	FF	Depth	Rate	Just Value
1	1003-COMMERCIAL LND W/IMP	SQUARE FEET			70419			2.75	$193,652

Total Land Value: $193,652

Miscellaneous Improvement(s)

#	Type	Year	Area	Units	Depreciated Value
1	PVA-PAVING ASPHALT	2007	1425	1	$811

Sales History

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description and/or recorded and indexed with the Clerk of the Court. Follow this link to search all documents by owner's name.

Book/Page	Inst #	Sale Date	Deed Type	Q/U	V/I	Sale Price
8455 / 1131	2023181122	08/30/2023	WD-WARRANTY DEED	UNQUALIFIED	Vacant	$175,000

Recent Neighborhood Sales

Alt Key	Address	City	Property Class	NBHD	Sale Date	Sale Price
8004409	318 BASE LEG DR	EDGEWATER	4800-WAREH/DIST TERM	7464	08/16/2024	$910,000
3895282	202 W PARK AVE	EDGEWATER	1200-STORE/OFF/RES	7464	08/01/2024	$650,000
3895185	300 W PARK AVE	EDGEWATER	4100-LIGHT INDUSTRIAL	7464	04/29/2024	$1,000,000
8025567	311 PARKTOWNE BLVD	EDGEWATER	4000-VACANT INDUS	7464	03/07/2024	$1,232,600
5789284	129 W MARION AVE	EDGEWATER	4800-WAREH/DIST TERM	7464	04/13/2023	$663,500
6470308	305 BASE LEG DR	EDGEWATER	4000-VACANT INDUS	7464	04/10/2023	$250,000

Property Description

NOTE: This property description may be a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Volusia County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property descriptions found on this site.

52-17-34 PORTION OF LOT 37 ALVAREZ GRANT MB 3 PG 137 AS DESCRIBED IN OR PER OR 8455 PG 1131 MEAS 150 FT ALONG SLY/ROW OF PARK AVE W & MEAS 469.91 FT ON ELY/L

Volusia County Property Appraiser
123 W. Indiana Ave., Rm. 102
DeLand, FL. 32720
Phone: (386) 736-5901 Web: vcpa.vcgov.org

AltKey: 6519358 **Parcel ID: 74520100037G**
OAK GROVE ON PARK AVE LLC **CAROL ANN DR, EDGEWATER, FL**

Parcel Summary

Alternate Key:	6519358
Parcel ID:	74520100037G
Township-Range-Section:	17 - 34 - 52
Subdivision-Block-Lot:	01 - 00 - 037G
Owner(s):	OAK GROVE ON PARK AVE LLC - FS - Fee Simple - 100%
Mailing Address On File:	220 CHARLES ST PORT ORANGE FL 32129
Physical Address:	CAROL ANN DR, EDGEWATER 32132
Property Use:	4000 - VACANT INDUS
Tax District:	604-EDGEWATER
2024 Proposed Millage Rate:	18.629
Neighborhood:	7464
Subdivision Name:	ALVAREZ GRANT ASSOR
Homestead Property:	No

Working Tax Roll Values by Taxing Authority

	Tax Authority	Just Value	Assessed	Ex/10cap	Taxable	Millage	Estimated
0017	CAPITAL IMPROVEMENT	$118,399	$94,719	$0	$118,399	1.5000	$177.60
0012	DISCRETIONARY	$118,399	$94,719	$0	$118,399	0.7480	$88.56
0011	REQ LOCAL EFFORT	$118,399	$94,719	$0	$118,399	3.0370	$359.58
0050	GENERAL FUND	$118,399	$94,719	$23,680	$94,719	3.2862	$311.27
0053	LAW ENFORCEMENT FUND	$118,399	$94,719	$23,680	$94,719	1.5994	$151.49
0055	LIBRARY	$118,399	$94,719	$23,680	$94,719	0.3891	$36.86
0520	MOSQUITO CONTROL	$118,399	$94,719	$23,680	$94,719	0.1647	$15.60
0530	PONCE INLET PORT AUTHORITY	$118,399	$94,719	$23,680	$94,719	0.0692	$6.55
0058	VOLUSIA ECHO	$118,399	$94,719	$23,680	$94,719	0.2000	$18.94
0057	VOLUSIA FOREVER	$118,399	$94,719	$23,680	$94,719	0.2000	$18.94
0065	FLORIDA INLAND NAVIGATION DISTRICT	$118,399	$94,719	$23,680	$94,719	0.0288	$2.73
0120	SOUTH EAST VOLUSIA HOSPITAL AUTHORITY	$118,399	$94,719	$23,680	$94,719	0.7506	$71.10
0060	ST JOHN'S WATER MANAGEMENT DISTRICT	$118,399	$94,719	$23,680	$94,719	0.1793	$16.98
0290	EDGEWATER	$118,399	$94,719	$23,680	$94,719	6.3300	$599.57
0291	EDGEWATER I&S 2005	$118,399	$94,719	$23,680	$94,719	0.0200	$1.89
0292	EDGEWATER I&S 2016	$118,399	$94,719	$23,680	$94,719	0.1267	$12.00
						18.6290	$1,889.67

Non-Ad Valorem Assessments

Project	Units	Rate	Total
			$0.00

Estimated Ad Valorem Tax:	$1,889.67
Estimated Non-Ad Valorem Tax:	$0.00
Estimated Taxes:	**$1,889.67**
Estimated Tax Amount without SOH:	$2,205.65

Previous Years Certified Tax Roll Values

Year	Land Value	Impr Value	Just Value	Non-Sch Assd	Exemptions	Taxable	HX Savings
2023	$86,108	$0	$86,108	$86,108	$0	$86,108	$0
2022	$79,650	$0	$79,650	$69,340	$0	$69,340	$0
2021	$77,497	$0	$77,497	$63,036	$0	$63,036	$0
2020	$71,039	$0	$71,039	$57,305	$0	$57,305	$0
2019	$64,581	$0	$64,581	$52,095	$0	$52,095	$0
2018	$64,581	$0	$64,581	$47,359	$0	$47,359	$0
2017	$43,054	$0	$43,054	$43,054	$0	$43,054	$0
2016	$43,054	$0	$43,054	$43,054	$0	$43,054	$0
2015	$43,054	$0	$43,054	$43,054	$0	$43,054	$0

AltKey: 6519358 **Parcel ID: 74520100037G**

OAK GROVE ON PARK AVE LLC **CAROL ANN DR, EDGEWATER, FL**

Land Data

#	Land Use	Type	Units	Acres	Sq Feet	FF	Depth	Rate	Just Value
1	4000-VACANT INDUSTRIAL	S-SQUARE FEET			43054			2.75	$118,399

Total Land Value: **$118,399**

Sales History

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description and/or recorded and indexed with the Clerk of the Court. Follow this link to search all documents by owner's name.

Book/Page	Inst #	Sale Date	Deed Type	Q/U	V/I	Sale Price
8526 / 1727	2024043725	02/27/2024	QC-QUIT CLAIM DEED	UNQUALIFIED	Vacant	$100
8459 / 3408	2023188392	02/10/2023	WD-WARRANTY DEED	MULTI-PARCEL	Vacant	$100
8316 / 3924	2022223089	09/21/2022	WD-WARRANTY DEED	MULTI-PARCEL	Vacant	$100,000

Recent Neighborhood Sales

Alt Key	Address	City	Property Class	NBHD	Sale Date	Sale Price
8004409	318 BASE LEG DR	EDGEWATER	4800-WAREH/DIST TERM	7464	08/16/2024	$910,000
3895282	202 W PARK AVE	EDGEWATER	1200-STORE/OFF/RES	7464	08/01/2024	$650,000
3895185	300 W PARK AVE	EDGEWATER	4100-LIGHT INDUSTRIAL	7464	04/29/2024	$1,000,000
8025567	311 PARKTOWNE BLVD	EDGEWATER	4000-VACANT INDUS	7464	03/07/2024	$1,232,600
5789284	129 W MARION AVE	EDGEWATER	4800-WAREH/DIST TERM	7464	04/13/2023	$663,500
6470308	305 BASE LEG DR	EDGEWATER	4000-VACANT INDUS	7464	04/10/2023	$250,000

Property Description

NOTE: This property description may be a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Volusia County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property descriptions found on this site.

E 367.5 FT ON S/L OF W 2121.5 FT LOT 37 ALVAREZ GRANT S OF PARK AVE EXC N 469.91 FT ON E/L PER OR 4434 PG 2505 PER OR 8316 PG 3924 PER OR 8526 PG 1727

Volusia County Property Appraiser
123 W. Indiana Ave., Rm. 102
DeLand, FL. 32720
Phone: (386) 736-5901 Web: vcpa.vcgov.org

AltKey: 3847962 **Parcel ID: 743208000120**
OAK GROVE ON PARK AVE LLC **259 CAROL ANN DR, EDGEWATER, FL**

Parcel Summary

Alternate Key:	3847962
Parcel ID:	743208000120
Township-Range-Section:	17 - 34 - 32
Subdivision-Block-Lot:	08 - 00 - 0120
Owner(s):	OAK GROVE ON PARK AVE LLC - FS - Fee Simple - 100%
Mailing Address On File:	220 CHARLES ST PORT ORANGE FL 32129
Physical Address:	259 CAROL ANN DR, EDGEWATER 32132
Property Use:	0000 - VACANT RES
Tax District:	604-EDGEWATER
2024 Proposed Millage Rate:	18.629
Neighborhood:	4327
Subdivision Name:	PARK AVENUE ESTATES
Homestead Property:	No

Working Tax Roll Values by Taxing Authority

	Tax Authority	Just Value	Assessed	Ex/10cap	Taxable	Millage	Estimated
0017	CAPITAL IMPROVEMENT	$202,720	$183,172	$0	$202,720	1.5000	$304.08
0012	DISCRETIONARY	$202,720	$183,172	$0	$202,720	0.7480	$151.63
0011	REQ LOCAL EFFORT	$202,720	$183,172	$0	$202,720	3.0370	$615.66
0050	GENERAL FUND	$202,720	$183,172	$19,548	$183,172	3.2862	$601.94
0053	LAW ENFORCEMENT FUND	$202,720	$183,172	$19,548	$183,172	1.5994	$292.97
0055	LIBRARY	$202,720	$183,172	$19,548	$183,172	0.3891	$71.27
0520	MOSQUITO CONTROL	$202,720	$183,172	$19,548	$183,172	0.1647	$30.17
0530	PONCE INLET PORT AUTHORITY	$202,720	$183,172	$19,548	$183,172	0.0692	$12.68
0058	VOLUSIA ECHO	$202,720	$183,172	$19,548	$183,172	0.2000	$36.63
0057	VOLUSIA FOREVER	$202,720	$183,172	$19,548	$183,172	0.2000	$36.63
0065	FLORIDA INLAND NAVIGATION DISTRICT	$202,720	$183,172	$19,548	$183,172	0.0288	$5.28
0120	SOUTH EAST VOLUSIA HOSPITAL AUTHORITY	$202,720	$183,172	$19,548	$183,172	0.7506	$137.49
0060	ST JOHN'S WATER MANAGEMENT DISTRICT	$202,720	$183,172	$19,548	$183,172	0.1793	$32.84
0290	EDGEWATER	$202,720	$183,172	$19,548	$183,172	6.3300	$1,159.48
0291	EDGEWATER I&S 2005	$202,720	$183,172	$19,548	$183,172	0.0200	$3.66
0292	EDGEWATER I&S 2016	$202,720	$183,172	$19,548	$183,172	0.1267	$23.21
						18.6290	$3,515.62

Non-Ad Valorem Assessments

Project	Units	Rate	Total
			$0.00

Estimated Ad Valorem Tax:	$3,515.62
Estimated Non-Ad Valorem Tax:	$0.00
Estimated Taxes:	**$3,515.62**
Estimated Tax Amount without SOH:	$3,776.47

Previous Years Certified Tax Roll Values

Year	Land Value	Impr Value	Just Value	Non-Sch Assd	Exemptions	Taxable	HX Savings
2023	$166,520	$0	$166,520	$166,520	$0	$166,520	$0
2022	$166,520	$81,543	$248,063	$132,130	$0	$132,130	$0
2021	$166,520	$64,223	$230,743	$120,118	$0	$120,118	$0
2020	$99,333	$66,698	$166,031	$109,198	$0	$109,198	$0
2019	$99,333	$80,274	$179,607	$99,271	$0	$99,271	$0
2018	$99,333	$81,331	$180,664	$90,246	$0	$90,246	$0
2017	$99,333	$78,642	$177,975	$82,042	$0	$82,042	$0
2016	$111,496	$67,532	$179,028	$74,584	$0	$74,584	$0
2015	$72,400	$56,891	$129,291	$67,804	$0	$67,804	$0

Land Data

#	Land Use	Type	Units	Acres	Sq Feet	FF	Depth	Rate	Just Value
1	0017-VAC UNPVD 5 - 9.99 AC	A-ACRE		7.24				28000	$202,720

Total Land Value: $202,720

Sales History

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description and/or recorded and indexed with the Clerk of the Court. Follow this link to search all documents by owner's name.

Book/Page	Inst #	Sale Date	Deed Type	Q/U	V/I	Sale Price
8459 / 3408	2023188392	02/10/2023	WD-WARRANTY DEED	MULTI-PARCEL	Improved	$100
8316 / 3934	2022223095	09/21/2022	WD-WARRANTY DEED	MULTI-PARCEL	Improved	$550,000
4432 / 4000	1999097041	05/15/1999	WD-WARRANTY DEED	UNQUALIFIED	Vacant	$135,000
2813 / 1409		02/15/1986	QC-QUIT CLAIM DEED	UNQUALIFIED	Vacant	$100
1916 / 0431		07/15/1977	WD-WARRANTY DEED	UNQUALIFIED	Vacant	$30,000

Property Description

NOTE: This property description may be a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Volusia County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property descriptions found on this site.

LOT 12 PARK AVENUE ESTATES MB 34 PG 69 PER OR 4432 PG 4000 PER OR 8316 PG 3934

AltKey: 3847962 **Parcel ID: 743208000120**

OAK GROVE ON PARK AVE LLC **259 CAROL ANN DR, EDGEWATER, FL**

Permit List

Permit Date	Permit #	Description	Contractor	Amount
09/25/1990	19900921037	WELL/PUMP/IRRIGATION	MCGEE WELL DRILLING	$0

Volusia County Property Appraiser
123 W. Indiana Ave., Rm. 102
DeLand, FL. 32720
Phone: (386) 736-5901 Web: vcpa.vcgov.org

AltKey: 3847971 **Parcel ID: 743208000130**
OAK GROVE ON PARK AVE LLC **257 CAROL ANN DR, EDGEWATER, FL**

Parcel Summary

Alternate Key:	3847971
Parcel ID:	743208000130
Township-Range-Section:	17 - 34 - 32
Subdivision-Block-Lot:	08 - 00 - 0130
Owner(s):	OAK GROVE ON PARK AVE LLC - FS - Fee Simple - 100%
Mailing Address On File:	220 CHARLES ST PORT ORANGE FL 32129
Physical Address:	257 CAROL ANN DR, EDGEWATER 32132
Property Use:	0000 - VACANT RES
Tax District:	604-EDGEWATER
2024 Proposed Millage Rate:	18.629
Neighborhood:	4327
Subdivision Name:	PARK AVENUE ESTATES
Homestead Property:	No

AltKey: 3847971 **Parcel ID: 743208000130**

OAK GROVE ON PARK AVE LLC **257 CAROL ANN DR, EDGEWATER, FL**

Working Tax Roll Values by Taxing Authority

	Tax Authority	Just Value	Assessed	Ex/10cap	Taxable	Millage	Estimated
0017	CAPITAL IMPROVEMENT	$65,675	$62,480	$0	$65,675	1.5000	$98.51
0012	DISCRETIONARY	$65,675	$62,480	$0	$65,675	0.7480	$49.12
0011	REQ LOCAL EFFORT	$65,675	$62,480	$0	$65,675	3.0370	$199.46
0050	GENERAL FUND	$65,675	$62,480	$3,195	$62,480	3.2862	$205.32
0053	LAW ENFORCEMENT FUND	$65,675	$62,480	$3,195	$62,480	1.5994	$99.93
0055	LIBRARY	$65,675	$62,480	$3,195	$62,480	0.3891	$24.31
0520	MOSQUITO CONTROL	$65,675	$62,480	$3,195	$62,480	0.1647	$10.29
0530	PONCE INLET PORT AUTHORITY	$65,675	$62,480	$3,195	$62,480	0.0692	$4.32
0058	VOLUSIA ECHO	$65,675	$62,480	$3,195	$62,480	0.2000	$12.50
0057	VOLUSIA FOREVER	$65,675	$62,480	$3,195	$62,480	0.2000	$12.50
0065	FLORIDA INLAND NAVIGATION DISTRICT	$65,675	$62,480	$3,195	$62,480	0.0288	$1.80
0120	SOUTH EAST VOLUSIA HOSPITAL AUTHORITY	$65,675	$62,480	$3,195	$62,480	0.7506	$46.90
0060	ST JOHN'S WATER MANAGEMENT DISTRICT	$65,675	$62,480	$3,195	$62,480	0.1793	$11.20
0290	EDGEWATER	$65,675	$62,480	$3,195	$62,480	6.3300	$395.50
0291	EDGEWATER I&S 2005	$65,675	$62,480	$3,195	$62,480	0.0200	$1.25
0292	EDGEWATER I&S 2016	$65,675	$62,480	$3,195	$62,480	0.1267	$7.92
						18.6290	$1,180.83

Non-Ad Valorem Assessments

Project	Units	Rate	Total
			$0.00

Estimated Ad Valorem Tax:	$1,180.83
Estimated Non-Ad Valorem Tax:	$0.00
Estimated Taxes:	**$1,180.83**
Estimated Tax Amount without SOH:	$1,223.46

Previous Years Certified Tax Roll Values

Year	Land Value	Impr Value	Just Value	Non-Sch Assd	Exemptions	Taxable	HX Savings
2023	$56,800	$0	$56,800	$56,800	$0	$56,800	$0
2022	$56,800	$0	$56,800	$36,831	$0	$36,831	$0
2021	$56,800	$0	$56,800	$33,483	$0	$33,483	$0
2020	$39,494	$0	$39,494	$30,439	$0	$30,439	$0
2019	$40,470	$0	$40,470	$27,672	$0	$27,672	$0
2018	$27,158	$0	$27,158	$25,156	$0	$25,156	$0
2017	$24,788	$0	$24,788	$22,869	$0	$22,869	$0
2016	$27,823	$0	$27,823	$20,790	$0	$20,790	$0
2015	$19,969	$0	$19,969	$18,900	$0	$18,900	$0

Land Data

#	Land Use	Type	Units	Acres	Sq Feet	FF	Depth	Rate	Just Value
1	0016-VAC UNPVD 2 - 4.99 AC	A-ACRE		3.55				37000	$65,675

Total Land Value: **$65,675**

Sales History

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description and/or recorded and indexed with the Clerk of the Court. Follow this link to search all documents by owner's name.

Book/Page	Inst #	Sale Date	Deed Type	Q/U	V/I	Sale Price
8459 / 3408	2023188392	02/10/2023	WD-WARRANTY DEED	MULTI-PARCEL	Vacant	$100
8316 / 3934	2022223095	09/21/2022	WD-WARRANTY DEED	MULTI-PARCEL	Vacant	$550,000
4432 / 4000	1999097041	05/15/1999	WD-WARRANTY DEED	UNQUALIFIED	Vacant	$135,000
2813 / 1409		02/15/1986	QC-QUIT CLAIM DEED	UNQUALIFIED	Vacant	$100
1916 / 0431		07/15/1977	WD-WARRANTY DEED	UNQUALIFIED	Vacant	$30,000

Property Description

NOTE: This property description may be a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Volusia County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property descriptions found on this site.

LOT 13 PARK AVENUE ESTATES MB 34 PG 69 PER OR 4432 PG 4000 PER OR 8316 PG 3934

Volusia County Property Appraiser
123 W. Indiana Ave., Rm. 102
DeLand, FL. 32720
Phone: (386) 736-5901 Web: vcpa.vcgov.org

AltKey: 3847857 **Parcel ID: 743208000010**
DEWITT DAVID FREDERICK **260 CAROL ANN DR, EDGEWATER, FL**

Parcel Summary

Alternate Key:	3847857
Parcel ID:	743208000010
Township-Range-Section:	17 - 34 - 32
Subdivision-Block-Lot:	08 - 00 - 0010
Owner(s):	DEWITT DAVID FREDERICK - FS - Fee Simple - 100%
Mailing Address On File:	1800 JAMES ST NEW SMYRNA BEACH FL 32168 9519
Physical Address:	260 CAROL ANN DR, EDGEWATER 32132
Property Use:	0200 - MOBILE HOME
Tax District:	600-UNINCORPORATED - SOUTHEAST
2024 Proposed Millage Rate:	17.6891
Neighborhood:	4327
Subdivision Name:	PARK AVENUE ESTATES
Homestead Property:	No

Working Tax Roll Values by Taxing Authority

	Tax Authority	Just Value	Assessed	Ex/10cap	Taxable	Millage	Estimated
0017	CAPITAL IMPROVEMENT	$151,824	$151,824	$0	$151,824	1.5000	$227.74
0012	DISCRETIONARY	$151,824	$151,824	$0	$151,824	0.7480	$113.56
0011	REQ LOCAL EFFORT	$151,824	$151,824	$0	$151,824	3.0370	$461.09
0510	FIRE DISTRICT	$151,824	$151,824	$0	$151,824	3.8412	$583.19
0050	GENERAL FUND	$151,824	$151,824	$0	$151,824	3.2862	$498.92
0053	LAW ENFORCEMENT FUND	$151,824	$151,824	$0	$151,824	1.5994	$242.83
0055	LIBRARY	$151,824	$151,824	$0	$151,824	0.3891	$59.07
0520	MOSQUITO CONTROL	$151,824	$151,824	$0	$151,824	0.1647	$25.01
0530	PONCE INLET PORT AUTHORITY	$151,824	$151,824	$0	$151,824	0.0692	$10.51
0310	VOLUSIA COUNTY MSD	$151,824	$151,824	$0	$151,824	1.6956	$257.43
0058	VOLUSIA ECHO	$151,824	$151,824	$0	$151,824	0.2000	$30.36
0057	VOLUSIA FOREVER	$151,824	$151,824	$0	$151,824	0.2000	$30.36
0065	FLORIDA INLAND NAVIGATION DISTRICT	$151,824	$151,824	$0	$151,824	0.0288	$4.37
0120	SOUTH EAST VOLUSIA HOSPITAL AUTHORITY	$151,824	$151,824	$0	$151,824	0.7506	$113.96
0060	ST JOHN'S WATER MANAGEMENT DISTRICT	$151,824	$151,824	$0	$151,824	0.1793	$27.22
						17.6891	$2,685.63

Non-Ad Valorem Assessments

Project	Units	Rate	Total
5030-VOLUSIA COUNTY STORMWATER	1	$78.00	$96.00
5050-VOLUSIA COUNTY GARBAGE	1	$288.00	$288.00
			$384.00

Estimated Ad Valorem Tax:	$2,685.63
Estimated Non-Ad Valorem Tax:	$384.00
Estimated Taxes:	**$3,069.63**
Estimated Tax Amount without SOH:	$3,069.63

Previous Years Certified Tax Roll Values

Year	Land Value	Impr Value	Just Value	Non-Sch Assd	Exemptions	Taxable	HX Savings
2023	$66,240	$77,879	$144,119	$144,119	$0	$144,119	$0
2022	$66,240	$71,054	$137,294	$132,538	$0	$132,538	$0
2021	$66,240	$63,296	$129,536	$120,489	$0	$120,489	$0
2020	$46,058	$63,477	$109,535	$109,535	$0	$109,535	$0
2019	$47,196	$74,053	$121,249	$121,249	$0	$121,249	$0
2018	$31,671	$75,405	$107,076	$107,076	$0	$107,076	$0
2017	$28,908	$73,404	$102,312	$97,817	$0	$97,817	$0
2016	$32,447	$65,315	$97,762	$88,925	$0	$88,925	$0
2015	$23,288	$57,553	$80,841	$80,841	$0	$80,841	$0

Land Data

#	Land Use	Type	Units	Acres	Sq Feet	FF	Depth	Rate	Just Value
1	0214-MH UNPVD 2-4.99 AC	A-ACRE		2.07				37000	$76,590

Total Land Value: **$76,590**

Miscellaneous Improvement(s)

#	Type	Year	Area	Units	Depreciated Value
1	BRN-BARN	1976	432	1	$1,523
2	WHP-PREFAB METAL BUILDING	1978	1243	1	$3,448
3	WHP-PREFAB METAL BUILDING	1988	2000	1	$5,548
4	RSH-STORAGE, SHED RESIDENTIAL	2005	198	1	$452

Sales History

NOTE: This section is not intended to be a complete chain of title. Additional official book/page numbers may be listed in the property description and/or recorded and indexed with the Clerk of the Court. Follow this link to search all documents by owner's name.

Book/Page	Inst #	Sale Date	Deed Type	Q/U	V/I	Sale Price
8562 / 0763	2024103225	05/24/2024	WD-WARRANTY DEED	UNQUALIFIED	Improved	$100
8538 / 3917	2024064996	04/04/2024	QC-QUIT CLAIM DEED	UNQUALIFIED	Improved	$100
7613 / 1845	2018213675	09/21/2018	WD-WARRANTY DEED		Improved	$100
7580 / 0089	2018156771	08/03/2018	QC-QUIT CLAIM DEED		Improved	$100
7445 / 2266	2017175581	08/31/2017	WD-WARRANTY DEED	QUALIFIED	Improved	$159,000
7437 / 2171	2017162038	08/10/2017	WD-WARRANTY DEED	UNQUALIFIED	Improved	$100
7006 / 4746	2014119003	06/25/2014	WD-WARRANTY DEED	UNQUALIFIED	Improved	$100
6984 / 4793	2014078262	04/03/2014	WD-WARRANTY DEED	UNQUALIFIED	Improved	$70,000
4228 / 3256	1997140064	08/15/1997	WD-WARRANTY DEED	UNQUALIFIED	Improved	$125,000
3373 / 0116	1989134865	10/15/1989	WD-WARRANTY DEED	UNQUALIFIED	Improved	$100

Property Description

NOTE: This property description may be a condensed/abbreviated version of the original description as recorded on deeds or other legal instruments in the public records of the Volusia County Clerk of Court. It may not include the Public Land Survey System's Section, Township, Range information or the county in which the property is located. It is intended to represent the land boundary only and does not include easements or other interests of record. This description should not be used for purposes of conveying property title. The Property Appraiser assumes no responsibility for the consequences of inappropriate uses or interpretations of the property descriptions found on this site.

LOT 1 EXC PART IN CAROL ANN DR PARK AVENUE ESTATES MB 34 PG 69 PER OR 4228 PGS 3256-3257 PER OR 6984 PG 4793 PER OR 7006 PG 4746 PER OR 7437 PG 2171 PER OR 7445 PG 2266 PER OR 7580 PG 0089 PER OR 7613 PG 1845 PER OR 8538 PG 3917 PER OR 8562 PG 0763

AltKey: 3847857 **Parcel ID: 743208000010**

DEWITT DAVID FREDERICK **260 CAROL ANN DR, EDGEWATER, FL**

Permit List

Permit Date	Permit #	Description	Contractor	Amount
11/11/1988	28486D	GARAGE / CARPORTS	MR PERMIT	$0

APPENDIX D- ENVIROSITE REPORTS

Government Records Report | 2024

With Platinum Review

Order Number: 101428

Report Generated: 09/09/2024

Project Name:

Project Number:

Vacant Parcels
Carol Ann Dr
Edgewater, FL 32132

with Envirosite Atlas

Contact us at:
(866) 211-2028
envirositecorp.com

Table of Contents

2024

Section	Page
Executive Summary	1
Executive Summary by Distance	2
Executive Summary by Database	4
Property Proximity Map	19
Area Map	20
Map Findings Summary	21
Map Findings	29
Unmappable Summary	402
Environmental Records Searched	403
Geological Landscape Section	430
Geological Landscape Section Soil Map	433
Geological Landscape Section Summary	434
Geological Findings Map	468
Geological Landscape Section Map Findings	469
Geological Landscape Section Map Findings Radon	502
Geological Landscape Records Searched	503

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

Envirosite Corporation has conducted a search of all reasonably ascertainable records in accordance with EPA's AAI (40 CFR Part 312) requirements and the ASTM E-1527-21 Environmental Site Assessments standard.

SUBJECT PROPERTY INFORMATION:

ADDRESS:

Vacant Parcels
Carol Ann Dr
Edgewater, FL 32132

COORDINATES:

Latitude (North):	28.985354 - 28°59'7.3"
Longitude (West):	-80.917948 - -80°55'4.6"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	507993.03
UTM Y (Meters):	3206365.75
State Plane Coordinates:	0901 - Florida East (US Survey Feet)
X Coordinate (Feet):	682399.424 E
Y Coordinate (Feet):	1690973.071 N

ELEVATION:

Elevation:	6 ft. above sea level

USGS TOPOGRAPHIC MAP ASSOCIATED WITH SUBJECT PROPERTY:

Subject Property Map: 28080-H8 Edgewater, FL
Most Recent Revision: 2021

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
A1	Edgewater Redevelopment Area (ERA)	28.98173, -80.923948	BROWNFIELDS_AREAS - FL		SP
A2	AAF0035	259 CAROL ANN DR	DEDB - FL		SP
3	ROYAL OAKS COMMUNITY	28.987296, -80.917511	CDC HAZDAT		SP
4	ROYAL OAKS GOLDENS TAROFCEN FL...	800 WEST PARK AVENUE | 80...	CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RE...	Higher	NW / 0.010 mi., 53 ft.
B5	AAF0036	267 CAROL ANN	DEDB - FL	Higher	SSE / 0.021 mi., 114 ft.
6	L L HAGS	821 W PARK AVE	ECHO, FRS, RCRA_VSQG	Higher	NW / 0.023 mi., 123 ft.
C7	AAF0034	260 CAROL ANN	DEDB - FL	Higher	SW / 0.031 mi., 163 ft.
C8	AAF0037	266 CAROL ANN	DEDB - FL	Higher	SSW / 0.034 mi., 179 ft.
D9	N R	210 MANGO TREE DR LOT 38...	DEDB - FL	Higher	NE / 0.048 mi., 255 ft.
E10	HOMAC MFG CO | WACO MANUFACTURING	710 W PARK AVE | 710 WEST...	ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL,...	Higher	N / 0.052 mi., 274 ft.
B11	AAF0040	283 CAROL ANN	DEDB - FL	Higher	SSE / 0.054 mi., 288 ft.
B12	AAF0040	283 CAROL ANN DR	DEDB - FL	Higher	SSE / 0.055 mi., 289 ft.
D13	P & J TIRE SALES	300 MANGO TREE DR	SWRCY - FL	Higher	ENE / 0.062 mi., 329 ft.
14	VOLUSIA COUNTY - MANGO TREE DRI...	506 MANGO TREE DR	SWF LF - FL	Higher	ESE / 0.093 mi., 490 ft.
E15	MIL - SPEC METAL FINISHING INC	28.98801, -80.91775	PFAS INDUSTRY	Higher	N / 0.093 mi., 493 ft.
E16	MIL - SPEC METAL FINISHING INC	706 W PARK AVE #A | 706 W...	ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG -...	Higher	NNE / 0.095 mi., 502 ft.
F17	Dot Deland - Edgewater Mine	28.98277, -80.91676	MINES USGS	Higher	SSE / 0.100 mi., 530 ft.
E18	SUSIE Q PRODUCTS	702 W PARK AVE	ECHO, FRS, RCRA_NONGEN	Higher	NNE / 0.102 mi., 539 ft.
E19	ML-SPEC METAL FINISHING INC	705 WPARK AVE STE A	MANIFEST EPA	Higher	N / 0.105 mi., 554 ft.
F20	AAF0041	299 CAROL ANN	DEDB - FL	Higher	SSE / 0.115 mi., 610 ft.
F21	AAF0041	299 CAROL ANN DR	DEDB - FL	Higher	SSE / 0.115 mi., 610 ft.
G22	TRI COUNTY HARD CHROME	28.9879, -80.91588	PFAS INDUSTRY	Higher	NE / 0.124 mi., 658 ft.
F23	DELAND, EDGEWATER | DOT- DELAND...	28.982416, -80.916518	MINES - FL	Higher	SSE / 0.125 mi., 658 ft.
24	PREFERRED - EDGEWATER BLOCK | E...	320 BASE LEG DR	AIRS - FL, ECHO, FRS, T 2 - FL, TRIS	Higher	NW / 0.125 mi., 663 ft.
G25	TRI COUNTY HARD CHROME	109 MANGO TREE DR | 109 M...	ECHO, FRS, MANIFEST EPA, RCRA_VSQG	Higher	NE / 0.144 mi., 763 ft.
G26	TRI COUNTY HARD CHROME	MANGO TREE DRIVE	RESP PARTY - FL	Higher	NE / 0.147 mi., 779 ft.
F27	AAF0042	313 CAROL ANN	DEDB - FL	Higher	SSE / 0.156 mi., 825 ft.
H28	EDGEWATER CITY | EDGEWATER, CIT...	409 MANGO TREE DR	AST - FL, DEBRIS EPA SWRCY, DWM CONTAM ...	Higher	E / 0.164 mi., 868 ft.
29	CUSTOM TUBE PRODUCTS INC | CUST...	317 BASE LEG DR	ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG -...	Higher	NW / 0.175 mi., 925 ft.
G30	RICHENBERG SURFBOARDS	424 W PARK AVE	ECHO, FRS, RCRA_NONGEN	Higher	NE / 0.188 mi., 994 ft.
F31	AAF0038	335 CAROL ANN	DEDB - FL	Higher	S / 0.193 mi., 1020 ft.
32	AAF0039	334 CAROL ANN	DEDB - FL	Higher	SSW / 0.198 mi., 1045...
33	OUTPOST MAJESTIC	1950 PARK AVE W	EPA UST, FA 3 - FL, UST - FL	Higher	W / 0.201 mi., 1062 ft.
H34	EDGEWATER, CITY OF | Edgewater Wa...	500 W OCEAN AVE | 500 Wes...	DOCKET, INACTIVE PCS, RMP, STORMWATER	Higher	E / 0.208 mi., 1099 ft.
35	WM HEALTHCARE SOLUTIONS INC	28.991683, -80.918679	PFAS INDUSTRY	Higher	N / 0.300 mi., 1586 ft.
36	EDG6 - Park Towne Indus North Parcel	Parktowne Boulevard	HIST FED BROWNFIELDS	Higher	NNE / 0.334 mi., 1765...
37	EDG3 - DALE INDUSTRIAL PARCEL	DALE STREET	BROWNFIELDS-ACRES, FED BROWNFIELDS, FR...	Higher	NW / 0.381 mi., 2010 ft.
38	AAF0043	115 N FLAGLER AVE	DEDB - FL	Higher	NE / 0.384 mi., 2028 ft.

MAP ID	SITE NAME	ADDRESS	DATABASE(S)	RELATIVE ELEVATION	DIRECTION / DISTANCE
39	EDGEWATER READY MIX | TITAN FLOR...	200 N FLAGLER AVE | 200 N...	AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS...	Higher	NNE / 0.385 mi., 2032...
I40	COMPLEMENTARY COATINGS CORP | ...	308 OLD COUNTY RD | 308 O...	AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP,...	Higher	ENE / 0.393 mi., 2076 ft.
I41	COMPLEMENTARY COATINGS CORP	28.988306, -80.910038	PFAS INDUSTRY	Higher	ENE / 0.417 mi., 2202 ft.
I42	DOUGHERTY MANUFACTURING	28.98759, -80.90969	PFAS INDUSTRY	Higher	ENE / 0.423 mi., 2232 ft.
43	EDG6 - PARK TOWNE INDUS NORTH P...	PARKTOWNE BOULEVARD	BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS	Higher	N / 0.429 mi., 2266 ft.
44	TRI COUNTY HARD CHROME | EDGEW...	MANGO TREE DRIVE	CS - FL, SHWS ERIC - FL, SWF LF - FL	Lower	SE / 0.561 mi., 2963 ft.
45	MAJIK MART INC | RIVERSIDE CLINICA...	410 S RIDGEWOOD AVE	CS - FL, DWM CONTAM - FL, EPA LUST, EPA US...	Higher	E / 0.672 mi., 3551 ft.
46	MANGO TREE DRIVE BROWNFIELD SITE	1507 MANGO TREE DR	SHWS ERIC - FL	Higher	SE / 0.750 mi., 3959 ft.
47	EDGEWATER VALERO | EDGEWATER ...	325 N RIDGEWOOD AVE	CS - FL, DWM CONTAM - FL, EPA LUST, EPA US...	Higher	NNE / 0.898 mi., 4741...

SUBJECT PROPERTY SEARCH RESULTS:

The subject property was identified in the following records. For more information on this property, see Map Findings section on page 29.

SITE	DATABASE(S)	EPA ID
Edgewater Redevelopment Area (ERA) 28.98173, -80.923948 EDGEWATER, FL	BROWNFIELDS_AREAS - FL	N/R
BROWNFIELDS_AREAS - FL - ID: BF641006000	Status: N/A	Date: N/A
AAF0035 259 CAROL ANN DR EDGEWATER, FL	DEDB - FL	N/R
ROYAL OAKS COMMUNITY 28.987296, -80.917511 EDGEWATER, FL 32132	CDC HAZDAT	N/R

SEARCH RESULTS:

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

EPA UST: Facilities listed in the EPA UST Finder database **2 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
33	*OUTPOST MAJESTIC*	*1950 PARK AVE W*	*W / 0.201 mi., 1062 ft.*	*182*

AST - FL: Aboveground storage tank listing **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 8622755	Status: OPEN	Date: N/A	
	- ID: Tank ID 7	Status: In Service	Date: 2009-06-01	

UST - FL: Underground storage tank listing **2 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 8622755	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: Removed from Site	Date: 1988-04-30	
	- ID: Tank ID 2	Status: Removed from Site	Date: 1988-04-30	
	- ID: Tank ID 3	Status: Removed from Site	Date: 1988-04-30	
	- ID: Tank ID 4	Status: Closed In Place	Date: 2009-06-01	
	There are an additional 2 status records, see site details.			
33	*OUTPOST MAJESTIC*	*1950 PARK AVE W*	*W / 0.201 mi., 1062 ft.*	*182*
	- ID: Facility ID 9700951	Status: OPEN	Date: N/A	
	- ID: Tank ID 1	Status: In Service	Date: 1997-07-01	

FEDERAL CERCLIS LIST

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
I40	*COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD*	*308 OLD COUNTY RD | 308 OLD COUNTRY RD*	*ENE / 0.393 mi., 2076 ft.*	*333*
	- ID: FLD082400441	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: 1995-03-30	

CERCLIS-HIST: The CERCLIS program database contains information on the assessment and remediation of federal hazardous waste sites. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
	- ID: FLN000407257	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: 2004-12-02	

SEMS_8R_ACTIVE SITES: The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. NPL sites include latitude and longitude information. For non-NPL sites, a brief site status is provided. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
	- ID: 0407257	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: N/A	

SEMS_8R_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
I40	*COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD*	*308 OLD COUNTY RD | 308 OLD COUNTRY RD*	*ENE / 0.393 mi., 2076 ft.*	*333*
	- ID: 0400762	Status: NFRAP-Site does not qualify for the NPL based on existing information	Date: N/A	

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*

LAST - FL: Leaking Aboveground Storage Tank Listing **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 8622755	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2002-05-22	
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
	- ID: Facility ID 8517641	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2024-02-28	

LUST - FL: Leaking underground storage tank sites listing **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 8622755	Status: OPEN	Date: N/A	
	- ID: N/A	Status: NFA COMPLETE	Date: 2002-05-22	
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
	- ID: Facility ID 8517641	Status: OPEN	Date: N/A	
	- ID: N/A	Status: SRCR COMPLETE	Date: 2024-02-28	

FEDERAL RCRA GENERATORS LIST

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
	- ID: FLR000072827	Status: No Violation/Inspections	Date: N/A	

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E10	*HOMAC MFG CO | WACO MANUFACTURING*	*710 W PARK AVE | 710 WEST PARK AVENUE*	*N / 0.052 mi., 274 ft.*	*54*
	- ID: FLD061977724	Status: Generators - General	Date: Violation 1991-05-20 - Achieved Compliance 1992-02-12	
	- ID: FLD061977724	Status: Generators - General	Date: Violation 1986-03-03 - Achieved Compliance 1986-03-17	
	- ID: FLD061977724	Status: No Violation/Inspections	Date: N/A	
E18	*SUSIE Q PRODUCTS*	*702 W PARK AVE*	*NNE / 0.102 mi., 539 ft.*	*83*
	- ID: FLR000049858	Status: Generators - General	Date: Violation 1998-10-27 - Achieved Compliance 1999-01-07	
G30	*RICHENBERG SURFBOARDS*	*424 W PARK AVE*	*NE / 0.188 mi., 994 ft.*	*174*
	- ID: FLD984189035	Status: No Violation/Inspections	Date: N/A	

RCRA_SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators **2 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E16	*MIL - SPEC METAL FINISHING INC*	*706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue*	*NNE / 0.095 mi., 502 ft.*	*65*
	- ID: FLR000148486	Status: Generators - General	Date: Violation 2015-07-10 - Achieved Compliance 2016-05-03	
	- ID: FLR000148486	Status: Generators - Pre-transport	Date: Violation 2015-07-10 - Achieved Compliance 2016-05-03	
	- ID: FLR000148486	Status: TSD IS-Container Use and Management	Date: Violation 2015-07-10 - Achieved Compliance 2016-05-03	
	- ID: FLR000148486	Status: TSD IS-Contingency Plan and Emergency Procedures	Date: Violation 2015-07-10 - Achieved Compliance 2016-05-03	
	- ID: FLR000148486	Status: TSD IS-General Facility Standards	Date: Violation 2015-07-10 - Achieved Compliance 2016-05-03	
	There are an additional 2 status records, see site details.			
29	*CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE*	*317 BASE LEG DR*	*NW / 0.175 mi., 925 ft.*	*165*
	- ID: FLR000171959	Status: Generators - General	Date: Violation 2016-12-15 - Achieved Compliance 2017-02-21	
	- ID: FLR000171959	Status: Generators - Pre-transport	Date: Violation 2016-12-15 - Achieved Compliance 2017-01-05	
	- ID: FLR000171959	Status: TSD IS-Container Use and Management	Date: Violation 2016-12-15 - Achieved Compliance 2017-01-05	
	- ID: FLR000171959	Status: TSD IS-Preparedness and Prevention	Date: Violation 2016-12-15 - Achieved Compliance 2017-01-05	

FEDERAL RCRA GENERATORS LIST *(cont.)*

RCRA_VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators. **3 SITES FOUND WITHIN . 25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
6	*L L HAGS*	*821 W PARK AVE*	*NW / 0.023 mi., 123 ft.*	*45*
	- ID: FLR000049841	Status: TSD IS-Container Use and Management	Date: Violation 1998-10-27 - Achieved Compliance 1998-10-27	
G25	*TRI COUNTY HARD CHROME*	*109 MANGO TREE DR | 109 MANGROTREE DRIVE*	*NE / 0.144 mi., 763 ft.*	*114*
	- ID: FLD982145088 - ID: FLTMP9102721	Status: No Violation/Inspections Status: No Violation/Inspections	Date: N/A Date: N/A	
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: FLR000053744	Status: No Violation/Inspections	Date: N/A	

STATE- AND TRIBAL - EQUIVALENT CERCLIS

CS - FL: All cleanup sites in the state of Florida **4 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
	- ID: 8517641	Status: ACTIVE	Date: 2005-07-19	
45	*MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET*	*410 S RIDGEWOOD AVE*	*E / 0.672 mi., 3551 ft.*	*375*
	- ID: 8517531	Status: ACTIVE	Date: 2003-10-22	
47	*EDGEWATER VALERO | EDGEWATER VALERO BP*	*325 N RIDGEWOOD AVE*	*NNE / 0.898 mi., 4741 ft.*	*387*
	- ID: 8517357	Status: ACTIVE	Date: 2015-06-29	

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
44	*TRI COUNTY HARD CHROME | EDGEWATER PIT | MANGO TREE DRIVE AREA DEBRIS STAGING AREA*	*MANGO TREE DRIVE*	*SE / 0.561 mi., 2963 ft.*	*373*
	- ID: ERIC_9534	Status: OPEN	Date: 2005-10-19	

STATE- AND TRIBAL - EQUIVALENT CERCLIS *(cont.)*

SHWS ERIC - FL: Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields. **5 SITES FOUND WITHIN 1 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
E10	*HOMAC MFG CO | WACO MANUFACTURING*	*710 W PARK AVE | 710 WEST PARK AVENUE*	*N / 0.052 mi., 274 ft.*	*54*
I40	*COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD*	*308 OLD COUNTY RD | 308 OLD COUNTRY RD*	*ENE / 0.393 mi., 2076 ft.*	*333*
46	MANGO TREE DRIVE BROWNFIELD SITE	1507 MANGO TREE DR	SE / 0.750 mi., 3959 ft.	*386*

LOWER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
44	*TRI COUNTY HARD CHROME | EDGEWATER PIT | MANGO TREE DRIVE AREA DEBRIS STAGING AREA*	*MANGO TREE DRIVE*	*SE / 0.561 mi., 2963 ft.*	*373*

STATE RCRA GENERATORS LIST

SQG - FL: Listing of permitted small quantity hazardous waste generators **2 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E16	*MIL - SPEC METAL FINISHING INC*	*706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue*	*NNE / 0.095 mi., 502 ft.*	*65*
29	*CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE*	*317 BASE LEG DR*	*NW / 0.175 mi., 925 ft.*	*165*

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

SWF/LF - FL: Solid waste facility and landfill listing **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
14	VOLUSIA COUNTY - MANGO TREE DRIVE SITE	506 MANGO TREE DR	ESE / 0.093 mi., 490 ft.	*64*
	- ID: Facility ID 107651	Status: PRE-AUTHORIZED (B)	Date: N/A	
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 27640	Status: ACTIVE (A)	Date: N/A	

LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System. **3 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
37	*EDG3 - DALE INDUSTRIAL PARCEL*	*DALE STREET*	*NW / 0.381 mi., 2010 ft.*	*209*
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
43	*EDG6 - PARK TOWNE INDUS NORTH PARCEL*	*PARKTOWNE BOULEVARD*	*N / 0.429 mi., 2266 ft.*	*365*

FED BROWNFIELDS: Federal brownfield remediation sites **3 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
37	*EDG3 - DALE INDUSTRIAL PARCEL*	*DALE STREET*	*NW / 0.381 mi., 2010 ft.*	*209*
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
43	*EDG6 - PARK TOWNE INDUS NORTH PARCEL*	*PARKTOWNE BOULEVARD*	*N / 0.429 mi., 2266 ft.*	*365*

HIST FED BROWNFIELDS: Historical federal brownfield remediation sites **3 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
36	EDG6 - Park Towne Indus North Parcel	Parktowne Boulevard	NNE / 0.334 mi., 1765 ft.	*206*
	- ID: 226795	Status: N/A	Date: Cleanup Completion Date N/R	
37	*EDG3 - DALE INDUSTRIAL PARCEL*	*DALE STREET*	*NW / 0.381 mi., 2010 ft.*	*209*
	- ID: 177581	Status: N/A	Date: Cleanup Completion Date N/R	
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
	- ID: 226796	Status: N/A	Date: Cleanup Completion Date N/R	

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning) **2 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*
	- ID: Facility ID 8622755	Status: OPEN	Date: N/A	
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*
	- ID: Facility ID 8517641	Status: OPEN	Date: N/A	

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES *(cont.)*

RESP PARTY - FL: Responsible party waste cleanups - Open, Closed, Inactive **4 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
	- ID: Project ID 247478	Status: CLOSED	Date: ISDR Date 2000-12-29	
E10	*HOMAC MFG CO | WACO MANUFACTURING*	*710 W PARK AVE | 710 WEST PARK AVENUE*	*N / 0.052 mi., 274 ft.*	*54*
	- ID: Project ID 65021	Status: CLOSED	Date: ISDR Date 1991-06-12	
G26	TRI COUNTY HARD CHROME	MANGO TREE DRIVE	NE / 0.147 mi., 779 ft.	*125*
	- ID: Project ID 250686	Status: INACTIVE	Date: ISDR Date 2001-07-18	
I40	*COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD*	*308 OLD COUNTY RD | 308 OLD COUNTRY RD*	*ENE / 0.393 mi., 2076 ft.*	*333*
	- ID: Project ID 65008	Status: CLOSED	Date: ISDR Date 1984-03-19	

RECORDS OF EMERGENCY RELEASE REPORTS

SPILLS - FL: Listing of chemical spills and incidents referred to the emergency response unit **1 SITE FOUND WITHIN .125 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
4	*ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION*	*800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks*	*NW / 0.010 mi., 53 ft.*	*31*
	- ID: 8064	Status: Closed	Date: 2000-12-20	

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

SWRCY - FL: Permitted recycling centers **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
D13	P & J TIRE SALES	300 MANGO TREE DR	ENE / 0.062 mi., 329 ft.	*63*
	- ID: Facility ID 96545	Status: INACTIVE (I)	Date: N/A	

OTHER ASCERTAINABLE RECORDS

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris. **1 SITE FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*

OTHER ASCERTAINABLE RECORDS *(cont.)*

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest) **4 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E16	*MIL - SPEC METAL FINISHING INC*	*706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue*	*NNE / 0.095 mi., 502 ft.*	*65*
E19	ML-SPEC METAL FINISHING INC	705 WPARK AVE STE A	N / 0.105 mi., 554 ft.	*87*
G25	*TRI COUNTY HARD CHROME*	*109 MANGO TREE DR | 109 MANGROTREE DRIVE*	*NE / 0.144 mi., 763 ft.*	*114*
29	*CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE*	*317 BASE LEG DR*	*NW / 0.175 mi., 925 ft.*	*165*

MINES USGS: Listing of all active mines and mineral plants in 2003 **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F17	Dot Deland - Edgewater Mine	28.98277, -80.91676	SSE / 0.100 mi., 530 ft.	*82*

PFAS INDUSTRY: List of Industries potentially handling PFAS **5 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E15	MIL - SPEC METAL FINISHING INC	28.98801, -80.91775	N / 0.093 mi., 493 ft.	*64*
G22	TRI COUNTY HARD CHROME	28.9879, -80.91588	NE / 0.124 mi., 658 ft.	*90*
35	WM HEALTHCARE SOLUTIONS INC	28.991683, -80.918679	N / 0.300 mi., 1586 ft.	*205*
I41	COMPLEMENTARY COATINGS CORP	28.988306, -80.910038	ENE / 0.417 mi., 2202 ft.	*363*
I42	DOUGHERTY MANUFACTURING	28.98759, -80.90969	ENE / 0.423 mi., 2232 ft.	*364*

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H34	*EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant*	*500 W OCEAN AVE | 500 West Ocean Avenue*	*E / 0.208 mi., 1099 ft.*	*186*

DEDB - FL: Drinking water wells contaminated with ethylene dibromide **14 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
B5	AAF0036	267 CAROL ANN	SSE / 0.021 mi., 114 ft.	*43*
C7	AAF0034	260 CAROL ANN	SW / 0.031 mi., 163 ft.	*49*
C8	AAF0037	266 CAROL ANN	SSW / 0.034 mi., 179 ft.	*51*
D9	N/R	210 MANGO TREE DR LOT 38 | 210 MANGO TREE DR, LOT 35	NE / 0.048 mi., 255 ft.	*53*
B11	AAF0040	283 CAROL ANN	SSE / 0.054 mi., 288 ft.	*60*
B12	AAF0040	283 CAROL ANN DR	SSE / 0.055 mi., 289 ft.	*62*
F20	AAF0041	299 CAROL ANN	SSE / 0.115 mi., 610 ft.	*88*
F21	AAF0041	299 CAROL ANN DR	SSE / 0.115 mi., 610 ft.	*89*
F27	AAF0042	313 CAROL ANN	SSE / 0.156 mi., 825 ft.	*125*
F31	AAF0038	335 CAROL ANN	S / 0.193 mi., 1020 ft.	*178*
32	AAF0039	334 CAROL ANN	SSW / 0.198 mi., 1045 ft.	*180*
38	AAF0043	115 N FLAGLER AVE	NE / 0.384 mi., 2028 ft.	*223*

OTHER ASCERTAINABLE RECORDS *(cont.)*

DEDB - FL: Drinking water wells contaminated with ethylene dibromide **14 SITES FOUND WITHIN .5 MILE**

EQUAL/HIGHER ELEVATION *(cont.)*

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
39	*EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515*	*200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE*	*NNE / 0.385 mi., 2032 ft.*	*224*

GWIF - FL: Groundwater Monitoring sites that are inspected and monitored. **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*

MINES - FL: Location information of recorded mines **1 SITE FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
F23	DELAND, EDGEWATER | DOT-DELAND, EDGEWATER	28.982416, -80.916518	SSE / 0.125 mi., 658 ft.	*91*

T 2 - FL: List of facilities that must submit an Emergency and Hazardous Chemical Inventory Form **3 SITES FOUND WITHIN .25 MILE**

EQUAL/HIGHER ELEVATION

MAP ID	SITE NAME	SITE ADDRESS	DIRECTION/DISTANCE	PAGE
E16	*MIL - SPEC METAL FINISHING INC*	*706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue*	*NNE / 0.095 mi., 502 ft.*	*65*
24	*PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT*	*320 BASE LEG DR*	*NW / 0.125 mi., 663 ft.*	*92*
H28	*EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP*	*409 MANGO TREE DR*	*E / 0.164 mi., 868 ft.*	*127*

Following sites were unable to be mapped.

SITE NAME:	ADDRESS, CITY, ZIP:	DATABASE(S):
AA68268	N/R	DEDB - FL
AAG3209	HOLLY HILL ELEM #12A	DEDB - FL
AAK1746	1100 8TH AVE	DEDB - FL
AAK1770	2024 3RD AVD	DEDB - FL
AAK8784	JUDY BERGER-13 HIBISCUS DR	DEDB - FL
Not Reported	MEW RD	DEDB - FL

DATABASE(S) WITH NO MAPPED SITES:

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSDF	Archived Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities
RCRA_TSDF	Resource Conservation and Recovery Act: Treatment Storage and Disposal Facilities

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS	ASTs at Bulk Petroleum Terminals
FEMA UST	FEMA Underground Storage Tanks

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS *(cont.)*

HIST INDIAN UST R4	Historical Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN UST R6	Historical Underground Storage Tanks on Indian Land in EPA Region 6
HIST INDIAN UST R7	Historical Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R1	Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN UST R10	Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN UST R2	Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN UST R4	Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN UST R5	Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN UST R6	Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN UST R7	Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN UST R8	Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN UST R9	Underground Storage Tanks on Indian Land in EPA Region 9
AST_BROWARD COUNTY - FL	Broward County Aboveground Storage Tanks
HIST AST - FL	Historical Aboveground Storage Tanks
HIST AST_BROWARD COUNTY - FL	Historical Broward County Aboveground Storage Tanks
HIST UST - FL	Historical Underground Storage Tanks
HIST UST_BROWARD COUNTY - FL	Historical Broward County Underground Storage Tanks
UST_BROWARD COUNTY - FL	Broward County Underground Storage Tanks
UST_MIAMI-DADE COUNTY - FL	Miami-Dade County Underground Storage Tanks

FEDERAL CERCLIS LIST

EPA SAA	EPA Superfund Alternative Approach
FEDERAL FACILITY	Federal Facility sites

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS	Hazardous Waste Corrective Action
HIST CORRACTS 2	Historical Hazardous Waste Corrective Action

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL	Delisted National Priority List
DELISTED PROPOSED NPL	Delisted proposed National Priority List
SEMS_DELETED NPL	Sites Deleted from National Priorities List

FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP	EPA Landfill Methane Outreach Project Database

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

HIST INDIAN LUST R4	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4
HIST INDIAN LUST R8	Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN LUST R1	Leaking Underground Storage Tanks on Indian Land in EPA Region 1
INDIAN LUST R10	Leaking Underground Storage Tanks on Indian Land in EPA Region 10
INDIAN LUST R2	Leaking Underground Storage Tanks on Indian Land in EPA Region 2
INDIAN LUST R4	Leaking Underground Storage Tanks on Indian Land in EPA Region 4
INDIAN LUST R5	Leaking Underground Storage Tanks on Indian Land in EPA Region 5
INDIAN LUST R6	Leaking Underground Storage Tanks on Indian Land in EPA Region 6
INDIAN LUST R7	Leaking Underground Storage Tanks on Indian Land in EPA Region 7
INDIAN LUST R8	Leaking Underground Storage Tanks on Indian Land in EPA Region 8
INDIAN LUST R9	Leaking Underground Storage Tanks on Indian Land in EPA Region 9

FEDERAL ERNS LIST

ERNS	Emergency Response Notification System

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C	Engineering Controls
FED I C	Institutional Controls
RCRA IC_EC	RCRA sites with Institutional and Engineering Controls

FEDERAL RCRA GENERATORS LIST

HIST RCRA_CESQG	Historical Resource Conservation and Recovery Act_Conditionally Exempt Small Quantity Generators
HIST RCRA_LQG	Historical Resource Conservation and Recovery Act_ Large Quantity Generators
HIST RCRA_NONGEN	Historical Resource Conservation and Recovery Act_Non Generators
HIST RCRA_SQG	Historical Resource Conservation and Recovery Act_Small Quantity Generators
RCRA_LQG	Resource Conservation and Recovery Act_ Large Quantity Generators

FEDERAL NPL SITE LIST

NPL	National Priority List
NPL EPA R1 GIS	GIS for EPA Region 1 NPL
NPL EPA R3 GIS	GIS for EPA Region 3 NPL
NPL EPA R6 GIS	GIS for EPA Region 6 NPL
NPL EPA R8 GIS	GIS for EPA Region 8 NPL
NPL EPA R9 GIS	GIS for EPA Region 9 NPL
PART NPL	Part National Priority List
PROPOSED NPL	Proposed National Priority List
SEMS_FINAL NPL	Sites included on the Final National Priorities List
SEMS_PROPOSED NPL	Sites Proposed to be Added to the National Priorities List

STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS	Tribal Brownfields
BROWNFIELDS - FL	Brownfields
BROWNFIELDS_SITES - FL	Brownfields

STATE- AND TRIBAL - EQUIVALENT CERCLIS

SHWS - FL	State hazardous waste sites
SITES - FL	The Sites List

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - FL	Engineering Controls
I C - FL	Institutional Controls

STATE RCRA GENERATORS LIST

HIST TSD - FL	Historical State Treatment Storage & Disposal Facility List
LQG - FL	State Large Quantity Generators
TRA - FL	State Hazardous Waste Transporters
TSD - FL	State Treatment Storage & Disposal Facilities

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - FL	Voluntary Cleanup Program

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL	DOJ Clandestine Drug Labs
US HIST CDL	Historical Clandestine Drug Labs
CS_BROWARD COUNTY - FL	Broward County Contaminated Sites
CS_MIAMI-DADE COUNTY - FL	Miami-Dade County Contaminated Sites
HAZMAT FACILITIES_BROWARD COUNTY - FL	Broward County Hazardous Material Facilities

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT)	Hazardous Materials Information Reporting Systems
FUEL SPILL_MIAMI-DADE COUNTY - FL	Miami-Dade County Fuel Spills Cases

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8	Historical Open Dump Inventory
INDIAN ODI R8	Open Dump Inventory
ODI	Open Dump Inventory
TRIBAL ODI	Indian Open Dump Inventory Sites
HIST SWRCY - FL	Historical Recycling Centers

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES *(cont.)*

SWF_MIAMI-DADE COUNTY - FL	Miami-Dade County Solid waste facilities

LOCAL LAND RECORDS

LIENS 2	CERCLA Lien Information

OTHER ASCERTAINABLE RECORDS

AFS	Air Facility Systems
ALT FUELING	Alternative Fueling Stations
ARENAS	ARENAS
ARENAS 2	ARENAS (additional)
BRS	Biennial Reporting Systems
CHURCHES	CHURCHES
COAL ASH DOE	Coal Ash: Department of Energy
COAL ASH EPA	Coal Ash: Environmental Protection Agency
COAL GAS	Coal Gas Plants
COLLEGES	COLLEGES
COLLEGES 2	COLLEGES 2
CONSENT (DECREES)	Superfund Consent Decree
CORRECTIVE ACTIONS_2020	Wastes - Hazardous Waste - Corrective Action
DAYCARE	DAYCARE
DEBRIS EPA LF	EPA Disaster Debris Landfill Sites
DOCKET CRIM PROS 2	Additional Docket criminal prosecution cases
DOD	Department of Defense
DOT OPS	Department of Transportation Office of Pipeline Safety
ECHO	EPA Enforcement and Compliance History Online
ENOI	Electronic Notice of Intent
EPA FUELS	EPA Fuels Registration, Reporting, and Compliance List
EPA OSC	EPA On-Site Coordinator
EPA WATCH	EPA Watch List
FA HWF	Financial Assurance for Hazardous Waste Facilities
FEDLAND	Federal Lands
FRS	Facility Index Systems
FTTS	FIFRA/TSCA Tracking System
FTTS INSP	FIFRA/TSCA Tracking System: Inspections
FUDS	Formerly Used Defense Sites
GOV MANSIONS	Governors Mansions
HIST AFS	Historical Air Facility Systems
HIST AFS 2	Historical Air Facility Systems
HIST DOD	Department of Defense historical sites
HIST LEAD_SMELTER	Historical Lead Smelter Sites
HIST MLTS	Historical Material Licensing Tracking Systems
HIST PCB TRANS	Historical Polychlorinated Biphenyl (PCB) Facilities
HIST PCS ENF	Historical Enforced Permit Compliance Facilities
HIST PCS FACILITY	Historical Permit Compliance Facilities
HIST SSTS	Historical Section 7 Tracking Systems
HOSPITALS	HOSPITALS
HWC DOCKET	Hazardous Waste Compliance Docket
ICIS	Integrated Compliance Information System
INACTIVE PCS	Inactive Permit Compliance Facilities
INDIAN RESERVATION	American Indian Lands
LUCIS	Land Use Control Information Systems
LUCIS 2	Land Use Control Information Systems 2
MGP	Manufactured Gas Plant Sites
MINE OPERATIONS	Mines list from USGS
MINES	Mines
MLTS	Material Licensing Tracking Systems
NPL AOC	Areas related to NPL remediation sites
NPL LIENS	National Priority List Liens

OTHER ASCERTAINABLE RECORDS *(cont.)*

NURSING HOMES	NURSING HOMES
OSHA	Occupational Safety & Health Administration
PADS	PCB Activity Database Systems
PCB TRANSFORMER	Polychlorinated Biphenyl (PCB) Waste
PCS ENF	Enforced Permit Compliance Facilities
PCS FACILITY	Permit Compliance Facilities
PFAS FED SITES	PFAS Federal Sites
PFAS MANIFEST	PFAS Manifest
PFAS NPL	PFAS NPL Sites
PFAS PROD	PFAS Production
PFAS SPILLS	PFAS Spill Sites
PFAS TRIS	PFAS TRIS Sites
PFAS UCMR3	PFAS UCMR Samples
PFAS WQP	PFAS Water Quality Portal
PRISONS	PRISONS
RAATS	RCRA Administrative Action Tracking Systems
RADINFO	Radiation Information Systems
ROD	Record of Decision
SCHOOLS PRIVATE	SCHOOLS PRIVATE
SCHOOLS PUBLIC	SCHOOLS PUBLIC
SCRD DRYCLEANERS	SCRD Drycleaners
SEMS_SMELTER	Sites on SEMS Potential Smelter Activity
SSTS	Section 7 Tracking Systems
STORMWATER	Storm Water Permits
TOSCA-PLANT	Toxic Substance Control Act: Plants
TRIS	Toxic Release Inventory Systems
UMTRA	Uranium Mill Tailing Sites
VAPOR	EPA Vapor Intrusion
AIRS - FL	Air Permitted Facilities
AIRS_MIAMI-DADE COUNTY - FL	Miami-Dade County Air permits
CAP_MIAMI-DADE COUNTY - FL	Miami-Dade County Construction air permits
CATTLE DIPPING VATS - FL	Cattle Dipping Vats
COAL ASH - FL	COAL ASH
DAYCARE - FL	Daycares
DRYCLEANERS - FL	Drycleaners
ENF_MIAMI-DADE COUNTY - FL	Miami-Dade County enforcement
FA 1 - FL	Financial Assurance 1
FA 2 - FL	Financial Assurance 2
FA 3 - FL	Financial Assurance - UST
FACILITY LIST_ALACHUA COUNTY - FL	Alachua County Facility List
FF TANKS - FL	Federal Facility Tank Listing
GTO_MIAMI-DADE COUNTY - FL	Miami-Dade County Grease traps
GWCA - FL	Ground water contaminated areas
GWP_MIAMI-DADE COUNTY - FL	Miami-Dade County Water Quality permits
HAZ WASTE_MIAMI-DADE COUNTY - FL	Miami-Dade County Hazardous Waste Sites
HIST CAP_MIAMI-DADE COUNTY - FL	Historical Miami-Dade County Construction air permits
HIST CATTLE DIPPING VATS - FL	Historical Cattle Dipping Vats
HIST DEDB - FL	Historical Ethylene Dibromide
HIST FF TANKS - FL	Historical Federal Facility Tank Listing
HIST MINES - FL	State mine records
IW SQG_MIAMI-DADE COUNTY - FL	Miami-Dade County Industrial waste small quantity generators
IW_MIAMI-DADE COUNTY - FL	Miami-Dade County Industrial waste permits
IWP_MIAMI-DADE COUNTY - FL	Miami-Dade County Industrial waste pretreatment facilities
LWT_MIAMI-DADE COUNTY - FL	Miami-Dade County Liquid Waste Transporters
MOP_MIAMI-DADE COUNTY - FL	Miami-Dade County Marine Facilities Operating Permit
MRE_MIAMI-DADE COUNTY - FL	Miami-Dade County Maimi River Enforcement
NPDES - FL	State Wastewater and NPDES Permits
PFAS - FL	PFAS Site Listing

OTHER ASCERTAINABLE RECORDS *(cont.)*

PFAS AFFF - FL	PFAS AFFF Sites
PRIORITY CLEANERS - FL	Drycleaner Priority Ranking List
SIS - FL	Site investigation section sites
UIC - FL	Underground Injection Wells
VIOLATION_BROWARD COUNTY - FL	Broward County Violation Notices
WASTEWATER - FL	Wastewater Facilities

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: September 09, 2024



SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: September 09, 2024



- Subject Property
- CDC HAZDAT
- Federal Lands (No Data)
- Historical DOD (No Data)
- WetLands
- Equal/Higher Elevation
- Department of Defense (No Data)
- FEMA FloodZone 100
- Indian Reservation (No Data)
- Lower Elevation
- DFIRM Floodzone 100
- FEMA FloodZone 500
- National Priority List (No Data)
- Brownfields Areas
- DFIRM Floodzone 500
- Ground Water Contaminants (No Data)
- NWI

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST								
ARCHIVED RCRA TSDF		0.500	0	0	0	--	--	0
RCRA_TSDF		0.500	0	0	0	--	--	0
FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS								
AST PBS		0.250	0	0	--	--	--	0
EPA UST		0.250	0	2	--	--	--	2
FEMA UST		0.250	0	0	--	--	--	0
HIST INDIAN UST R4		0.250	0	0	--	--	--	0
HIST INDIAN UST R6		0.250	0	0	--	--	--	0
HIST INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R1		0.250	0	0	--	--	--	0
INDIAN UST R10		0.250	0	0	--	--	--	0
INDIAN UST R2		0.250	0	0	--	--	--	0
INDIAN UST R4		0.250	0	0	--	--	--	0
INDIAN UST R5		0.250	0	0	--	--	--	0
INDIAN UST R6		0.250	0	0	--	--	--	0
INDIAN UST R7		0.250	0	0	--	--	--	0
INDIAN UST R8		0.250	0	0	--	--	--	0
INDIAN UST R9		0.250	0	0	--	--	--	0
AST - FL		0.250	0	1	--	--	--	1
AST_BROWARD COUNTY - FL		0.250	0	0	--	--	--	0
HIST AST - FL		0.250	0	0	--	--	--	0
HIST AST_BROWARD COUNTY - FL		0.250	0	0	--	--	--	0
HIST UST - FL		0.250	0	0	--	--	--	0
HIST UST_BROWARD COUNTY - FL		0.250	0	0	--	--	--	0
UST - FL		0.250	0	2	--	--	--	2
UST_BROWARD COUNTY - FL		0.250	0	0	--	--	--	0
UST_MIAMI-DADE COUNTY - FL		0.250	0	0	--	--	--	0
FEDERAL CERCLIS LIST								
CERCLIS NFRAP		0.500	0	0	1	--	--	1
CERCLIS-HIST		0.500	1	0	0	--	--	1
EPA SAA		0.500	0	0	0	--	--	0
FEDERAL FACILITY		1.000	0	0	0	0	--	0
SEMS_8R_ACTIVE SITES		0.500	1	0	0	--	--	1
SEMS_8R_ARCHIVED SITES		0.500	0	0	1	--	--	1

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
FEDERAL RCRA CORRACTS FACILITIES LIST								
CORRACTS		1.000	0	0	0	0	--	0
HIST CORRACTS 2		1.000	0	0	0	0	--	0
FEDERAL DELISTED NPL SITE LIST								
DELISTED NPL		1.000	0	0	0	0	--	0
DELISTED PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_DELETED NPL		1.000	0	0	0	0	--	0
FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS								
EPA LF MOP		0.500	0	0	0	--	--	0
FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS								
EPA LUST		0.500	0	1	1	--	--	2
HIST INDIAN LUST R4		0.500	0	0	0	--	--	0
HIST INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R1		0.500	0	0	0	--	--	0
INDIAN LUST R10		0.500	0	0	0	--	--	0
INDIAN LUST R2		0.500	0	0	0	--	--	0
INDIAN LUST R4		0.500	0	0	0	--	--	0
INDIAN LUST R5		0.500	0	0	0	--	--	0
INDIAN LUST R6		0.500	0	0	0	--	--	0
INDIAN LUST R7		0.500	0	0	0	--	--	0
INDIAN LUST R8		0.500	0	0	0	--	--	0
INDIAN LUST R9		0.500	0	0	0	--	--	0
LAST - FL		0.500	0	1	1	--	--	2
LUST - FL		0.500	0	1	1	--	--	2
FEDERAL ERNS LIST								
ERNS		SP	0	--	--	--	--	0
FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES								
FED E C		0.500	0	0	0	--	--	0
FED I C		0.500	0	0	0	--	--	0
RCRA IC_EC		0.250	0	0	--	--	--	0
FEDERAL RCRA GENERATORS LIST								
HIST RCRA_CESQG		0.250	0	0	--	--	--	0
HIST RCRA_LQG		0.250	0	0	--	--	--	0
HIST RCRA_NONGEN		0.250	0	0	--	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
FEDERAL RCRA GENERATORS LIST *(cont.)*								
HIST RCRA_SQG		0.250	0	0	--	--	--	0
RCRA_LQG		0.250	0	0	--	--	--	0
RCRA_NONGEN		0.250	3	1	--	--	--	4
RCRA_SQG		0.250	1	1	--	--	--	2
RCRA_VSQG		0.250	1	2	--	--	--	3
FEDERAL NPL SITE LIST								
NPL		1.000	0	0	0	0	--	0
NPL EPA R1 GIS		1.000	0	0	0	0	--	0
NPL EPA R3 GIS		1.000	0	0	0	0	--	0
NPL EPA R6 GIS		1.000	0	0	0	0	--	0
NPL EPA R8 GIS		1.000	0	0	0	0	--	0
NPL EPA R9 GIS		1.000	0	0	0	0	--	0
PART NPL		1.000	0	0	0	0	--	0
PROPOSED NPL		1.000	0	0	0	0	--	0
SEMS_FINAL NPL		1.000	0	0	0	0	--	0
SEMS_PROPOSED NPL		1.000	0	0	0	0	--	0
STATE AND TRIBAL BROWNFIELD SITES								
TRIBAL BROWNFIELDS		0.500	0	0	0	--	--	0
BROWNFIELDS - FL		0.500	0	0	0	--	--	0
BROWNFIELDS_SITES - FL		0.500	0	0	0	--	--	0
STATE- AND TRIBAL - EQUIVALENT CERCLIS								
CS - FL		1.000	0	0	1	3	--	4
SHWS - FL		1.000	0	0	0	0	--	0
SHWS ERIC - FL		1.000	2	0	1	2	--	5
SITES - FL		1.000	0	0	0	0	--	0
STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES								
E C - FL		0.500	0	0	0	--	--	0
I C - FL		0.500	0	0	0	--	--	0
STATE RCRA GENERATORS LIST								
HIST TSD - FL		0.500	0	0	0	--	--	0
LQG - FL		0.250	0	0	--	--	--	0
SQG - FL		0.250	1	1	--	--	--	2
TRA - FL		0.250	0	0	--	--	--	0
TSD - FL		0.500	0	0	0	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS								
SWF/LF - FL		0.500	1	1	0	--	--	2
STATE AND TRIBAL VOLUNTARY CLEANUP SITES								
VCP - FL		0.500	0	0	0	--	--	0
LOCAL BROWNFIELD LISTS								
BROWNFIELDS-ACRES		0.500	0	0	3	--	--	3
FED BROWNFIELDS		0.500	0	0	3	--	--	3
HIST FED BROWNFIELDS		0.500	0	0	3	--	--	3
LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES								
FED CDL		SP	0	--	--	--	--	0
US HIST CDL		SP	0	--	--	--	--	0
CS_BROWARD COUNTY - FL		1.000	0	0	0	0	--	0
CS_MIAMI-DADE COUNTY - FL		1.000	0	0	0	0	--	0
DWM CONTAM - FL		0.500	0	1	1	--	--	2
HAZMAT FACILITIES_BROWARD COUNTY - FL		0.250	0	0	--	--	--	0
RESP PARTY - FL		0.500	2	1	1	--	--	4
RECORDS OF EMERGENCY RELEASE REPORTS								
HMIRS (DOT)		SP	0	--	--	--	--	0
FUEL SPILL_MIAMI-DADE COUNTY - FL		0.125	0	--	--	--	--	0
SPILLS - FL		0.125	1	--	--	--	--	1
LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES								
HIST INDIAN ODI R8		0.500	0	0	0	--	--	0
INDIAN ODI R8		0.500	0	0	0	--	--	0
ODI		0.500	0	0	0	--	--	0
TRIBAL ODI		0.500	0	0	0	--	--	0
HIST SWRCY - FL		0.500	0	0	0	--	--	0
SWF_MIAMI-DADE COUNTY - FL		0.500	0	0	0	--	--	0
SWRCY - FL		0.500	1	0	0	--	--	1
LOCAL LAND RECORDS								
LIENS 2		SP	0	--	--	--	--	0
OTHER ASCERTAINABLE RECORDS								
AFS		SP	0	--	--	--	--	0
ALT FUELING		0.250	0	0	--	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
OTHER ASCERTAINABLE RECORDS *(cont.)*								
ARENAS		SP	0	--	--	--	--	0
ARENAS 2		SP	0	--	--	--	--	0
BRS		SP	0	--	--	--	--	0
CDC HAZDAT	X	1.000	0	0	0	0	--	1
CHURCHES		SP	0	--	--	--	--	0
COAL ASH DOE		0.500	0	0	0	--	--	0
COAL ASH EPA		0.500	0	0	0	--	--	0
COAL GAS		1.000	0	0	0	0	--	0
COLLEGES		SP	0	--	--	--	--	0
COLLEGES 2		SP	0	--	--	--	--	0
CONSENT (DECREES)		1.000	0	0	0	0	--	0
CORRECTIVE ACTIONS_2020		0.500	0	0	0	--	--	0
DAYCARE		SP	0	--	--	--	--	0
DEBRIS EPA LF		0.500	0	0	0	--	--	0
DEBRIS EPA SWRCY		0.500	0	1	0	--	--	1
DOCKET CRIM PROS 2		SP	0	--	--	--	--	0
DOD		1.000	0	0	0	0	--	0
DOT OPS		SP	0	--	--	--	--	0
ECHO		SP	0	--	--	--	--	0
ENOI		SP	0	--	--	--	--	0
EPA FUELS		SP	0	--	--	--	--	0
EPA OSC		0.125	0	--	--	--	--	0
EPA WATCH		SP	0	--	--	--	--	0
FA HWF		SP	0	--	--	--	--	0
FEDLAND		1.000	0	0	0	0	--	0
FRS		SP	0	--	--	--	--	0
FTTS		SP	0	--	--	--	--	0
FTTS INSP		SP	0	--	--	--	--	0
FUDS		1.000	0	0	0	0	--	0
GOV MANSIONS		SP	0	--	--	--	--	0
HIST AFS		SP	0	--	--	--	--	0
HIST AFS 2		SP	0	--	--	--	--	0
HIST DOD		1.000	0	0	0	0	--	0
HIST LEAD_SMELTER		SP	0	--	--	--	--	0
HIST MLTS		SP	0	--	--	--	--	0
HIST PCB TRANS		SP	0	--	--	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
OTHER ASCERTAINABLE RECORDS *(cont.)*								
HIST PCS ENF		SP	0	--	--	--	--	0
HIST PCS FACILITY		SP	0	--	--	--	--	0
HIST SSTS		SP	0	--	--	--	--	0
HOSPITALS		SP	0	--	--	--	--	0
HWC DOCKET		SP	0	--	--	--	--	0
ICIS		SP	0	--	--	--	--	0
INACTIVE PCS		SP	0	--	--	--	--	0
INDIAN RESERVATION		1.000	0	0	0	0	--	0
LUCIS		0.500	0	0	0	--	--	0
LUCIS 2		0.500	0	0	0	--	--	0
MANIFEST EPA		0.250	2	2	--	--	--	4
MGP		1.000	0	0	0	0	--	0
MINE OPERATIONS		0.250	0	0	--	--	--	0
MINES		0.250	0	0	--	--	--	0
MINES USGS		0.250	1	0	--	--	--	1
MLTS		SP	0	--	--	--	--	0
NPL AOC		1.000	0	0	0	0	--	0
NPL LIENS		SP	0	--	--	--	--	0
NURSING HOMES		SP	0	--	--	--	--	0
OSHA		SP	0	--	--	--	--	0
PADS		SP	0	--	--	--	--	0
PCB TRANSFORMER		SP	0	--	--	--	--	0
PCS ENF		SP	0	--	--	--	--	0
PCS FACILITY		SP	0	--	--	--	--	0
PFAS FED SITES		0.500	0	0	0	--	--	0
PFAS INDUSTRY		0.500	2	0	3	--	--	5
PFAS MANIFEST		0.500	0	0	0	--	--	0
PFAS NPL		0.500	0	0	0	--	--	0
PFAS PROD		0.500	0	0	0	--	--	0
PFAS SPILLS		0.500	0	0	0	--	--	0
PFAS TRIS		0.500	0	0	0	--	--	0
PFAS UCMR3		0.500	0	0	0	--	--	0
PFAS WQP		0.500	0	0	0	--	--	0
PRISONS		SP	0	--	--	--	--	0
RAATS		SP	0	--	--	--	--	0
RADINFO		SP	0	--	--	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
OTHER ASCERTAINABLE RECORDS *(cont.)*								
RMP		0.250	0	1	--	--	--	1
ROD		1.000	0	0	0	0	--	0
SCHOOLS PRIVATE		SP	0	--	--	--	--	0
SCHOOLS PUBLIC		SP	0	--	--	--	--	0
SCRD DRYCLEANERS		0.250	0	0	--	--	--	0
SEMS_SMELTER		SP	0	--	--	--	--	0
SSTS		SP	0	--	--	--	--	0
STORMWATER		SP	0	--	--	--	--	0
TOSCA-PLANT		SP	0	--	--	--	--	0
TRIS		SP	0	--	--	--	--	0
UMTRA		0.500	0	0	0	--	--	0
VAPOR		0.500	0	0	0	--	--	0
AIRS - FL		SP	0	--	--	--	--	0
AIRS_MIAMI-DADE COUNTY - FL		SP	0	--	--	--	--	0
BROWNFIELDS_AREAS - FL	X	SP	--	--	--	--	--	1
CAP_MIAMI-DADE COUNTY - FL		SP	0	--	--	--	--	0
CATTLE DIPPING VATS - FL		0.500	0	0	0	--	--	0
COAL ASH - FL		0.500	0	0	0	--	--	0
DAYCARE - FL		SP	0	--	--	--	--	0
DEDB - FL	X	0.500	8	3	2	--	--	14
DRYCLEANERS - FL		0.250	0	0	--	--	--	0
ENF_MIAMI-DADE COUNTY - FL		0.250	0	0	--	--	--	0
FA 1 - FL		SP	0	--	--	--	--	0
FA 2 - FL		SP	0	--	--	--	--	0
FA 3 - FL		SP	0	--	--	--	--	0
FACILITY LIST_ALACHUA COUNTY - FL		0.250	0	0	--	--	--	0
FF TANKS - FL		0.250	0	0	--	--	--	0
GTO_MIAMI-DADE COUNTY - FL		0.125	0	--	--	--	--	0
GWCA - FL		0.500	0	0	0	--	--	0
GWIF - FL		0.250	0	1	--	--	--	1
GWP_MIAMI-DADE COUNTY - FL		SP	0	--	--	--	--	0
HAZ WASTE_MIAMI-DADE COUNTY - FL		0.500	0	0	0	--	--	0
HIST CAP_MIAMI-DADE COUNTY - FL		SP	0	--	--	--	--	0
HIST CATTLE DIPPING VATS - FL		0.500	0	0	0	--	--	0
HIST DEDB - FL		0.500	0	0	0	--	--	0

DATABASE	SUBJECT PROPERTY	SEARCH DISTANCE (MILES)	<1/8	1/8 - 1/4	1/4 - 1/2	1/2 - 1	>1	TOTAL MAPPED
OTHER ASCERTAINABLE RECORDS *(cont.)*								
HIST FF TANKS - FL		0.250	0	0	--	--	--	0
HIST MINES - FL		0.250	0	0	--	--	--	0
IW SQG_MIAMI-DADE COUNTY - FL		0.250	0	0	--	--	--	0
IW_MIAMI-DADE COUNTY - FL		0.500	0	0	0	--	--	0
IWP_MIAMI-DADE COUNTY - FL		0.500	0	0	0	--	--	0
LWT_MIAMI-DADE COUNTY - FL		0.250	0	0	--	--	--	0
MINES - FL		0.250	1	0	--	--	--	1
MOP_MIAMI-DADE COUNTY - FL		0.250	0	0	--	--	--	0
MRE_MIAMI-DADE COUNTY - FL		SP	0	--	--	--	--	0
NPDES - FL		SP	0	--	--	--	--	0
PFAS - FL		0.500	0	0	0	--	--	0
PFAS AFFF - FL		0.500	0	0	0	--	--	0
PRIORITY CLEANERS - FL		0.500	0	0	0	--	--	0
SIS - FL		0.500	0	0	0	--	--	0
T 2 - FL		0.250	1	2	--	--	--	3
UIC - FL		SP	0	--	--	--	--	0
VIOLATION_BROWARD COUNTY - FL		0.500	0	0	0	--	--	0
WASTEWATER - FL		SP	0	--	--	--	--	0

Map Id: A1
Direction:
Distance:
Elevation:
Relative:

Site Name : Edgewater Redevelopment Area (ERA)
28.98173, -80.923948
EDGEWATER, FL

Database(s) : [BROWNFIELDS_AREAS - FL]

Envirosite ID: 56945469
EPA ID: N/R

BROWNFIELDS_AREAS - FL

Facility Name :	Edgewater Redevelopment Area (ERA)
Facility Address :	EDGEWATER
County :	VOLUSIA
Date Stamp :	2013-04-15
Area ID :	BF641006000
District :	Central
Acreage :	1128.680485
Username :	MCCLAIN_B
Source :	The City of Edgewater
Method :	SHP
X Coordinate :	699863.328854
Y Coordinate :	557343.110167
Latitude :	28.9887
Longitude :	-80.9167

Map Id: A2
Direction:
Distance:
Elevation:
Relative:

Site Name : AAF0035
259 CAROL ANN DR
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303243
EPA ID: N/R

DEDB - FL

Sample Date :	2001-11-08
Sample ID :	011109-054
Sample Type :	RESAMPLE
FLUW ID :	AAF0035
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCALEENAN
Well Address :	259 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-08
Sample ID :	011109-054
Sample Type :	RESAMPLE
FLUW ID :	AAF0035
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: A2
Direction:
Distance:
Elevation:
Relative:

Site Name : AAF0035
259 CAROL ANN DR
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303243
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCALEENAN
Well Address :	259 CAROL ANN DR
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-008
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0035
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCALEENAN
Well Address :	259 CAROL ANN DR
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-008
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0035
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCALEENAN
Well Address :	259 CAROL ANN DR.
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: 3
Direction:
Distance:
Elevation:
Relative:

Site Name : ROYAL OAKS COMMUNITY
28.987296, -80.917511
EDGEWATER, FL 32132

Database(s) : [CDC HAZDAT]

Envirosite ID: 50652487
EPA ID: N/R

CDC HAZDAT

Site ID :	fln000407257
ORIG FID :	408
FEMA Region :	04
Latitude :	28.98729557
Longitude :	-80.9175108421

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL]

Envirosite ID: 57303223
EPA ID: N/R

CERCLIS-HIST

Facility Name :	ROYAL OAKS COMMUNITY
Facility Address :	800 WEST PARK AVENUE, EDGEWATER, FL 32132
County :	VOLUSIA

Site ID :	0407257
Epa ID :	FLN000407257
Short Name :	ROYAL OAKS COMMUNITY
Congressional District :	N/R
IFMS ID :	A43Z
SMSA Number :	N/R
USGC Hydro Unit :	N/R
Federal Facility :	N
DMNSN Number :	N/R
Site Orphan Flag :	N/R
RCRA ID :	N/R
USGS Quadrangle :	N/R
Site Init by Prog :	R
NFRAP Flag :	N/R
Parent ID :	N/R
RST Code :	N/R
EPA Region :	04
Classification :	N/R
Site Settings Code :	N/R
NPL Status :	Not on the NPL
DMNSN Unit Code :	N/R
RBRAC Code :	N/R
RResp Fed Agency Code :	N/R
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
Non NPL Status Date :	2004-12-02

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

CERCLIS-HIST ***(cont.)***

Site Fips Code :	12127
CC Concurrence Date :	N/R
CC Concurrence FY :	N/R
Alias EPA ID :	N/R
Site FUDS Flag :	N/R

CERCLIS Site Contact Name(s)

Contact ID :	4000275
Contact Name :	William Joyner
Contact Tel. :	4045628795
Contact Title :	Site Assessment Manager (SAM)
Contact Email :	joyner.william@epa.gov

Contact ID :	13002428
Contact Name :	Donna Seadler
Contact Tel. :	4045628870
Contact Title :	Site Assessment Manager (SAM)
Contact Email :	seadler.donna@epa.gov

Alias Comments :	N/R
Site Description :	N/R

CERCLIS Assessment History

Action Code :	001
Action :	ADMINISTATIVE/VOLUNTARY COST RECOVERY
Date Started :	N/R
Date Completed :	2002-03-11
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	Federal Enforcement
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	ADMINISTRATIVE RECORDS
Date Started :	N/R
Date Completed :	2001-12-17
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA Fund-Financed
Planning Status :	N/R
Urgency Indicator :	N/R

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

CERCLIS-HIST ***(cont.)***

Action Anomaly :	N/R

Action Code :	001
Action :	PRELIMINARY ASSESSMENT
Date Started :	2004-04-30
Date Completed :	2004-09-17
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	HEALTH ASSESSMENT
Date Started :	N/R
Date Completed :	2004-10-06
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, No Fund Money
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	REMOVAL
Date Started :	2001-10-01
Date Completed :	2002-09-04
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA Fund-Financed
Planning Status :	Primary
Urgency Indicator :	2
Action Anomaly :	N/R

Action Code :	001
Action :	DISCOVERY
Date Started :	N/R
Date Completed :	2001-01-19
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA Fund-Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

ECHO

Facility Name :	ROYAL OAKS GOLDENS TAROFCEN FLA
Facility Address :	800 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2000-12-21
Registry ID :	110012586004
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	8543
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE WATER OR OTHER SUBSTANCE COULD BE DRAWN FROM ENVIRONMENT FOR DELIVERY TO A FACILITY OR DISTRIBUTION SYSTEM (SUBSTANCE DESTINATION COULD RANGE FROM A SINGLE RESIDENCE TO A LARGE FACILITY)
Accuracy Meters :	13
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091053
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

ECHO ***(cont.)***

CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2000-12-21
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	28.986211
Longitude :	-80.916964
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	ROYAL OAKS COMMUNITY
Facility Address :	800 WEST PARK AVENUE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110009281892
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2016-03-07

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

The Superfund Enterprise Management System (SEMS) integrates multiple legacy systems into a comprehensive tracking and reporting tool, providing data on the inventory of active and archived hazardous waste sites evaluated by the Superfund program. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL.

FRS Environmental Interest

Source and System ID :	SEMS - FLN000407257
Facility Name :	ROYAL OAKS GOLDENS TAROFCEN FLA
Facility Address :	800 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110012586004
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
The Superfund Enterprise Management System (SEMS) integrates multiple legacy systems into a comprehensive tracking and reporting tool, providing data on the inventory of active and archived hazardous waste sites evaluated by the Superfund program. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL.

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

FRS ***(cont.)***

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 34379 RCRAINFO - FLR000072827 SEMS - FLN000407257

RCRA_NONGEN

Facility Name :	ROYAL OAKS GOLDENS TAROFCEN FLA
Facility Address :	800 W PARK AVE, EDGEWATER, FL 32132-1414
County :	VOLUSIA
Date Form Received by Agency :	2009-12-22
EPA ID :	FLR000072827
Mailing Address :	800 W PARK AVE, EDGEWATER, FL 32132-1414
Contact :	JOHN DARE
Contact Address :	800 W PARK AVE, EDGEWATER, FL 32132-1414
Contact Country :	US
Contact Telephone :	904-428-2626
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	GOLDENS TAROF CENTRAL FLORIDA
Owner/Operator Address :	800 W PARK AVE, EDGEWATER, FL 32132-1414
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2001-06-27
Owner/Operator End Date :	N/R

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2001-02-12
Facility Name :	ROYAL OAKS GOLDENS TAROFCEN FLA
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2001-03-05
Evaluation :	COMPLIANCE SCHEDULE EVALUATION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	2001-02-02
Evaluation :	COMPLIANCE SCHEDULE EVALUATION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State
Evaluation Date :	2000-12-21
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Evaluation Lead Agency :	State

RESP PARTY - FL

Facility Name :	ROYAL OAKS SUBDIVISION
Facility Address :	800 WEST PARK AVENUE, EDGEWATER, 32132
Site ID :	182862
Project ID :	247478
Status :	CLOSED
District :	CD
ISDR Date :	2000-12-29
Project MGR :	MELTON_D
OGC Number :	N/R
Contaminants :	N/R
Offsite COC :	N/R
Priority Score :	N/R
County ID :	64
Datum ID :	NAD83
Method ID :	DPHO
Feature :	BURIED PAINT DRUMS
Object of Interest :	CAP_RAP SITE
Proximity :	APPRX
Collect Username :	N/R
Collect Affiliation :	N/R
Collect Program ID :	CL
Collect Date :	N/R
Map Source :	5000
Map Source Scale :	1999 doqs
Interpolation Scale :	N/R
Coordinate Accuracy ID :	4
Verify Method ID :	DPHO
Verify Username :	WOEBER_A
Verify Affiliation :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verifying Program ID :	CL
Verification Date :	2005-12-19 11:17:06
Documents :	Click here for hyperlink provided by the agency.
Latitude :	28.986132
Longitude :	80.916898
Last Date in Agency List :	2021-04-22

SEMS_8R_ACTIVE SITES

Facility Name :	ROYAL OAKS COMMUNITY
Facility Address :	800 WEST PARK AVENUE, EDGEWATER, FL 32132
County :	VOLUSIA

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

SEMS_8R_ACTIVE SITES ***(cont.)***

Site Details

Site ID :	0407257
EPA ID :	FLN000407257
Region :	04
Congressional District :	N/R
Federal Facility :	N
Federal Facility Docket :	N
NPL Status :	Not on the NPL
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
FIPS Code :	12127
Superfund Alternative Agreement :	N
Latitude :	28.986769
Longitude :	-80.920795
Last Date in Agency List :	2024-07-15

Additional Information

Start Date :	2017-10-02
Finish Date :	2017-10-02
OU :	00
Action Code :	VS
Action Name :	ARCH SITE
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf In-Hse

Start Date :	2004-04-30
Finish Date :	2004-09-17
OU :	00
Action Code :	PA
Action Name :	PA
Sequence :	1
Quality :	N
Current Action Lead :	St Perf

Start Date :	2001-10-01
Finish Date :	2002-09-04
OU :	00
Action Code :	RV
Action Name :	RMVL
Sequence :	1
Quality :	C
Current Action Lead :	EPA Perf

Start Date :	2001-01-19
Finish Date :	2001-01-19

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

SEMS_8R_ACTIVE SITES ***(cont.)***

OU :	00
Action Code :	DS
Action Name :	DISCVRY
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf
Start Date :	N/R
Finish Date :	2004-10-06
OU :	00
Action Code :	HA
Action Name :	Health Asmt
Sequence :	1
Quality :	N/R
Current Action Lead :	St Perf
Start Date :	N/R
Finish Date :	2001-12-17
OU :	00
Action Code :	AR
Action Name :	ADMIN REC
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf

SHWS ERIC - FL

Facility Name :	ROYAL OAKS SUBDIVISION
Facility Address :	800 WEST PARK AVENUE, EDGEWATER, FL 32132
County :	Volusia
ERIC ID :	ERIC_9533
Site Status :	CLOSED
Source Facility Name :	Royal Oaks Goldens Tarofcen Fla
Source Facility ID :	34379
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Dale Melton
Site Phase Description :	Phase 5 - Cleanup Complete
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

SHWS ERIC - FL ***(cont.)***

Latitude :	28.986133
Longitude :	-80.916903
Last Date in Agency List :	2024-08-19

SPILLS - FL

Facility Name :	N/R
Facility Address :	800 Park Avenue - Royal Oaks, EDGEWATER
County :	Volusia

Incident Details

Incident Number :	8064
Incident Date :	2000-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Abandoned Containers
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Incident Number :	8064
Incident Date :	2000-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Complaint
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Map Id: 4
Direction: NW
Distance: 0.010 mi., 53 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : ROYAL OAKS GOLDENS TAROFCEN FLA | ROYAL OAKS COMMUNITY | ROYAL OAKS SUBDIVISION
800 WEST PARK AVENUE | 800 W PARK AVE | 800 Park Avenue - Royal Oaks
EDGEWATER, FL

Database(s) : [CERCLIS-HIST, ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SEMS_8R_ACTIVE SITES, SHWS ERIC - FL, SPILLS - FL] ***(cont.)***

Envirosite ID: 57303223
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Number :	8064
Incident Date :	2000-12-20
Incident Status :	Closed
Incident Type :	Inland
Descriptions :	Dumping
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-04-28

Pollutants

Pollutant Name :	Paint
Pollutant Actual Volume :	0 gallon
Pollutant Category :	N/R

Map Id: B5
Direction: SSE
Distance: 0.021 mi., 114 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0036
267 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303214
EPA ID: N/R

DEDB - FL

Sample Date :	2001-11-13
Sample ID :	011114-060
Sample Type :	RESAMPLE
FLUW ID :	AAF0036
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SWEENY
Well Address :	267 CAROL ANN
Well Type :	43

Map Id: B5
Direction: SSE
Distance: 0.021 mi., 114 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0036
267 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303214
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011114-12
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-013
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0036
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SWEENY
Well Address :	267 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-013
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0036
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SWEENY
Well Address :	267 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-13
Sample ID :	011114-060
Sample Type :	RESAMPLE
FLUW ID :	AAF0036
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12

Map Id: B5
Direction: SSE
Distance: 0.021 mi., 114 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0036
267 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303214
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SWEENY
Well Address :	267 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011114-12
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: 6
Direction: NW
Distance: 0.023 mi., 123 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : L L HAGS
821 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_VSQG]

Envirosite ID: 57303217
EPA ID: N/R

ECHO

Facility Name :	L L HAGS
Facility Address :	821 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	1998-10-27
Registry ID :	110005652846
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	9329
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	8
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400

Map Id: 6
Direction: NW
Distance: 0.023 mi., 123 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : L L HAGS
821 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303217
EPA ID: N/R

ECHO ***(cont.)***

Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091023
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	811121 - Automotive Body, Paint, and Interior Repair and Maintenance
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1998-10-27
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.987431
Longitude :	-80.919922
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	L L HAGS

Map Id: 6
Direction: NW
Distance: 0.023 mi., 123 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : L L HAGS
821 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303217
EPA ID: N/R

FRS ***(cont.)***

Facility Address : 821 W PARK AVE, EDGEWATER, FL 321321401
County : VOLUSIA

Site Details
Registry ID : 110005652846
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 56765
RCRAINFO - FLR000049841

RCRA_VSQG

Facility Name : L L HAGS
Facility Address : 821 W PARK AVE, EDGEWATER, FL 32132-1401
County : VOLUSIA

Date Form Received by Agency : 1998-10-27
EPA ID : FLR000049841
Mailing Address : 821 W PARK AVE, EDGEWATER, FL 32132-1401
Contact : JERRY HAGER
Contact Address : 821 W PARK AVE, EDGEWATER, FL 32132-1401
Contact Country : US
Contact Telephone : 904-428-8814
Contact Email : N/R
EPA Region : 04
Land Type : Private
Source Type : Implementer
Classification : Very Small Quantity Generator

Map Id: 6
Direction: NW
Distance: 0.023 mi., 123 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : L L HAGS
821 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303217
EPA ID: N/R

RCRA_VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	NON NOTIFIER
Owner/Operator Address :	821 W PARK AVE, EDGEWATER, FL 32132-1401
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-10-29
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name :	D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	1998-10-27
Date Achieved Compliance :	1998-10-27

Map Id: 6
Direction: NW
Distance: 0.023 mi., 123 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : L L HAGS
821 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303217
EPA ID: N/R

RCRA_VSQG ***(cont.)***

Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	1998-10-27
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	1998-10-27
Evaluation Lead Agency :	State

Map Id: C7
Direction: SW
Distance: 0.031 mi., 163 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0034
260 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303220
EPA ID: N/R

DEDB - FL

Sample Date :	2002-11-07
Sample ID :	021108-078
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0034
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FRANK PARILLO
Well Address :	260 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: C7
Direction: SW
Distance: 0.031 mi., 163 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0034
260 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303220
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2001-01-09
Sample ID :	010110-007
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0034
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FRANK PARILLO
Well Address :	260 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2002-11-07
Sample ID :	021108-078
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0034
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FRANK PARILLO
Well Address :	260 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-007
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0034
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	FRANK PARILLO
Well Address :	260 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA

Map Id: C7
Direction: SW
Distance: 0.031 mi., 163 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0034
260 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303220
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: C8
Direction: SSW
Distance: 0.034 mi., 179 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0037
266 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303221
EPA ID: N/R

DEDB - FL

Sample Date :	2001-01-09
Sample ID :	010110-009
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0037
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCCOMISKUI
Well Address :	266 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2002-11-07
Sample ID :	021108-079
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0037
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCCOMISKUI
Well Address :	266 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R

Map Id: C8
Direction: SSW
Distance: 0.034 mi., 179 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0037
266 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303221
EPA ID: N/R

DEDB - FL ***(cont.)***

Description :	N/R
Last Date in Agency List :	2024-08-21
Sample Date :	2002-11-07
Sample ID :	021108-079
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0037
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCCOMISKUI
Well Address :	266 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25
Sample Date :	2001-01-09
Sample ID :	010110-009
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0037
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	MCCOMISKUI
Well Address :	266 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: D9
Direction: NE
Distance: 0.048 mi., 255 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : N/R
210 MANGO TREE DR LOT 38 | 210 MANGO TREE DR, LOT 35
FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303222
EPA ID: N/R

DEDB - FL

Sample Date :	2001-11-15
Sample ID :	011116-039
Sample Type :	FIRST SAMPL
FLUW ID :	N/R
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	N/R
Well Address :	210 MANGO TREE DR, LOT 35
Well Type :	40 - COMMUN
Well Status :	N/R
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011116-07
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-15
Sample ID :	011116-042
Sample Type :	FIRST SAMPL
FLUW ID :	N/R
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	N/R
Well Address :	210 MANGO TREE DR LOT 38
Well Type :	40 - COMMUN
Well Status :	N/R
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011116-07
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL]

Envirosite ID: 57303218
EPA ID: N/R

ECHO

Facility Name :	HOMAC MFG CO
Facility Address :	710 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2004-02-16
Registry ID :	110002534115
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	7391
Informal Count :	0
Last Informal Action Date :	1991-09-24
Formal Action Count :	0
Last Formal Action Date :	1992-02-12
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	1992-02-12
Last Penalty Amount :	23900
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	8
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091021
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

ECHO ***(cont.)***

Facility SIC :	N/R
Facility NAICS :	334417 - Electronic Connector Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2004-02-16
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	1992-02-12
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	1991-09-24
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	28.987315
Longitude :	-80.918165
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	HOMAC MFG CO
Facility Address :	710 W PARK AVE, EDGEWATER, FL 321320
County :	VOLUSIA

Site Details

Registry ID :	110002534115
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 51603 RCRAINFO - FLD061977724

RCRA_NONGEN

Facility Name :	HOMAC MFG CO
Facility Address :	710 W PARK AVE, EDGEWATER, FL 32132-1414
County :	VOLUSIA
Date Form Received by Agency :	2004-02-16
EPA ID :	FLD061977724
Mailing Address :	710 W PARK AVE, EDGEWATER, FL 32132-1414
Contact :	KEN HOWELL
Contact Address :	12 SOUTHLAND RD, ORMOND BEACH, FL 32174-3002
Contact Country :	US
Contact Telephone :	904-677-9110
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	MICHAEL PHILLIPS
Owner/Operator Address :	710 W PARK AVE, EDGEWATER, FL 32132-1414
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-05-11
Owner/Operator End Date :	N/R

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2000-03-14
Facility Name :	HOMAC MFG CO
Classification :	Not a generator, verified

Notices of Violations Summary

Date of Violation :	1991-03-08
Date Achieved Compliance :	1992-02-12
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	1992-02-12
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	23900
Paid Penalty Amount :	23900

Date of Violation :	1991-03-08
Date Achieved Compliance :	1992-02-12
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP WARNING LETTER
Enforcement Action Date :	1991-09-24
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Paid Penalty Amount : N/R

Date of Violation : 1991-03-08
Date Achieved Compliance : 1992-02-12
Regulation Violated : Y
Area of Violation : Generators - General
Enforcement Action : DEP MEETING
Enforcement Action Date : 1992-02-12
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : State
Enforcement Lead Agency : State
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Date of Violation : 1986-03-03
Date Achieved Compliance : 1986-03-17
Regulation Violated : Y
Area of Violation : Generators - General
Enforcement Action : N/R
Enforcement Action Date : N/R
Enf. Disposition Status : N/R
Enf. Disp. Status Date : N/R
Violation Lead Agency : State
Enforcement Lead Agency : N/R
Proposed Penalty Amount : N/R
Final Penalty Amount : N/R
Paid Penalty Amount : N/R

Evaluation Action Summary

Evaluation Date : 2004-02-16
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : N/R
Date Achieved Compliance : N/R
Evaluation Lead Agency : State

Evaluation Date : 1991-03-08
Evaluation : COMPLIANCE EVALUATION INSPECTION
Area of Violation : Generators - General
Date Achieved Compliance : 1992-02-12
Evaluation Lead Agency : State

Evaluation Date : 1986-03-03
Evaluation : NON-FINANCIAL RECORD REVIEW
Area of Violation : Generators - General
Date Achieved Compliance : 1986-03-17
Evaluation Lead Agency : State

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Evaluation Date :	1985-01-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

RESP PARTY - FL

Facility Name :	WACO MANUFACTURING
Facility Address :	710 WEST PARK AVENUE, EDGEWATER, 32132
Site ID :	300991
Project ID :	65021
Status :	CLOSED
District :	CD
ISDR Date :	1991-06-12
Project MGR :	HUBBARD_A
OGC Number :	N/R
Contaminants :	N/R
Offsite COC :	N/R
Priority Score :	N/R
County ID :	64
Datum ID :	NAD83
Method ID :	ADDM
Feature :	N/R
Object of Interest :	CAP_RAP SITE
Proximity :	APPRX
Collect Username :	KRAUS_M
Collect Affiliation :	Florida Department of Environmental Protection
Collect Program ID :	CR
Collect Date :	2010-05-20 00:00:00
Map Source :	N/R
Map Source Scale :	N/R
Interpolation Scale :	N/R
Coordinate Accuracy ID :	6
Verify Method ID :	N/R
Verify Username :	N/R
Verify Affiliation :	N/R
Verifying Program ID :	N/R
Verification Date :	N/R
Documents :	Click here for hyperlink provided by the agency.
Latitude :	28.988861
Longitude :	80.918517
Last Date in Agency List :	2021-04-22

SHWS ERIC - FL

Facility Name :	WACO MANUFACTURING
Facility Address :	710 WEST PARK AVENUE, EDGEWATER, FL 32132
County :	Volusia

Map Id: E10
Direction: N
Distance: 0.052 mi., 274 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : HOMAC MFG CO | WACO MANUFACTURING
710 W PARK AVE | 710 WEST PARK AVENUE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN, RESP PARTY - FL, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303218
EPA ID: N/R

SHWS ERIC - FL ***(cont.)***

ERIC ID :	ERIC_9517
Site Status :	CLOSED
Source Facility Name :	Homac Mfg Co
Source Facility ID :	51603
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Allen Hubbard
Site Phase Description :	Phase 5 - Cleanup Complete
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.988861
Longitude :	-80.918517
Last Date in Agency List :	2024-08-19

Map Id: B11
Direction: SSE
Distance: 0.054 mi., 288 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0040
283 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303216
EPA ID: N/R

DEDB - FL

Sample Date :	2001-01-09
Sample ID :	010110-012
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: B11
Direction: SSE
Distance: 0.054 mi., 288 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0040
283 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303216
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2002-11-07
Sample ID :	021108-080
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-11-08
Sample ID :	011109-055
Sample Type :	RESAMPLE
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-012
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA

Map Id: B11
Direction: SSE
Distance: 0.054 mi., 288 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0040
283 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303216
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: B12
Direction: SSE
Distance: 0.055 mi., 289 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0040
283 CAROL ANN DR
FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303225
EPA ID: N/R

DEDB - FL

Sample Date :	2002-11-07
Sample ID :	021108-080
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-08
Sample ID :	011109-055
Sample Type :	RESAMPLE
FLUW ID :	AAF0040
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	SMALL
Well Address :	283 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R

Map Id: B12
Direction: SSE
Distance: 0.055 mi., 289 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0040
283 CAROL ANN DR
FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303225
EPA ID: N/R

DEDB - FL ***(cont.)***

Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: D13
Direction: ENE
Distance: 0.062 mi., 329 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : P & J TIRE SALES
300 MANGO TREE DR
EDGEWATER, FL 32132

Database(s) : [SWRCY - FL]

Envirosite ID: 57303226
EPA ID: N/R

SWRCY - FL

Facility Name :	P & J TIRE SALES
Facility Address :	300 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Facility ID :	96545
Class :	WASTE TIRE COLLECTOR
Class Type :	754
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	CD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-05-10

Map Id: 14
Direction: ESE
Distance: 0.093 mi., 490 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : VOLUSIA COUNTY - MANGO TREE DRIVE SITE
506 MANGO TREE DR
EDGEWATER, FL 32132

Database(s) : [SWF/LF - FL]

Envirosite ID: 51983739
EPA ID: N/R

SWF/LF - FL

Facility Name :	VOLUSIA COUNTY - MANGO TREE DRIVE SITE
Facility Address :	506 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Facility ID :	107651
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	PRE-AUTHORIZED (B)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	CD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	28.986702
Longitude :	80.915682
Last Date in Agency List :	2024-05-14

Map Id: E15
Direction: N
Distance: 0.093 mi., 493 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
28.98801, -80.91775

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52702243
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	MIL - SPEC METAL FINISHING INC
Status :	Active
Industry :	Metal Coating
EPA Program :	RCRA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N

Map Id: E15
Direction: N
Distance: 0.093 mi., 493 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
28.98801, -80.91775

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52702243
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.98801
Longitude :	-80.91775
Last Date in Agency List :	2024-08-02

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL]

Envirosite ID: 57303229
EPA ID: FLR000148486

ECHO

Facility Name :	MIL - SPEC METAL FINISHING INC
Facility Address :	706 W PARK AVE #A, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2015-07-10
Registry ID :	110037320529
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	3229
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	2016-05-03
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	2016-05-03
Last Penalty Amount :	18644
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

ECHO ***(cont.)***

Derived CB2010 :	121270830091023
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	332813 - Electroplating, Plating, Polishing, Anodizing, and Coloring
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2015-07-10
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	2016-05-03
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.98801
Longitude :	-80.91775
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	MIL - SPEC METAL FINISHING INC
Facility Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

FRS ***(cont.)***

County : VOLUSIA

Site Details
Registry ID : 110037320529
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 86354
RCRAINFO - FLR000148486

MANIFEST EPA

Manifest Details
Manifest Number : 024491807JJK
Shipped Date : 2023-03-09
Updated Date : 2023-04-11
Received Date : 2023-04-04
Status : Signed
Generator ID : FLR000148486
Generator Name : Mil-Spec Metal Finishing, Inc.
Generator Address : 706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Mailing : 706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Contact : N/R
Destination ID : MID980991566
Destination Name : EQ DETROIT, INC.
Destination Mailing : 1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address : 1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact : N/R
Submission Type : DataImage5Copy

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

MANIFEST EPA ***(cont.)***

Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste, corrosive liquid, basic, inorganic, n.o.s.(sodium hydroxide), 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	275 Gallons
Quantity Tons, Acute, Non-Acute :	1.146789, 0, 1.146789
Quantity Kg, Acute, Non-Acute :	0, 1040.172
Quantity Tons, Haz, Non-Haz :	1.146789,
Quantity Kg, Haz, Non-Haz :	1040.172,
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002, D006
State Code :	N/R

Manifest Details

Manifest Number :	023876582JJK
Shipped Date :	2022-05-06
Updated Date :	2022-06-08
Received Date :	2022-05-31
Status :	Signed
Generator ID :	FLR000148486
Generator Name :	Mil-Spec Metal Finishing, Inc.
Generator Address :	706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Mailing :	706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

MANIFEST EPA ***(cont.)***

DOT ID Number :	NA3082
DOT Information :	NA3082, Hazardous waste, liquid, n.o.s.(aluminum hydroxide), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D006, F019
State Code :	N/R

Manifest Details

Manifest Number :	022873815JJK
Shipped Date :	2021-08-05
Updated Date :	2021-08-24
Received Date :	2021-08-17
Status :	Signed
Generator ID :	FLR000148486
Generator Name :	Mil-Spec Metal Finishing, Inc.
Generator Address :	706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Mailing :	706 W. Park Avenue Suite C, Edgewater, FL 32132
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste corrosive liquid, basic, inorganic, n.o.s.(sodium hydroxide), 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

MANIFEST EPA ***(cont.)***

Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002, D006
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	NA3082
DOT Information :	NA3082, Hazardous waste, liquid, n.o.s.(aluminum hydroxide), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D006, F019
State Code :	N/R
Waste Line Number :	3
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste corrosive liquid, basic, inorganic, n.o.s.(sodium hydroxide), 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002, D006
State Code :	N/R

Manifest Details

Manifest Number :	021464887JJK
Shipped Date :	2020-07-09
Updated Date :	2020-08-04
Received Date :	2020-07-29
Status :	Signed
Generator ID :	FLR000148486
Generator Name :	MIL - SPEC METAL FINISHING INC
Generator Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

MANIFEST EPA ***(cont.)***

Generator Mailing :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT INC
Destination Mailing :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Address :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste corrosive liquid, basic, inorganic, n.o.s.(sodium hydroxide), 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002, D006
State Code :	N/R

Manifest Details

Manifest Number :	020959053JJK
Shipped Date :	2019-12-12
Updated Date :	2020-01-16
Received Date :	2020-01-09
Status :	Signed
Generator ID :	FLR000148486
Generator Name :	MIL - SPEC METAL FINISHING INC
Generator Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Generator Mailing :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT INC
Destination Mailing :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Address :	1923 FREDERICK ST, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

MANIFEST EPA ***(cont.)***

Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	NA3082
DOT Information :	NA3082, Hazardous waste, liquid, n.o.s.(aluminum hydroxide), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	D006, F019
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	UN3266
DOT Information :	UN3266, Waste corrosive liquid, basic, inorganic, n.o.s.(sodium hydroxide), 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	165 Gallons
Quantity Tons, Acute, Non-Acute :	0.6880734, 0, 0.6880734
Quantity Kg, Acute, Non-Acute :	0, 624.1032
Quantity Tons, Haz, Non-Haz :	0.6880734, 0
Quantity Kg, Haz, Non-Haz :	624.1032, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D002, D006
State Code :	N/R

RCRA_SQG

Facility Name :	MIL - SPEC METAL FINISHING INC
Facility Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
County :	VOLUSIA
Date Form Received by Agency :	2015-12-28
EPA ID :	FLR000148486
Mailing Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Contact :	TIAGO SCHULZ
Contact Address :	706 A WEST PARK AVE, EDGEWATER, FL 32132-0000

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Contact Country :	US
Contact Telephone :	386-426-7188
Contact Email :	TIAGO.SCHULZ@MILSPECFL.COM
EPA Region :	04
Land Type :	Private
Source Type :	Notification
Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	MIL - SPEC METAL FINISHING INC
Owner/Operator Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Owner/Operator Country :	US
Owner/Operator Telephone :	386-426-7188
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-07-10
Owner/Operator End Date :	N/R

Owner/Operator Name :	MIL - SPEC METAL FINISHING INC
Owner/Operator Address :	706 W PARK AVE #A, EDGEWATER, FL 32132-1412
Owner/Operator Country :	US
Owner/Operator Telephone :	386-426-7188
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2008-07-10
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2015-07-16
Facility Name :	MIL - SPEC METAL FINISHING INC
Classification :	Small Quantity Generator

Date Form Received by Agency :	2008-07-10
Facility Name :	MIL - SPEC METAL FINISHING INC
Classification :	Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :

D001 - IGNITABLE WASTE
D006 - CADMIUM
F006 - WASTEWATER TREATMENT SLUDGES FROM ELECTROPLATING OPERATIONS, EXCEPT FROM THE FOLLOWING PROCESSES: (1) SULFURIC ACID ANODIZING OF ALUMINUM; (2) TIN PLATING ON CARBON STEEL; (3) ZINC PLATING (SEGREGATED BASIS) ON CARBON STEEL; (4) ALUMINUM OR ZINC-ALUMINUM PLATING ON CARBON STEEL; (5) CLEANING/STRIPPING ASSOCIATED WITH TIN, ZINC, AND ALUMINUM PLATING ON CARBON STEEL; AND (6) CHEMICAL ETCHING AND MILLING OF ALUMINUM.
F019 - WASTEWATER TREATMENT SLUDGES FROM THE CHEMICAL CONVERSION COATING OF ALUMINUM, EXCEPT FROM ZIRCONIUM PHOSPHATING IN ALUMINUM CAN WASHING WHEN SUCH PHOSPHATING IS AN EXCLUSIVE CONVERSION COATING PROCESS.

Notices of Violations Summary

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-General Facility Standards
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R
Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R
Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-Preparedness and Prevention
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	18644
Paid Penalty Amount :	500
Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R
Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2016-05-03

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	18644
Paid Penalty Amount :	500

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	18644
Paid Penalty Amount :	500

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-General Facility Standards
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	18644
Paid Penalty Amount :	500

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	TSD IS-Preparedness and Prevention
Enforcement Action :	DEP MEETING
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2015-10-05
Date Achieved Compliance :	2016-05-03
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	DEP SHORT FORM CONSENT ORDER
Enforcement Action Date :	2016-05-03
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	State
Proposed Penalty Amount :	N/R
Final Penalty Amount :	18644
Paid Penalty Amount :	500

Evaluation Action Summary

Evaluation Date :	2016-05-04
Evaluation :	NO LONGER A SIGNIFICANT NON-COMPLIER
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	TSD IS-General Facility Standards
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State

Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State

Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

RCRA_SQG ***(cont.)***

Area of Violation :	TSD IS-Preparedness and Prevention
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	Generators - General
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-10-05
Evaluation :	SIGNIFICANT NON-COMPLIER
Area of Violation :	TSD IS-Contingency Plan and Emergency Procedures
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-07-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-07-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-General Facility Standards
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State
Evaluation Date :	2015-07-10
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Contingency Plan and Emergency Procedures
Date Achieved Compliance :	2016-05-03
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Mil - Spec Metal Finishing Inc
Facility Address :	706 W Park Ave #A, Edgewater, 32132
County :	Volusia
Last Inspection Date :	2015-07-10
Date Notified :	2008-07-16

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

SQG - FL ***(cont.)***

Site ID :	86354
Handler ID :	FLR000148486
Office :	Central District
Facility Inspection Type :	LQG-CEI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-07-15

T 2 - FL

Facility Name :	Mil-Spec Metal Finishing, Inc.
Facility Address :	706-A West Park Avenue, Edgewater, FL 32132
County :	Volusia
Filing Year :	2016(Tier2)
Filing Type :	302 312
Company Name :	Mil-Spec Metal Finishing, Inc.
Facility ID :	6019940
State Facility ID :	N/R
SIC :	3471 - ELECTROPLATING, PLATING, POLISHING, ANODIZING, AND COLORING
NAICS :	332813 - Electroplating, Plating, Polishing, Anodizing, and Coloring
Dun & Bradstreet Code :	N/R
De-Registered Date :	N/R
Data Submitted by :	PATRICK BRISTOL, OWNER
Contact 1 - Name :	TIAGO SCHULZ
Contact 1 - Contact Type :	Emergency Contact
Contact 1 - Email :	office@milspecfl.com
Contact 1 - 24-hour Phone :	9549346992
Contact 1 - Work Phone :	3864267188
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2017-07-25
First Submit Date :	2017-07-25(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2017-10-23

Chemical Information

Filing Year :	N/R
CAS Number :	7697372
Chemical Name :	Nitric Acid, [> 40%]
Maximum Daily Quantity :	1350.0
Average Daily Quantity :	1350.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	4
F :	0
R :	1

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

T 2 - FL ***(cont.)***

S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	T
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	2014
Filing Type :	302 312
Company Name :	Mil-Spec Metal Finishing, Inc.
Facility ID :	5093326
State Facility ID :	N/R
SIC :	3471 - ELECTROPLATING, PLATING, POLISHING, ANODIZING, AND COLORING
NAICS :	332813 - Electroplating, Plating, Polishing, Anodizing, and Coloring
Dun & Bradstreet Code :	620888727
De-Registered Date :	N/R
Data Submitted by :	PATRICK BRISTOL, OWNER
Contact 1 - Name :	ROBERT SHINN
Contact 1 - Contact Type :	Emergency Contact
Contact 1 - Email :	'sales@milspecmetalfinishing.com'

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

T 2 - FL ***(cont.)***

Contact 1 - 24-hour Phone :	386-405-6814
Contact 1 - Work Phone :	386-426-7188
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2015-04-28
First Submit Date :	2015-04-28
Latitude :	28.987403
Longitude :	-80.91747
Last Date in Agency List :	2016-06-21

Chemical Information

Filing Year :	N/R
CAS Number :	7697372
Chemical Name :	Nitric Acid, [> 40%]
Maximum Daily Quantity :	1350.0
Average Daily Quantity :	1350.0
Max Amount in Largest Container :	N/R
EHS :	T
Below Thresholds :	N/R
Trade Secret :	N/R
H :	4
F :	0
R :	1
S :	OX
Solid :	F
Liquid :	T
Gas :	F
Pure :	T
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	T
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R

Map Id: E16
Direction: NNE
Distance: 0.095 mi., 502 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : MIL - SPEC METAL FINISHING INC
706 W PARK AVE #A | 706 W. Park Avenue | 706-A West Park Avenue
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL, T 2 - FL] ***(cont.)***

Envirosite ID: 57303229
EPA ID: FLR000148486

T 2 - FL ***(cont.)***

Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Map Id: F17
Direction: SSE
Distance: 0.100 mi., 530 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : Dot Deland - Edgewater Mine
28.98277, -80.91676
FL

Database(s) : [MINES USGS]

Envirosite ID: 43878960
EPA ID: N/R

MINES USGS

Deposit ID :	10306568
MRSD ID :	AG00587
MAS ID :	N/R
Site Name :	Dot Deland - Edgewater Mine
Latitude :	28.98277
Longitude :	-80.91676
Region :	NA
Country :	United States
State :	Florida
County :	Volusia
Commodity Type :	N
Commodity-Primary :	Sand
Commodity-Secondary :	N/R
Commodity-Others :	N/R
Operations Type :	Unknown
Deposit Type :	N/R
Production Size :	N/R
Dev Status :	Unknown
Ore material :	N/R
Gangue material :	N/R
Other Materials :	N/R
Ore body :	N/R
Work Type :	N/R
Mineral Model :	N/R
Geochem Alteration :	N/R
Concentration :	N/R
Alt Names :	N/R
Ore Character :	N/R
Reporter :	Spencer, S. M., (Mitchell, S. P.), Nicholson, S.W.

Map Id: F17
Direction: SSE
Distance: 0.100 mi., 530 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : Dot Deland - Edgewater Mine
28.98277, -80.91676
FL

Database(s) : [MINES USGS] ***(cont.)***

Envirosite ID: 43878960
EPA ID: N/R

MINES USGS ***(cont.)***

Host Rock Unit :	N/R
Host Rock Type :	N/R
Adj Rock Unit :	N/R
Adj Rock Type :	N/R
Geol Structure :	N/R
Tectonic Setting :	N/R
References :	Fla. Bureau Mine ReclamationFla. Bureau Mine Reclamation
Year First Produced :	N/R
Year Last Produced :	N/R
Year Discovered :	N/R
Prod Years :	N/R
Discovery :	N/R
URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-07-02

Map Id: E18
Direction: NNE
Distance: 0.102 mi., 539 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : SUSIE Q PRODUCTS
702 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN]

Envirosite ID: 57303231
EPA ID: N/R

ECHO

Facility Name :	SUSIE Q PRODUCTS
Facility Address :	702 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	1998-10-27
Registry ID :	110005652855
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	9329
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	POINT WHERE SUBSTANCE IS MONITORED
Accuracy Meters :	8
Derived Tribes :	N/R
Derived HUC :	03080202

Map Id: E18
Direction: NNE
Distance: 0.102 mi., 539 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : SUSIE Q PRODUCTS
702 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303231
EPA ID: N/R

ECHO ***(cont.)***

Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091021
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	33121 - Iron and Steel Pipe and Tube Manufacturing from Purchased Steel
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	1998-10-27
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	28.987752
Longitude :	-80.917127
Last Date in Agency List :	2024-07-12

Map Id: E18
Direction: NNE
Distance: 0.102 mi., 539 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : SUSIE Q PRODUCTS
702 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303231
EPA ID: N/R

FRS

Facility Name : SUSIE Q PRODUCTS
Facility Address : 702 W PARK AVE, EDGEWATER, FL 321321418
County : VOLUSIA

Site Details

Registry ID : 110005652855
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : FLORIDA DEP - 46811
RCRAINFO - FLR000049858

RCRA_NONGEN

Facility Name : SUSIE Q PRODUCTS
Facility Address : 702 W PARK AVE, EDGEWATER, FL 32132-1418
County : VOLUSIA

Date Form Received by Agency : 2009-12-22
EPA ID : FLR000049858
Mailing Address : 702 W PARK AVE, EDGEWATER, FL 32132-1418
Contact : GILBERT PEREZ
Contact Address : 702 W PARK AVE, EDGEWATER, FL 32132-1418
Contact Country : US
Contact Telephone : 904-423-3106
Contact Email : N/R
EPA Region : 04
Land Type : Private
Source Type : Implementer
Classification : Not a generator, verified
Description : Not a generator, verified

Map Id: E18
Direction: NNE
Distance: 0.102 mi., 539 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : SUSIE Q PRODUCTS
702 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303231
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	NON NOTIFIER
Owner/Operator Address :	702 W PARK AVE, EDGEWATER, FL 32132-1418
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1998-10-29
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Hazardous Waste Summary

Waste Code / Name : D001 - IGNITABLE WASTE

Notices of Violations Summary

Date of Violation :	1998-10-27
Date Achieved Compliance :	1999-01-07
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Map Id: E18
Direction: NNE
Distance: 0.102 mi., 539 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : SUSIE Q PRODUCTS
702 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303231
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Evaluation Action Summary

Evaluation Date :	1998-10-27
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	1999-01-07
Evaluation Lead Agency :	State

Map Id: E19
Direction: N
Distance: 0.105 mi., 554 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : ML-SPEC METAL FINISHING INC
705 WPARK AVE STE A
Edgewater, FL 32132

Database(s) : [MANIFEST EPA]

Envirosite ID: 57303236
EPA ID: FLR000148483

MANIFEST EPA

Manifest Details

Manifest Number :	011192861FLE
Shipped Date :	2018-09-06
Updated Date :	2019-09-20
Received Date :	2018-09-18
Status :	Signed
Generator ID :	FLR000148483
Generator Name :	ML-SPEC METAL FINISHING INC
Generator Address :	705 WPARK AVE STE A, Edgewater, FL 32132
Generator Mailing :	705 WPARK AVE STE A, Edgewater, FL 32132
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA
Destination Mailing :	402 402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, WASTE HAZARDOUS WASTE, SOLID, N.O.S., 9 , III, RQ, 120901
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE

Map Id: E19
Direction: N
Distance: 0.105 mi., 554 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : ML-SPEC METAL FINISHING INC
705 WPARK AVE STE A
Edgewater, FL 32132

Database(s) : [MANIFEST EPA] ***(cont.)***

Envirosite ID: 57303236
EPA ID: FLR000148483

MANIFEST EPA ***(cont.)***

Is EPA Waste :	Y
Federal Code :	F019
State Code :	N/R
Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, WASTE HAZARDOUS, SOLID NOS 9, III, RQ 120901
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	F019
State Code :	N/R

Map Id: F20
Direction: SSE
Distance: 0.115 mi., 610 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0041
299 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303219
EPA ID: N/R

DEDB - FL

Sample Date :	2001-11-08
Sample ID :	011109-056
Sample Type :	RESAMPLE
FLUW ID :	AAF0041
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JONES
Well Address :	299 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25
Sample Date :	2001-01-09
Sample ID :	010110-014

Map Id: F20
Direction: SSE
Distance: 0.115 mi., 610 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0041
299 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303219
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	FIRST_SAMP
FLUW ID :	AAF0041
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JONES
Well Address :	299 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-014
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0041
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JONES
Well Address :	299 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: F21
Direction: SSE
Distance: 0.115 mi., 610 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0041
299 CAROL ANN DR
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303233
EPA ID: N/R

DEDB - FL

Sample Date :	2001-11-08
Sample ID :	011109-056
Sample Type :	RESAMPLE
FLUW ID :	AAF0041

Map Id: F21
Direction: SSE
Distance: 0.115 mi., 610 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0041
299 CAROL ANN DR
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303233
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JONES
Well Address :	299 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: G22
Direction: NE
Distance: 0.124 mi., 658 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
28.9879, -80.91588

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52621162
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	TRI COUNTY HARD CHROME
Status :	Active
Industry :	Metal Coating
EPA Program :	RCRA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.9879
Longitude :	-80.91588
Last Date in Agency List :	2024-08-02

Map Id: F23
Direction: SSE
Distance: 0.125 mi., 658 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : DELAND, EDGEWATER | DOT- DELAND, EDGEWATER
28.982416, -80.916518
FL

Database(s) : [MINES - FL]

Envirosite ID: 40091113
EPA ID: N/R

MINES - FL

Facility Name :	DELAND, EDGEWATER
Site ID :	223246
Layer :	Mandatory Non-Phosphate Sites
Boundary :	1
Marketable Resource :	N/R
Florida DEP Reclamation Rule :	N/R
Permitting Agency :	N/R
Digitized Date :	2004-01-01T00:00:00Z
Digitizer :	Harry Neel
Sort Grade :	N/R
Mitigation Required :	N/R
Non-Mandatory Areas :	1
Sheer Walls :	N/R
Rule ID :	N/R
Mine Started :	1955-09-21
Mine Company :	N/R
Mine Status :	N/R
Facility Type :	N/R
Reviewer :	N/R
Reclamation Status :	N/R
Reclamation Responsibility :	N/R
Acres :	N/R
Document Link :	N/R
Last Date in Agency List :	2024-07-31

Facility Name :	DOT- DELAND, EDGEWATER
Site ID :	223246
Layer :	Mandatory Non-Phosphate Sites
Boundary :	Boundary Digitized
Marketable Resource :	Sand
Florida DEP Reclamation Rule :	N/R
Permitting Agency :	N/R
Digitized Date :	2004-01-01
Digitizer :	Harry Neel
Sort Grade :	N/R
Mitigation Required :	N/R
Non-Mandatory Areas :	Yes
Sheer Walls :	N/A
Rule ID :	4
Mine Started :	1955-09-21
Mine Company :	N/R
Mine Status :	N/R
Facility Type :	N/R
Reviewer :	N/R
Reclamation Status :	N/R
Reclamation Responsibility :	N/R
Acres :	N/R
Document Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2021-04-25

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS]

Envirosite ID: 57303235
EPA ID: N/R

AIRS - FL

Facility Name :	EXTREME CONCRETE BLOCK PLANT
Facility Address :	320 Base Leg Dr, EDGEWATER, 32132
County :	VOLUSIA
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	1270222
Owner/Company Name :	EXTREME CONCRETE SERVICES INC.
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	3206.8
East :	507.8
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	N/R
Facility Comment :	4/26/2017 - Initial AGP Concrete Batch Plant Registration.
Last Date in Agency List :	2021-08-31
Facility Name :	PREFERRED MATERIALS - EDGEWATER BLOCK
Facility Address :	320 Base Leg Dr, EDGEWATER, 32132
County :	VOLUSIA
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	1270222
Owner/Company Name :	PREFERRED MATERIALS, INC
Category :	POINT

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

AIRS - FL ***(cont.)***

Relocatable :	N
UTM Zone :	17
North :	3206.77
East :	507.72
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	320 Base Leg Dr
Facility Comment :	4/26/2017 - Initial AGP Concrete Batch Plant Registration.
Last Date in Agency List :	2024-08-21

ECHO

Facility Name :	PREFERRED-EDGEWATER BLOCK
Facility Address :	320 BASE LEG DR, EDGEWATER, FL 32132
County :	VOLUSIA COUNTY
Last Inspection Date :	N/R
Registry ID :	110071287404
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

ECHO ***(cont.)***

QTRS IN NC :	N/R
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	N/R
Reference Point :	N/R
Accuracy Meters :	17630
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091009
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

ECHO ***(cont.)***

RCRA Flag :	N
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.987924
Longitude :	-80.920913
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	EDGEWATER BLOCK
Facility Address :	320 BASE LEG DR, EDGEWATER, FL 32132
County :	VOLUSIA COUNTY

Site Details

Registry ID :	110071428695
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest

Source and System ID :	API - 3213WDGWTR32BAS

Facility Name :	PREFERRED-EDGEWATER BLOCK
Facility Address :	320 BASE LEG DR, EDGEWATER, FL 32132
County :	VOLUSIA COUNTY

Site Details

Registry ID :	110071287404
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest

Source and System ID :	API - 3213WPRFRR32BAS

T 2 - FL

Facility Name :	PMI-EDGEWATER BLOCK PLANT
Facility Address :	320 BASE LEG DRIVE, EDGEWATER, FL 32132
County :	Volusia
Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	PREFERRED MATERIALS, INC
Facility ID :	7381475
State Facility ID :	N/R
SIC :	N/R
NAICS :	327331 - Concrete Block and Brick Manufacturing
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	DAVID BOUNDS
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.bounds@preferredmaterials.com
Contact 1 - 24-hour Phone :	813-734-3725
Contact 1 - Work Phone :	813-751-0998
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-09
First Submit Date :	2024-02-08(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-07-22

Chemical Information

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	Hydraulic oil
Maximum Daily Quantity :	2,250
Average Daily Quantity :	2,250
Max Amount in Largest Container :	2,250
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F
Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	Chevron Ultra Duty Grease
Maximum Daily Quantity :	100
Average Daily Quantity :	100
Max Amount in Largest Container :	100
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	Block tite
Maximum Daily Quantity :	4,000
Average Daily Quantity :	4,000
Max Amount in Largest Container :	4,000
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	Form Release
Maximum Daily Quantity :	999
Average Daily Quantity :	999
Max Amount in Largest Container :	450
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	Sika Set HE
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	450
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	PREFERRED MATERIALS, INC
Facility ID :	7276364
State Facility ID :	N/R
SIC :	N/R
NAICS :	327331 - Concrete Block and Brick Manufacturing
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	Adrienne Coppock, Director of Environmental and Land Management
Contact 1 - Name :	TONY DIPIETRO
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	tony.dipietro@preferredmaterials.com
Contact 1 - 24-hour Phone :	407-832-5813
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-02-09
First Submit Date :	2023-02-09(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	Sika PL100
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	Aggregate Products (Limestone/Dolomite, Granite/Basalt, Sand, or Gravel)
Maximum Daily Quantity :	5,073,998
Average Daily Quantity :	4,026,624
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	Sika Set HE
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	Form Release
Maximum Daily Quantity :	999
Average Daily Quantity :	999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	Chevron Ultra Duty Grease
Maximum Daily Quantity :	100
Average Daily Quantity :	100
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312
Company Name :	PREFERRED MATERIALS, INC
Facility ID :	7132515
State Facility ID :	N/R
SIC :	N/R
NAICS :	327331 - Concrete Block and Brick Manufacturing
Dun & Bradstreet Code :	N/A
De-Registered Date :	N/R
Data Submitted by :	MARISOL HAMBY
Contact 1 - Name :	DAVID BOUNDS
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	david.bounds@preferredmaterials.com
Contact 1 - 24-hour Phone :	813-734-3725
Contact 1 - Work Phone :	813-751-0998
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-28
First Submit Date :	2022-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Form Release
Maximum Daily Quantity :	999
Average Daily Quantity :	999
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Sika Set HE
Maximum Daily Quantity :	450
Average Daily Quantity :	450
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Chevron Ultra Duty Grease
Maximum Daily Quantity :	100
Average Daily Quantity :	100
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Block tite
Maximum Daily Quantity :	4,000
Average Daily Quantity :	4,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	T
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

T 2 - FL ***(cont.)***

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	Aggregate Products (Limestone/Dolomite, Granite/Basalt, Sand, or Gravel)
Maximum Daily Quantity :	5,073,998
Average Daily Quantity :	4,026,624
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	T
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

TRIS

Facility Name :	PREFERRED - EDGEWATER BLOCK
Facility Address :	320 BASE LEG DR, EDGEWATER, FL 32132
County :	VOLUSIA

Facility Details

TRIF ID :	3213WPRFRR32BAS
Federal Facility Flag :	NO
Primary NAICS :	327331 - Concrete Block and Brick Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-16

Contact Information

Public Contact Name :	ALYSON T DONOVAN
Public Contact Email :	ALYSON.DONOVAN@NA.CRH.COM
Public Contact Phone :	6893335244
Public Contact Phone Ext :	N/R
Parent Company Name :	CRH AMERICAS INC
Parent Company DB NR :	N/R

Reported Chemical Information

Reporting Year :	2022
Document Control Number :	1322220794770
CAS Number :	7439-92-1
Chemical Name :	Lead
Unit of Measure :	Pounds
Maximum Amount Onsite :	02

Onsite Release Summary

Total Fugitive Air Emissions :	.015537
Total Stack Air Emissions :	0
Total Air Emissions :	.015537
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0

Map Id: 24
Direction: NW
Distance: 0.125 mi., 663 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : PREFERRED - EDGEWATER BLOCK | EDGEWATER BLOCK | PMI-EDGEWATER BLOCK PLANT
320 BASE LEG DR
EDGEWATER, FL

Database(s) : [AIRS - FL, ECHO, FRS, T 2 - FL, TRIS] ***(cont.)***

Envirosite ID: 57303235
EPA ID: N/R

TRIS ***(cont.)***

Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	0

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	0

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG]

Envirosite ID: 57303232
EPA ID: FLD982145088

ECHO

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	109 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2010-02-08
Registry ID :	110006381879
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5207
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

ECHO ***(cont.)***

Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091021
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	332813 - Electroplating, Plating, Polishing, Anodizing, and Coloring
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-02-08
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

ECHO ***(cont.)***

Latitude :	28.9879
Longitude :	-80.91588
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	109 MANGO TREE DR, EDGEWATER, FL 321322019
County :	VOLUSIA

Site Details

Registry ID :	110006381879
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description : The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.
OSHA-OIS

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : FLORIDA DEP - 33165
FLORIDA DEP - 68990
OSHA-OIS - 343196408
RCRAINFO - FLD982145088
RCRAINFO - FLTMP9102721

Facility Name :	TRICOUNTY HARD CHROME
Facility Address :	109 MANGROTREE DRIVE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110035448209
FRS Facility URL :	Click here for hyperlink provided by the agency.

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

FRS ***(cont.)***

Last Date in Agency List : 2014-03-25

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID : FLORIDA DEP - 68990
RCRAINFO - FLTMP9102721

MANIFEST EPA

Manifest Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Manifest Number :	023679151JJK
Shipped Date :	2023-05-04
Updated Date :	2023-07-25
Received Date :	2023-05-30
Status :	Corrected
Generator ID :	FLD982145088
Generator Name :	TRI-COUNTY HARD CHROME
Generator Address :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Mailing :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	MID000724831
Destination Name :	MICHIGAN DISPOSAL WASTE TREATMENT PLANT
Destination Mailing :	49350 N I-94 SERVICE DRIVE, BELLEVILLE, MI 48111
Destination Address :	49350 N I-94 SERVICE DRIVE, BELLEVILLE, MI 48111
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

MANIFEST EPA ***(cont.)***

Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3264
DOT Information :	UN3264, Waste Corrosive liquid, acidic, inorganic, n.o.s., 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156,
Quantity Kg, Haz, Non-Haz :	416.06882,
Management Method :	H120 - COMB. OF CHEMICAL, BIOLOGICAL, AND/OR PHYSICAL TRT
Is EPA Waste :	Y
Federal Code :	D002, D004, D006, D007, D008, D010
State Code :	N/R

Manifest Details

Manifest Number :	023679152JJK
Shipped Date :	2023-05-04
Updated Date :	2023-06-14
Received Date :	2023-05-30
Status :	Corrected
Generator ID :	FLD982145088
Generator Name :	TRI-COUNTY HARD CHROME
Generator Address :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Mailing :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, Hazardous waste, solid, n.o.s. (Chromium), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	55 Gallons

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

MANIFEST EPA ***(cont.)***

Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578,
Quantity Kg, Haz, Non-Haz :	208.03441,
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D007
State Code :	N/R

Manifest Details

Manifest Number :	023679099JJK
Shipped Date :	2022-11-23
Updated Date :	2023-01-18
Received Date :	2022-12-27
Status :	Corrected
Generator ID :	FLD982145088
Generator Name :	TRI-COUNTY HARD CHROME
Generator Address :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Mailing :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, Hazardous waste, solid, n.o.s. (Chromium), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	920 Pounds
Quantity Tons, Acute, Non-Acute :	0.46, 0, 0.46
Quantity Kg, Acute, Non-Acute :	0, 417.23383
Quantity Tons, Haz, Non-Haz :	0.46, 0
Quantity Kg, Haz, Non-Haz :	417.23383, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D007
State Code :	N/R

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

MANIFEST EPA ***(cont.)***

Manifest Details

Manifest Number :	023679061JJK
Shipped Date :	2022-06-01
Updated Date :	2022-07-06
Received Date :	2022-06-28
Status :	Corrected
Generator ID :	FLD982145088
Generator Name :	TRI-COUNTY HARD CHROME
Generator Address :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Mailing :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	MID980991566
Destination Name :	EQ DETROIT, INC.
Destination Mailing :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Address :	1923 FREDERICK STREET, DETROIT, MI 48211
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, Hazardous waste, solid, n.o.s. (Chromium), 9, PGIII, ERG#171
Non Waste Description :	N/R
Quantity :	55 Pounds
Quantity Tons, Acute, Non-Acute :	0.0275, 0, 0.0275
Quantity Kg, Acute, Non-Acute :	0, 24.943325
Quantity Tons, Haz, Non-Haz :	0.0275, 0
Quantity Kg, Haz, Non-Haz :	24.943325, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D007
State Code :	N/R

Manifest Details

Manifest Number :	023679062JJK
Shipped Date :	2022-06-01
Updated Date :	2022-07-07
Received Date :	2022-06-28
Status :	Signed
Generator ID :	FLD982145088
Generator Name :	TRI-COUNTY HARD CHROME
Generator Address :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Mailing :	109 MANGO TREE DRIVE, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	MID000724831
Destination Name :	MICHIGAN DISPOSAL WASTE TREATMENT PLANT

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

MANIFEST EPA ***(cont.)***

Destination Mailing :	49350 N I-94 SERVICE DRIVE, BELLEVILLE, MI 48111
Destination Address :	49350 N I-94 SERVICE DRIVE, BELLEVILLE, MI 48111
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3264
DOT Information :	UN3264, Waste Corrosive liquid, acidic, inorganic, n.o.s., 8, PGII, ERG#154
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H120 - COMB. OF CHEMICAL, BIOLOGICAL, AND/OR PHYSICAL TRT
Is EPA Waste :	Y
Federal Code :	D002, D004, D006, D007, D008, D010
State Code :	N/R

RCRA_VSQG

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	109 MANGO TREE DR, EDGEWATER, FL 32132-2019
County :	VOLUSIA
Date Form Received by Agency :	2010-02-08
EPA ID :	FLD982145088
Mailing Address :	PO BOX 157 109 MANGO TREE DR, EDGEWATER, FL 32132-0157
Contact :	DALLAS POST
Contact Address :	PO BOX 157, EDGEWATER, FL 32132-0157
Contact Country :	US
Contact Telephone :	386-427-9241
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

RCRA_VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	ELOISE JARVIS
Owner/Operator Address :	PO BOX 157, EDGEWATER, FL 32132
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-03-26
Owner/Operator End Date :	N/R

Owner/Operator Name :	LESTER JARVIS
Owner/Operator Address :	PO BOX 157, EDGEWATER, FL 32132
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2003-03-26
Owner/Operator End Date :	2003-03-27

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

RCRA_VSQG ***(cont.)***

Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	2003-03-26
Facility Name :	TRI COUNTY HARD CHROME
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2010-02-08
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Evaluation Date :	2001-05-11
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

Facility Name :	TRICOUNTY HARD CHROME
Facility Address :	109 MANGROTREE DRIVE, EDGEWATER, FL 32032
County :	VOLUSIA

Date Form Received by Agency :	1991-03-08
EPA ID :	FLTMP9102721
Mailing Address :	N/R
Contact :	N/R
Contact Address :	N/R
Contact Country :	US
Contact Telephone :	N/R
Contact Email :	N/R
EPA Region :	04
Land Type :	Other land type
Source Type :	Emergency
Classification :	Very Small Quantity Generator

Map Id: G25
Direction: NE
Distance: 0.144 mi., 763 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
109 MANGO TREE DR | 109 MANGROTREE DRIVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_VSQG] ***(cont.)***

Envirosite ID: 57303232
EPA ID: FLD982145088

RCRA_VSQG ***(cont.)***

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

Map Id: G26
Direction: NE
Distance: 0.147 mi., 779 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : TRI COUNTY HARD CHROME
MANGO TREE DRIVE
EDGEWATER, FL

Database(s) : [RESP PARTY - FL]

Envirosite ID: 1613103
EPA ID: N/R

RESP PARTY - FL

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	MANGO TREE DRIVE, EDGEWATER
Site ID :	187726
Project ID :	250686
Status :	INACTIVE
District :	CD
ISDR Date :	2001-07-18
Project MGR :	ELMANSORI_N
OGC Number :	11-1171
Contaminants :	chromium, lead
Offsite COC :	U
Priority Score :	N/R
County ID :	64
Datum ID :	NAD83
Method ID :	DPHO
Feature :	Chrome Plating facility
Object of Interest :	CAP_RAP SITE
Proximity :	EXACT
Collect Username :	N/R
Collect Affiliation :	N/R
Collect Program ID :	CL
Collect Date :	2001-08-14 00:00:00
Map Source :	5000
Map Source Scale :	1999 doqs
Interpolation Scale :	N/R
Coordinate Accuracy ID :	4
Verify Method ID :	DPHO
Verify Username :	WOEBER_A
Verify Affiliation :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verifying Program ID :	CL
Verification Date :	2005-10-19 15:50:33
Documents :	Click here for hyperlink provided by the agency.
Latitude :	28.988034
Longitude :	80.915291
Last Date in Agency List :	2021-04-22

Map Id: F27
Direction: SSE
Distance: 0.156 mi., 825 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0042
313 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303224
EPA ID: N/R

DEDB - FL

Sample Date :	2001-01-09
Sample ID :	010110-015
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0042
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: F27
Direction: SSE
Distance: 0.156 mi., 825 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0042
313 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303224
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	KOSKINEN
Well Address :	313 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-08
Sample ID :	011109-057
Sample Type :	RESAMPLE
FLUW ID :	AAF0042
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	KOSKINEN
Well Address :	313 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-015
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0042
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	KOSKINEN
Well Address :	313 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL]

Envirosite ID: 57303228
EPA ID: N/R

AST - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8622755
Facility Phone :	3864242400
Facility Status :	OPEN
Facility Type :	H
Type Description :	Local Government
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Owner Address 1 :	N/R
Owner Address 2 :	N/R
Owner Phone :	9044242403
Contact :	ROBIN M WOLF
DEP Contractor Own :	P

Tank Information

Tank ID :	7
Gallons :	16000
Tank Location :	ABOVEGROUND
Substance :	Unleaded Gas
Install Date :	2009-05-01
Status :	In Service
Status Date :	2009-06-01
Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Flow shut-Off Primary Construction - Steel Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor tank bottom space Internal Tk Monitoring - Monitor dbl wall tank space Piping Monitoring - Mechanical line leak detector Piping Monitoring - External piping monitoring

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

AST - FL ***(cont.)***

Piping Items :	Corrosion Protection - External protective coating Miscellaneous Attributes - Bulk product system Primary Construction - Steel/galvanized metal Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

DEBRIS EPA SWRCY

Facility Name :	City of Edgewater Solid Waste Transfer Station
Facility Address :	409 Mango Tree Rd, Edgewater, FL 32132
Phone :	386-424-2476
Region :	4
Recovery :	Y
Landfill :	N
C D :	N
Composting :	N
Demolition :	N
Electronic :	N
HHW :	N
Metals :	N
Tires :	N
Transfer Station :	Y
Vehicles :	N
LF C D :	N
LF HW :	N
LF MSW :	N
Latitude :	28.985975
Longitude :	-80.915119
Last Date in Agency List :	2024-08-30

DWM CONTAM - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008
County :	VOLUSIA
Score Effective Date :	N/R
Score :	N/R
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	H - Local Government
County Code :	64

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

District :	CD
Operator :	BRENDA DEWEES
Phone :	(386)424-2400
Name Changed Date :	N/R
Address Changed Date :	2019-05-24
Latitude Degrees :	28
Latitude Minutes :	59
Latitude Seconds :	8.0175
Longitude Degrees :	80
Longitude Minutes :	54
Longitude Seconds :	51.068
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	2010-09-14
Related Party ID :	48974
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	EDGEWATER CITY LEGAL DEPT
Related Party Address 1 :	PO BOX 100, EDGEWATER, FL 32132-100
Related Party Address 2 :	N/R
Contact :	ROBIN M WOLF
Related Party Phone :	(904)424-2403
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2024-08-09

ECHO

Facility Name :	EDGEWATER, CITY OF
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2016-11-28
Registry ID :	110005654988
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	2722
Informal Count :	0
Last Informal Action Date :	1995-07-14
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	2
Programs IN SNC :	0

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

ECHO ***(cont.)***

Current Compliance Status :	Violation Identified
Three-Year Compliance Status :	_____VVU
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091053
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-11-28
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	1995-07-14
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

ECHO ***(cont.)***

NPDES Flag :	N
SDWIS Flag :	Y
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.98514
Longitude :	-80.91503
Last Date in Agency List :	2024-07-12
Facility Name :	EDGEWATER WWTP
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	N/R
Registry ID :	110054927843
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091053
MYRTK Universe :	NNN
NPDES IDs :	FLR10ME79
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

ECHO ***(cont.)***

CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	28.98514
Longitude :	-80.91503
Last Date in Agency List :	2024-07-12

EPA LUST

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, Florida

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

EPA LUST ***(cont.)***

County :	N/R
Facility ID :	FL8622755
LUST ID :	FL7517
Reported Date :	1999-11-29
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	299
Estimated Private Domestic Wells within 1500ft:	16
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL3640331_4359753177
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30802020400
Within Estimated 100-year Floodplain:	No
Latitude :	28.98556
Longitude :	-80.9144399999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, Florida 32132
County :	N/R
Facility ID :	FL8622755
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	6
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

EPA UST ***(cont.)***

Latitude :	28.98555556
Longitude :	-80.91444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8622755-1
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	5000
Substances :	Leaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622755-2
Tank Status :	Closed
Installation Date :	N/R
Removal Date :	N/R
Capacity :	3000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8622755-3
Tank Status :	Closed
Installation Date :	1977-07-01
Removal Date :	N/R
Capacity :	2000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Tank ID :	FL8622755-4
Tank Status :	Closed
Installation Date :	1988-04-01
Removal Date :	N/R
Capacity :	6000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

Tank ID :	FL8622755-5
Tank Status :	Closed
Installation Date :	1988-04-01
Removal Date :	N/R
Capacity :	6000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8622755-6
Tank Status :	Closed
Installation Date :	1988-04-01
Removal Date :	N/R
Capacity :	4000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132
County :	VOLUSIA

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2019-10-01
Expiration Date :	2020-10-01
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3864242400
Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Address :	PO BOX 100, EDGEWATER, FL 32132
Contact Name :	ROBIN M WOLF
Phone :	9044242403
Last Date in Agency List :	2024-06-20

Effectivity Date :	2018-10-01
Expiration Date :	2021-10-01
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ILLINOIS UNION INSURANCE COMPANY
Facility Phone :	3864242400
Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Address :	PO BOX 100, EDGEWATER, FL 32132
Contact Name :	ROBIN M WOLF

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

FA 3 - FL ***(cont.)***

Phone :	9044242403
Last Date in Agency List :	2024-06-20

Effectivity Date :	2017-10-01
Expiration Date :	2019-10-01
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	HARTFORD FIRE INSURANCE COMPANY
Facility Phone :	3864242400
Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Address :	PO BOX 100, EDGEWATER, FL 32132
Contact Name :	ROBIN M WOLF
Phone :	9044242403
Last Date in Agency List :	2024-06-20

Effectivity Date :	2012-10-01
Expiration Date :	2015-10-01
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	XL SPECIALTY
Facility Phone :	3864242400
Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Address :	PO BOX 100, EDGEWATER, FL 32132
Contact Name :	ROBIN M WOLF
Phone :	9044242403
Last Date in Agency List :	2024-06-20

Effectivity Date :	2012-10-01
Expiration Date :	2015-10-01
Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	INDIAN HARBOR
Facility Phone :	3864242400
Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Address :	PO BOX 100, EDGEWATER, FL 32132

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

FA 3 - FL ***(cont.)***

Contact Name :	ROBIN M WOLF
Phone :	9044242403
Last Date in Agency List :	2024-06-20

FRS

Facility Name :	EDGEWATER, CITY OF
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110005654988
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
The Safe Drinking Water Information System Federal Data Warehouse contains information about public water systems and their violations of EPA's drinking water regulations.

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest

Source and System ID :

FLORIDA DEP - 47085
RCRAINFO - FLR000053744
SFDW - FL3640331
SFDW - FL3640331 68653640331

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

FRS ***(cont.)***

Facility Name :	EDGEWATER WWTP
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110054927843
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID :	ICIS - FLR10ME79

GWIF - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132
County :	VOLUSIA
Facility ID :	8622755
Facility Type :	PETROLEUM
Location ID :	185113
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	185113
GPS Date :	2002-05-17
HAE (Height Above Ellipsoid) :	2.78
Project ID :	SUPER
Insp Name :	JEFF SULZBACH
Insp CHD :	VOLUSIA
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

GWIF - FL ***(cont.)***

Comment :	WELLS ALREADY TAGGED and GPS'ed
Latitude :	28.985676
Longitude :	-80.914285
Last Date in Agency List :	2024-08-21

HIST PCS ENF

Facility Name :	EDGEWATER WWTP
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132
Effective Date :	2012-11-17
Expiration Date :	2017-11-16
NPDES ID :	FLR10ME79
FRS Facility Site ID :	3401262551
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Municipal or Water District
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	500 W Ocean Ave, Edgewater, FL 32132
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2012-11-17
Expiration Date :	2017-11-16
NPDES ID :	FLR10ME79
FRS Facility Site ID :	3401262551
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Municipal or Water District
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	7274554806
Permit Non-Gov Addresses :	N/R
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2012-11-17
Expiration Date :	2017-11-16
NPDES ID :	FLR10ME79
FRS Facility Site ID :	3401262551
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Municipal or Water District
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	N/R
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R
Contact Office Telephone Number :	7274554806
Permit Non-Gov Addresses :	500 W Ocean Ave
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

Effective Date :	2012-11-17
Expiration Date :	2017-11-16
NPDES ID :	FLR10ME79
FRS Facility Site ID :	3401262551
Primary Facility SIC Code :	N/R
Primary Facility SIC Description :	N/R
Current Major/Minor Status :	Minor
Facility Type Description :	Municipal or Water District
Facility Non-Government Contact Name:	N/R
Facility Non-Gov Addresses :	500 W Ocean Ave, Edgewater, FL 32132
Total Actual Average Flow (MGD) :	N/R
Total App. Design Flow (MGD) :	N/R
Pretreat Program Required Indicator :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Tribal Land Code :	N/R
Tribal Land Name :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

HIST PCS ENF ***(cont.)***

Contact Office Telephone Number :	N/R
Permit Non-Gov Addresses :	500 W Ocean Ave
Permit Non-Government Contact Name :	N/R
Permit Type Description :	General Permit Covered Facility
Last Date in Agency List :	2015-01-15

ICIS

Facility Name :	EDGEWATER, CITY OF
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008

Site Details

NPDES ID :	FLR04E016
ICIS Facility Interest ID :	2400058540
Facility UIN :	110035534464
Facility Type Code :	Privately Owned Facility
Impaired Waters :	303(D) Listed
Latitude :	28.9677778
Longitude :	-80.9047222
Last Date in Agency List :	2024-06-07

Facility NAICS

NAICS Code :	237310
NAICS Description :	Highway, Street, and Bridge Construction

Facility SIC

SIC Code :	1611
SIC Description :	Highway And Street Construction

Facility Name :	EDGEWATER WWTP
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132

Site Details

NPDES ID :	FLR10ME79
ICIS Facility Interest ID :	3400006053
Facility UIN :	110054927843
Facility Type Code :	Municipal or Water District
Impaired Waters :	303(D) Listed
Latitude :	28.9856168
Longitude :	-80.9133438
Last Date in Agency List :	2024-06-07

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

INACTIVE PCS

Issue Date :	2013-08-12
Original Issue Date :	2008-11-17
Effective Date :	2013-11-01
Expiration Date :	2018-10-31
Retirement Date :	2019-03-31
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	3400186363
External Permit Number :	FLR04E016
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Expired
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Edgewater, City of
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR040000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2012-11-17
Original Issue Date :	2012-11-17
Effective Date :	2012-11-17
Expiration Date :	2017-11-16
Retirement Date :	N/R
Termination Date :	2018-02-21
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3400025160
External Permit Number :	FLR10ME79
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Terminated
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Edgewater WWTP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

INACTIVE PCS ***(cont.)***

TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

LAST - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8622755
Facility Status :	OPEN
Facility Type :	Local Government
Phone :	3864242400
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Owner Address 1 :	PO BOX 100, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	9044242403
Contact :	ROBIN M WOLF

Discharge Details

Discharge Date :	1999-11-29
Status Date :	2002-05-22
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

LUST - FL ***(cont.)***

County : VOLUSIA

Site Details
Facility ID : 8622755
Facility Status : OPEN
Facility Type : Local Government
Phone : 3864242400
Last Date in Agency List : 2024-06-06

Owner Information
Owner ID : 48974
Owner Name : EDGEWATER CITY LEGAL DEPT
Owner Address 1 : PO BOX 100, EDGEWATER, FL 32132
Owner Address 2 : N/R
Owner Phone : 9044242403
Contact : ROBIN M WOLF

Discharge Details
Discharge Date : 1999-11-29
Status Date : 2002-05-22
Status Description : NFA COMPLETE
DEP Code : P
Description : CLEANUP REQUIRED
Score Date : N/R
Score : N/R
CU Status : N/R

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name : Edgewater, City of
Facility Address : 409 Mango Tree Dr, Edgewater
County : VOLUSIA

Site Details
Issue Date : 2019-04-01
Effective Date : N/R
Expiration Date : 2024-03-31
Facility ID : FLR04E016

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

NPDES - FL ***(cont.)***

Facility Type :	Stormwater - MS4 Phase 2
Status :	Active
NPDES :	N/R
Company Name :	Edgewater, City of
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2024-08-16

Related Party Details

Related Party Name :	Tyna Lynn Hilton
Related Party Address :	Po Box 100, Edgewater FL 32132-
Related Party Address 2 :	-
Related Party Phone :	3864242400
Related Party Email :	Thilton@cityofedgewater.org

Facility Name :	Edgewater WWTP
Facility Address :	409 Mango Tree Dr, Edgewater
County :	VOLUSIA

Site Details

Issue Date :	2012-11-17
Effective Date :	2012-11-17
Expiration Date :	2017-11-16
Facility ID :	FLR10ME79
Facility Type :	Construction Stormwater GP
Status :	Active
NPDES :	N/R
Company Name :	Edgewater WWTP
Document Description :	Generic Permit
Nature of Business :	N/R
Ownership Type :	Authority
Treatment Process Summary :	N/R
Department Office :	Tallahassee NPDES Stormwater
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2017-12-26

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

NPDES - FL ***(cont.)***

Related Party Details

Related Party Name :	Stephen Robertson, PMTE
Related Party Address :	500 W Ocean Ave, Edgewater FL 32132-2164
Related Party Address 2 :	N/R
Related Party Phone :	7274554806
Related Party Email :	Steve@brandesengineering.com

PCS FACILITY

Issue Date :	2019-04-01
Original Issue Date :	2008-11-17
Effective Date :	2019-04-01
Expiration Date :	2024-03-31
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3601809997
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Edgewater, Cty of
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLR040000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2008-11-17
Original Issue Date :	2008-11-17
Effective Date :	2008-11-17
Expiration Date :	2013-11-16
Retirement Date :	2013-10-31
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400083342
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

PCS FACILITY ***(cont.)***

Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	City of Edgewater
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR040000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2012-11-17
Original Issue Date :	2012-11-17
Effective Date :	2012-11-17
Expiration Date :	2017-11-16
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3400025160
External Permit Number :	FLR10ME79
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Edgewater WWTP
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR100000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2018-03-13

RCRA_VSQG

Facility Name :	EDGEWATER, CITY OF
Facility Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008
County :	VOLUSIA

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

RCRA_VSQG ***(cont.)***

Date Form Received by Agency :	2009-12-22
EPA ID :	FLR000053744
Mailing Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008
Contact :	HILTON TYNA
Contact Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008
Contact Country :	US
Contact Telephone :	904-424-2476
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	CITY OF EDGEWATER
Owner/Operator Address :	409 MANGO TREE DR, EDGEWATER, FL 32132-2008
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1999-03-02
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

RCRA_VSQG ***(cont.)***

On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1999-03-02
Facility Name :	EDGEWATER, CITY OF
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Evaluation Action Summary

Evaluation Date :	2009-12-22
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	N/R
Date Achieved Compliance :	N/R
Evaluation Lead Agency :	State

SWF/LF - FL

Facility Name :	CITY OF EDGEWATER SOLID WASTE TRANSFER STATION
Facility Address :	409 MANGO TREE RD, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Facility ID :	27640
Class :	TRANSFER STATION
Class Type :	750
Class Status :	ACTIVE (A)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	CD
Section/Township/Range :	SEC: 32, TWP: 17S, RNG: 34E
Responsible Authority Name :	CITY OF EDGEWATER
Responsible Authority Address :	PO BOX 100, EDGEWATER, FL 32132

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

SWF/LF - FL ***(cont.)***

Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	BDEWEES@CITYOFEDGEWATER.ORG
Land Owner Name :	CITY OF EDGEWATER
Land Owner Address :	P.O. BOX 100, EDGEWATER, FL 32132
Land Owner Phone Number :	3864242400
Site Supervisor Name :	RANDY COSLOW
Site Supervisor Address :	FL
Site Supervisor Phone Number :	3864242400
Site Supervisor Email Address :	RCOSLOW@CITYOFEDGEWATER.ORG
Latitude :	28.985325
Longitude :	80.914986
Last Date in Agency List :	2024-05-14

T 2 - FL

Facility Name :	Public Works
Facility Address :	409 Mango Tree Drive, Edgewater, FL 32132
County :	Volusia

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2023(Tier2)
Filing Type :	312
Company Name :	City of Edgewater
Facility ID :	7371634
State Facility ID :	N/R
SIC :	N/R
NAICS :	921190 - Other General Government Support
Dun & Bradstreet Code :	00-000-0000
De-Registered Date :	N/R
Data Submitted by :	Brenda Dewees / Director of Environmental Services
Contact 1 - Name :	Dicy Hall
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	dhall@CityofEdgewater.org
Contact 1 - 24-hour Phone :	386-566-1436
Contact 1 - Work Phone :	386-424-2400 ext 4091
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-01-03
First Submit Date :	2024-01-03(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-07-22

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel
Maximum Daily Quantity :	46,620
Average Daily Quantity :	37,000
Max Amount in Largest Container :	46,620
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F
Filing Year :	2023(Tier2)
CAS Number :	8006619
Chemical Name :	Gasoline
Maximum Daily Quantity :	51,840
Average Daily Quantity :	44,800
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	3
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312
Company Name :	City of Edgewater
Facility ID :	7241565
State Facility ID :	N/R
SIC :	N/R
NAICS :	921190 - Other General Government Support
Dun & Bradstreet Code :	00-000-0000
De-Registered Date :	N/R
Data Submitted by :	Brenda Dewees / Director of Environmental Services
Contact 1 - Name :	Robert Iasimone
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	Rlasimone@CityofEdgewater.org
Contact 1 - 24-hour Phone :	386-566-1436
Contact 1 - Work Phone :	386-424-2400 ext 4091
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-01-17
First Submit Date :	2023-01-17(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel
Maximum Daily Quantity :	46,620
Average Daily Quantity :	37,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	8006619
Chemical Name :	Gasoline
Maximum Daily Quantity :	51,840
Average Daily Quantity :	44,800
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	3
R :	0

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312
Company Name :	City of Edgewater
Facility ID :	7126202
State Facility ID :	N/R
SIC :	N/R
NAICS :	921190 - Other General Government Support
Dun & Bradstreet Code :	00-000-0000
De-Registered Date :	N/R

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Data Submitted by :	Brenda Dewees / Director of Environmental Services
Contact 1 - Name :	Robert Iasimone
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	RIasimone@CityofEdgewater.org
Contact 1 - 24-hour Phone :	386-566-1436
Contact 1 - Work Phone :	386-424-2400 ext 4091
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-22
First Submit Date :	2022-02-22(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel
Maximum Daily Quantity :	46,620
Average Daily Quantity :	37,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	8006619
Chemical Name :	Gasoline
Maximum Daily Quantity :	51,840
Average Daily Quantity :	44,800
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	3
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2020(Tier2)
Filing Type :	312
Company Name :	City of Edgewater
Facility ID :	6786584
State Facility ID :	N/R
SIC :	N/R
NAICS :	921190 - Other General Government Support
Dun & Bradstreet Code :	00-000-0000
De-Registered Date :	N/R
Data Submitted by :	Brenda Dewees / Director of Environmental Services
Contact 1 - Name :	Robert Iasimone
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	RIasimone@CityofEdgewater.org
Contact 1 - 24-hour Phone :	386-566-1436
Contact 1 - Work Phone :	386-424-2400 ext 4091
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2021-09-20
First Submit Date :	2021-01-04(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2022-01-06

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Information

Filing Year :	2020(Tier2)
CAS Number :	68334305
Chemical Name :	Diesel Fuel
Maximum Daily Quantity :	46,620
Average Daily Quantity :	37,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F
Filing Year :	2020(Tier2)
CAS Number :	8006619
Chemical Name :	Gasoline
Maximum Daily Quantity :	51,840
Average Daily Quantity :	44,800
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	3
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2018(Tier2)
Filing Type :	312
Company Name :	City of Edgewater
Facility ID :	6402397
State Facility ID :	N/R
SIC :	N/R
NAICS :	921190 - Other General Government Support
Dun & Bradstreet Code :	00-000-0000
De-Registered Date :	N/R
Data Submitted by :	Brenda Dewees / Director of Environmental Services
Contact 1 - Name :	Robert Iasimone
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	Rlasimone@CityofEdgewater.org
Contact 1 - 24-hour Phone :	386-566-1436
Contact 1 - Work Phone :	386-424-2400 ext 4091
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2019-02-25
First Submit Date :	2019-02-25(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2020-01-16

Chemical Information

Filing Year :	N/R
CAS Number :	68334305
Chemical Name :	Diesel Fuel
Maximum Daily Quantity :	46620
Average Daily Quantity :	37000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	N/R
Solid :	F
Liquid :	T

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	N/R
CAS Number :	8006619
Chemical Name :	Gasoline
Maximum Daily Quantity :	51840
Average Daily Quantity :	44800
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	1
F :	3
R :	0

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	T
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	T
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

UST - FL

Facility Name :	EDGEWATER CITY
Facility Address :	409 MANGO TREE DR, EDGEWATER, 32132
County :	VOLUSIA

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

UST - FL ***(cont.)***

Site Details

Facility ID :	8622755
Facility Phone :	3864242400
Facility Status :	OPEN
Facility Type :	Local Government
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	48974
Owner Name :	EDGEWATER CITY LEGAL DEPT
Owner Address 1 :	PO BOX 100, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	9044242403
Contact :	ROBIN M WOLF
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	5000
Tank Location :	UNDERGROUND
Substance :	Leaded Gas
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-04-30

Tank ID :	2
Gallons :	3000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	N/R
Status :	Removed from Site
Status Date :	1988-04-30

Tank ID :	3
Gallons :	2000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1977-07-01
Status :	Removed from Site
Status Date :	1988-04-30

Tank ID :	4
Gallons :	6000

Map Id: H28
Direction: E
Distance: 0.164 mi., 868 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER CITY | EDGEWATER, CITY OF | EDGEWATER WWTP
409 MANGO TREE DR
EDGEWATER | Edgewater, FL

Database(s) : [AST - FL, DEBRIS EPA SWRCY, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, FA 3 - FL, FRS, GWIF - FL, HIST PCS ENF, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_VSQG, SWF/LF - FL, T 2 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303228
EPA ID: N/R

UST - FL ***(cont.)***

Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1988-04-01
Status :	Closed In Place
Status Date :	2009-06-01

Tank ID :	5
Gallons :	6000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1988-04-01
Status :	Closed In Place
Status Date :	2009-06-01

Tank ID :	6
Gallons :	4000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1988-04-01
Status :	Closed In Place
Status Date :	2009-06-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL]

Envirosite ID: 57303234
EPA ID: FLR000171959

ECHO

Facility Name :	CUSTOM TUBE PRODUCTS INC
Facility Address :	317 BASE LEG DR, EDGEWATER, FL 32132
County :	VOLUSIA

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

ECHO ***(cont.)***

Last Inspection Date :	2016-12-15
Registry ID :	110043229878
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	2705
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091009
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2016-12-15
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

ECHO ***(cont.)***

Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.98894
Longitude :	-80.92073
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	CUSTOM TUBE PRODUCTS INC
Facility Address :	317 BASE LEG DR, EDGEWATER, FL 321321481
County :	VOLUSIA

Site Details

Registry ID :	110043229878
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	RCRAINFO - FLR000171959

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

MANIFEST EPA

Manifest Details

Manifest Number :	003393622GBF
Shipped Date :	2022-09-12
Updated Date :	2022-10-19
Received Date :	2022-10-11
Status :	Signed
Generator ID :	FLR000171959
Generator Name :	CUSTOM TUBE
Generator Address :	317 BASE LEG DR, EDGEWATER, FL 32132
Generator Mailing :	317 BASE LEG DR, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	SCD036275626
Destination Name :	GIANT RESOURCE RECOVERY - SUMTER INC
Destination Mailing :	755 INDUSTRIAL ROAD, SUMTER, SC 29150
Destination Address :	755 INDUSTRIAL ROAD, SUMTER, SC 29150
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN1263
DOT Information :	UN1263, WASTE PAINT RELATED MATERIAL, 3, PGII
Non Waste Description :	N/R
Quantity :	401 Pounds
Quantity Tons, Acute, Non-Acute :	0.2005, 0, 0.2005
Quantity Kg, Acute, Non-Acute :	0, 181.85951
Quantity Tons, Haz, Non-Haz :	0.2005, 0
Quantity Kg, Haz, Non-Haz :	181.85951, 0
Management Method :	H061 - FUEL BLENDING
Is EPA Waste :	Y
Federal Code :	D001, F003, F005
State Code :	N/R

Manifest Details

Manifest Number :	011534090FLE
Shipped Date :	2018-10-25
Updated Date :	2019-02-06
Received Date :	2018-12-19
Status :	Signed
Generator ID :	FLR000171959
Generator Name :	CUSTOM TUBE PRODUCTS INC
Generator Address :	317 BASE LEG DR, EDGEWATER, FL 32132
Generator Mailing :	317 BASE LEG DR, EDGEWATER, FL 32132
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

MANIFEST EPA ***(cont.)***

Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3264
DOT Information :	UN3264, Waste corrosive liquid, acidic, inorganic, n.o.s., 8, II, RQ, V30380 V30580 18-55049-50
Non Waste Description :	N/R
Quantity :	110 Gallons
Quantity Tons, Acute, Non-Acute :	0.4587156, 0, 0.4587156
Quantity Kg, Acute, Non-Acute :	0, 416.06882
Quantity Tons, Haz, Non-Haz :	0.4587156, 0
Quantity Kg, Haz, Non-Haz :	416.06882, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D007, D022
State Code :	N/R

Waste Line Number :	2
Is DOT Hazardous :	Y
DOT ID Number :	NA3077
DOT Information :	NA3077, Waste Hazardous Waste, Solid, N.o.S. 9, III, RQ, V30379 V30579 55051
Non Waste Description :	N/R
Quantity :	55 Gallons
Quantity Tons, Acute, Non-Acute :	0.2293578, 0, 0.2293578
Quantity Kg, Acute, Non-Acute :	0, 208.03441
Quantity Tons, Haz, Non-Haz :	0.2293578, 0
Quantity Kg, Haz, Non-Haz :	208.03441, 0
Management Method :	H110 - STABILIZATION
Is EPA Waste :	Y
Federal Code :	D007
State Code :	N/R

Manifest Details

Manifest Number :	011534006FLE
Shipped Date :	2018-09-20
Updated Date :	2018-11-28
Received Date :	2018-11-13
Status :	Signed

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

MANIFEST EPA ***(cont.)***

Generator ID :	FLR000171959
Generator Name :	CUSTOM TUBE PRODUCTS INC
Generator Address :	317 BASE LEG DR, EDGEWATER, FL 32132-1481
Generator Mailing :	PO BOX 936 317 BASE LEG DR, EDGEWATER, FL 32132-0936
Generator Contact :	N/R
Destination ID :	OHD083377010
Destination Name :	ENVIRONMENTAL ENTERPRISES INC
Destination Mailing :	10163 CINCINNATI DAYTON RD, CINCINNATI, OH 45241
Destination Address :	4650 SPRING GROVE AVE, CINCINNATI, OH 45232
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3264
DOT Information :	UN3264, Waste Corrosive liquid, acidic, inorganic n.o.s, 8, PG II, RQ, VB9580
Non Waste Description :	N/R
Quantity :	220 Gallons
Quantity Tons, Acute, Non-Acute :	0.9174312, 0, 0.9174312
Quantity Kg, Acute, Non-Acute :	0, 832.13763
Quantity Tons, Haz, Non-Haz :	0.9174312, 0
Quantity Kg, Haz, Non-Haz :	832.13763, 0
Management Method :	H070 - CHEMICAL TREATMENT
Is EPA Waste :	Y
Federal Code :	D002, D007
State Code :	N/R

RCRA_SQG

Facility Name :	CUSTOM TUBE PRODUCTS INC
Facility Address :	317 BASE LEG DR, EDGEWATER, FL 32132-1481
County :	VOLUSIA
Date Form Received by Agency :	2016-12-15
EPA ID :	FLR000171959
Mailing Address :	PO BOX 936 317 BASE LEG DR, EDGEWATER, FL 32132-0936
Contact :	DAVID LOVE
Contact Address :	PO BOX 936, EDGEWATER, FL 32132-0936
Contact Country :	US
Contact Telephone :	386-426-0670
Contact Email :	SALE@CUSTOMTUBEPRODUCTS.COM
EPA Region :	04
Land Type :	Private
Source Type :	Implementer

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

RCRA_SQG ***(cont.)***

Classification :	Small Quantity Generator
Description :	Handlers that generate more than 100 and less than 1000 kilograms of hazardous waste during any calendar month and accumulate less than 6000 kg of hazardous waste at any time; or generate 100 kg or less of hazardous waste during any calendar month, and accumulate more than 1000 kg of hazardous waste at any time.
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	CUSTOM TUBE PRODUCTS INC
Owner/Operator Address :	317 BASE LEG DR, EDGEWATER, FL 32132-1481
Owner/Operator Country :	US
Owner/Operator Telephone :	386-426-0670
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Operator
Owner/Operator Start Date :	2010-11-30
Owner/Operator End Date :	N/R

Owner/Operator Name :	IDP LLC
Owner/Operator Address :	PO BOX 936, EDGEWATER, FL 32132-9360
Owner/Operator Country :	US
Owner/Operator Telephone :	386-426-0670
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2010-11-30
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

RCRA_SQG ***(cont.)***

Historical Generators

Date Form Received by Agency :	2010-11-30
Facility Name :	CUSTOM TUBE PRODUCTS INC
Classification :	Very Small Quantity Generator

Hazardous Waste Summary

Waste Code / Name :	D002 - CORROSIVE WASTE D007 - CHROMIUM

Notices of Violations Summary

Date of Violation :	2016-12-15
Date Achieved Compliance :	2017-02-21
Regulation Violated :	Y
Area of Violation :	Generators - General
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2016-12-15
Date Achieved Compliance :	2017-01-05
Regulation Violated :	Y
Area of Violation :	TSD IS-Container Use and Management
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Date of Violation :	2016-12-15
Date Achieved Compliance :	2017-01-05
Regulation Violated :	Y
Area of Violation :	TSD IS-Preparedness and Prevention
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

RCRA_SQG ***(cont.)***

Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R
Date of Violation :	2016-12-15
Date Achieved Compliance :	2017-01-05
Regulation Violated :	Y
Area of Violation :	Generators - Pre-transport
Enforcement Action :	N/R
Enforcement Action Date :	N/R
Enf. Disposition Status :	N/R
Enf. Disp. Status Date :	N/R
Violation Lead Agency :	State
Enforcement Lead Agency :	N/R
Proposed Penalty Amount :	N/R
Final Penalty Amount :	N/R
Paid Penalty Amount :	N/R

Evaluation Action Summary

Evaluation Date :	2016-12-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Container Use and Management
Date Achieved Compliance :	2017-01-05
Evaluation Lead Agency :	State
Evaluation Date :	2016-12-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	TSD IS-Preparedness and Prevention
Date Achieved Compliance :	2017-01-05
Evaluation Lead Agency :	State
Evaluation Date :	2016-12-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - Pre-transport
Date Achieved Compliance :	2017-01-05
Evaluation Lead Agency :	State
Evaluation Date :	2016-12-15
Evaluation :	COMPLIANCE EVALUATION INSPECTION
Area of Violation :	Generators - General
Date Achieved Compliance :	2017-02-21
Evaluation Lead Agency :	State

SQG - FL

Facility Name :	Custom Tube Products Inc
Facility Address :	317 Base Leg Dr, Edgewater, 32132
County :	Volusia

Map Id: 29
Direction: NW
Distance: 0.175 mi., 925 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : CUSTOM TUBE PRODUCTS INC | CUSTOM TUBE
317 BASE LEG DR
EDGEWATER | Edgewater, FL

Database(s) : [ECHO, FRS, MANIFEST EPA, RCRA_SQG, SQG - FL] ***(cont.)***

Envirosite ID: 57303234
EPA ID: FLR000171959

SQG - FL ***(cont.)***

Last Inspection Date :	2016-12-15
Date Notified :	2010-12-16
Site ID :	96471
Handler ID :	FLR000171959
Office :	Central District
Facility Inspection Type :	SQG-CI
Documents Link :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-07-15

Map Id: G30
Direction: NE
Distance: 0.188 mi., 994 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : RICHENBERG SURFBOARDS
424 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN]

Envirosite ID: 57303237
EPA ID: N/R

ECHO

Facility Name :	RICHENBERG SURFBOARDS
Facility Address :	424 W PARK AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	N/R
Registry ID :	110005599931
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	8
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06

Map Id: G30
Direction: NE
Distance: 0.188 mi., 994 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : RICHENBERG SURFBOARDS
424 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303237
EPA ID: N/R

ECHO ***(cont.)***

Derived CB2010 :	121270830091015
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N
Latitude :	28.988617
Longitude :	-80.915253
Last Date in Agency List :	2024-07-12

FRS

Facility Name :	RICHENBERG SURFBOARDS
Facility Address :	424 W PARK AVE, EDGEWATER, FL 321321406
County :	VOLUSIA

Map Id: G30
Direction: NE
Distance: 0.188 mi., 994 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : RICHENBERG SURFBOARDS
424 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303237
EPA ID: N/R

FRS ***(cont.)***

Site Details

Registry ID :	110005599931
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 35536 RCRAINFO - FLD984189035

RCRA_NONGEN

Facility Name :	RICHENBERG SURFBOARDS
Facility Address :	424 W PARK AVE, EDGEWATER, FL 32132-1406
County :	VOLUSIA
Date Form Received by Agency :	2009-12-22
EPA ID :	FLD984189035
Mailing Address :	424 W PARK AVE, EDGEWATER, FL 32132-1406
Contact :	RANDY RICHENBERG
Contact Address :	424 W PARK AVE, EDGEWATER, FL 32132-1406
Contact Country :	US
Contact Telephone :	904-428-8556
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2024-06-19

Map Id: G30
Direction: NE
Distance: 0.188 mi., 994 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : RICHENBERG SURFBOARDS
424 W PARK AVE
EDGEWATER, FL

Database(s) : [ECHO, FRS, RCRA_NONGEN] ***(cont.)***

Envirosite ID: 57303237
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	RANDY RICHENBERG
Owner/Operator Address :	424 W PARK AVE, EDGEWATER, FL 32132-1406
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1991-03-07
Facility Name :	RICHENBERG SURFBOARDS
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Map Id: F31
Direction: S
Distance: 0.193 mi., 1020 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0038
335 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303227
EPA ID: N/R

DEDB - FL

Sample Date :	2002-11-07
Sample ID :	021108-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REDMAND
Well Address :	335 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-11-08
Sample ID :	011109-058
Sample Type :	RESAMPLE
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REDMAND
Well Address :	335 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-01-09
Sample ID :	010110-010
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REDMAND
Well Address :	335 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA

Map Id: F31
Direction: S
Distance: 0.193 mi., 1020 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0038
335 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303227
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21
Sample Date :	2002-11-07
Sample ID :	021108-082
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REDMAND
Well Address :	335 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25
Sample Date :	2001-11-08
Sample ID :	011109-058
Sample Type :	RESAMPLE
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	REDMAND
Well Address :	335 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-011109-16
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25
Sample Date :	2001-01-09
Sample ID :	010110-010
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0038
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R

Map Id: F31
Direction: S
Distance: 0.193 mi., 1020 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0038
335 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303227
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Business Name :	REDMAND
Well Address :	335 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: 32
Direction: SSW
Distance: 0.198 mi., 1045 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0039
334 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303230
EPA ID: N/R

DEDB - FL

Sample Date :	2002-11-07
Sample ID :	021108-083
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN DR
Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-12-06
Sample ID :	011207-047
Sample Type :	RESAMPLE
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN DR

Map Id: 32
Direction: SSW
Distance: 0.198 mi., 1045 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0039
334 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303230
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Type :	43 - PRIVAT
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA4-011207-10
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2001-01-09
Sample ID :	010110-011
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN
Well Type :	N/R
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2002-11-07
Sample ID :	021108-083
Sample Type :	FIRST SAMPLE
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-021108-17
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-12-06
Sample ID :	011207-047
Sample Type :	RESAMPLE
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)

Map Id: 32
Direction: SSW
Distance: 0.198 mi., 1045 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0039
334 CAROL ANN
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303230
EPA ID: N/R

DEDB - FL ***(cont.)***

Value :	0.12
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA4-011207-10
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-011
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0039
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	IGOU
Well Address :	334 CAROL ANN
Well Type :	43
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Private Well
Last Date in Agency List :	2015-11-25

Map Id: 33
Direction: W
Distance: 0.201 mi., 1062 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : OUTPOST MAJESTIC
1950 PARK AVE W
EDGEWATER, FL 32132

Database(s) : [EPA UST, FA 3 - FL, UST - FL]

Envirosite ID: 57303238
EPA ID: N/R

EPA UST

Facility Name :	OUTPOST MAJESTIC
Facility Address :	1950 PARK AVE W, EDGEWATER, Florida 32132
County :	N/R

Facility ID :	FL9700951
Facility Status :	Open UST(s)

Map Id: 33
Direction: W
Distance: 0.201 mi., 1062 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : OUTPOST MAJESTIC
1950 PARK AVE W
EDGEWATER, FL 32132

Database(s) : [EPA UST, FA 3 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303238
EPA ID: N/R

EPA UST ***(cont.)***

Open USTs :	1
Closed USTs :	0
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	28.98527778
Longitude :	-80.92277778
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL9700951-1
Tank Status :	Open
Installation Date :	1997-07-01
Removal Date :	N/R
Capacity :	16000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	OUTPOST MAJESTIC
Facility Address :	1950 PARK AVE W, EDGEWATER, 32132
County :	VOLUSIA

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2024-02-28
Expiration Date :	2025-02-28
Facility ID :	9700951
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	3864268806
Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	V M PATEL
Phone :	3864268806
Last Date in Agency List :	2024-06-20

Effectivity Date :	2023-02-28
Expiration Date :	2024-02-28
Facility ID :	9700951
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C

Map Id: 33
Direction: W
Distance: 0.201 mi., 1062 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : OUTPOST MAJESTIC
1950 PARK AVE W
EDGEWATER, FL 32132

Database(s) : [EPA UST, FA 3 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303238
EPA ID: N/R

FA 3 - FL ***(cont.)***

Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	3864268806
Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	V M PATEL
Phone :	3864268806
Last Date in Agency List :	2024-06-20

Effectivity Date :	2022-02-28
Expiration Date :	2023-02-28
Facility ID :	9700951
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3864268806
Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	V M PATEL
Phone :	3864268806
Last Date in Agency List :	2024-06-20

Effectivity Date :	2021-02-28
Expiration Date :	2022-02-28
Facility ID :	9700951
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3864268806
Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	V M PATEL
Phone :	3864268806
Last Date in Agency List :	2024-06-20

Effectivity Date :	2020-02-28
Expiration Date :	2021-02-28
Facility ID :	9700951
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3864268806
Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Address :	1950 W PARK AVE, EDGEWATER, FL 32132

Map Id: 33
Direction: W
Distance: 0.201 mi., 1062 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : OUTPOST MAJESTIC
1950 PARK AVE W
EDGEWATER, FL 32132

Database(s) : [EPA UST, FA 3 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303238
EPA ID: N/R

FA 3 - FL ***(cont.)***

Contact Name :	V M PATEL
Phone :	3864268806
Last Date in Agency List :	2024-06-20

UST - FL

Facility Name :	OUTPOST MAJESTIC
Facility Address :	1950 PARK AVE W, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	9700951
Facility Phone :	3864268806
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	45846
Owner Name :	RONAK & ANISH CORP
Owner Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3864268806
Contact :	V M PATEL
DEP Contractor Own :	C

Tank Information

Tank ID :	1
Gallons :	16000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1997-07-01
Status :	In Service
Status Date :	1997-07-01
Construction Items :	Overfill/Spill - Ball check valve Overfill/Spill - Spill containment bucket Primary Construction - Fiberglass clad steel Secondary Containment - Double wall
Monitoring Items :	Piping Monitoring - Monitor piping/liner space
Piping Items :	Miscellaneous Attributes - Dispenser liners Secondary Containment - Pipe trench liner Secondary Containment - Double wall

Map Id: 33
Direction: W
Distance: 0.201 mi., 1062 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : OUTPOST MAJESTIC
1950 PARK AVE W
EDGEWATER, FL 32132

Database(s) : [EPA UST, FA 3 - FL, UST - FL] ***(cont.)***

Envirosite ID: 57303238
EPA ID: N/R

UST - FL ***(cont.)***

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER]

Envirosite ID: 57303239
EPA ID: N/R

DOCKET

Facility Name :	EDGEWATER, CITY OF
Facility Address :	500 W OCEAN AVE, EDGEWATER, FL 32132

Site Activity Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Enforcement Action Case Number :	04-1986-N007
Activity ID :	2400274041
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-1994-N034
Activity ID :	2400274048
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-1994-N038
Activity ID :	2400274047
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-2002-N028
Activity ID :	2400274043
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Site Activity Details

Enforcement Action Case Number :	04-N00000098
Activity ID :	2400274040
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-N00000133
Activity ID :	2400274039
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Violation Types : N/R

Case Law Sections : N/R N/R - N/R

Violation Penalties and Compliance Summary
- Compliance Action Cost : N/R
- EPA Penalty Assessed Amount : N/R
- Cost Recovery Required : N/R
- Cost of SEP : N/R
- Cost of Complying Actions : N/R

Site Activity Details
- Enforcement Action Case Number : 04-N00000171
- Activity ID : 2400274038
- Enforcement Action Name : EDGEWATER, CITY OF
- Last Date in Agency List : 2017-10-23
- Final Ordr Iss/Final Order Enter Date: N/R
- Complaint/Proposed Order Actual Date: N/R
- Final Order Issued Actual Date : N/R
- Final Order Name : N/R

Complaint Summary
- Respondent/Defendant Name : N/R
- Named in Complaint : N/R
- Named in Final Order : N/R
- SEP Category : N/R
- SEP Description : N/R
- Regional Docket Number : N/R

Standard Industrial Classification (SIC) Summary
- Registry ID : 110027971595
- Primary SIC : 4952 - SEWERAGE SYSTEMS
- Primary NAICS : 221320 - Sewage Treatment Facilities
- Settlement FRS ICIS Facility : N/R - N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-N00000184
Activity ID :	2400274037
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-N00000193
Activity ID :	2400274036
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

Site Activity Details

Enforcement Action Case Number :	04-N00000391
Activity ID :	2400274049
Enforcement Action Name :	EDGEWATER, CITY OF
Last Date in Agency List :	2017-10-23
Final Ordr Iss/Final Order Enter Date:	N/R
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	N/R
Final Order Name :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

DOCKET ***(cont.)***

Complaint Summary

Respondent/Defendant Name :	N/R
Named in Complaint :	N/R
Named in Final Order :	N/R
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	N/R

Standard Industrial Classification (SIC) Summary

Registry ID :	110027971595
Primary SIC :	4952 - SEWERAGE SYSTEMS
Primary NAICS :	221320 - Sewage Treatment Facilities
Settlement FRS ICIS Facility :	N/R - N/R
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	N/R
Enforcement Action Name :	N/R
Enforcement Action Resolution :	N/R
Violation Types :	N/R
Case Law Sections :	N/R N/R - N/R

Violation Penalties and Compliance Summary

Compliance Action Cost :	N/R
EPA Penalty Assessed Amount :	N/R
Cost Recovery Required :	N/R
Cost of SEP :	N/R
Cost of Complying Actions :	N/R

INACTIVE PCS

Issue Date :	2022-08-08
Original Issue Date :	2022-08-08
Effective Date :	2022-08-08
Expiration Date :	2027-08-07
Retirement Date :	N/R
Termination Date :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

INACTIVE PCS ***(cont.)***

Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603315949
External Permit Number :	FLR05I904
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	N/R
Actual Average Flow Number :	N/R
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	City of Edgewater
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLR050000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

RMP

Facility Name :	Edgewater Wastewater Treatment Plant
Facility Address :	500 West Ocean Avenue, Edgewater, FL 32132

Site Details

Facility ID :	1000009626
Facility County FIPS :	12127
LEPC :	N/R
Facility URL :	N/R
Facility Phone Number :	N/R
Facility Email Address :	N/R
Facility DUNS :	0
Parent Company Name :	City of Edgewater
Company 2 Name :	N/R
Company DUNS :	0
Company 2 DUNS :	0
Operator Name :	Dennis Norman
Operator Address :	500 West Ocean Avenue, Edgewater, FL 32132
Operator Address 2 :	N/R
Operator Phone :	3864242488
Emergency Contact Name :	Dennis Norman
Emergency Contact Title :	Superintendent of Wastewater
Emergency Contact Phone :	3864242488
Phone 24 :	3864242488
Emergency Contact Ext PIN :	N/R
Emergency Contact Email :	N/A
No Accidents :	False
Foreign State Prov :	N/R
Foreign Zip Code :	N/R
Foreign Country :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

FTE :	11
Other EPA Facility ID :	N/R
EPA Facility ID :	100000135935
OSHA PSM :	True
EPCRA 302 :	False
CAA Title V :	False
Clear Air Op Permit ID :	N/R
Safety Inspection Date :	2007-06-06
Safety Inspection by :	Fire Department
OSHA Ranking :	False
Predictive Filing Flag :	False
Submission Type :	R
CBI Flag :	False
Completion Check Date :	2009-07-09
Receipt Date :	2009-07-09
Graphics Indicator :	False
Attachments Indicator :	False
Certification Received Flag :	True
Submission Method :	RMP*eSubmit
CBI Substantiation Flag :	False
Electronic Waiver Received Flag :	False
Postmark Date :	2009-07-09
De Registration Date :	2013-02-22
De Registration Effective Date :	2013-02-18
Anniversary Date :	2014-07-09
Error Report Date :	N/R
CBI Unsanitized Version Flag :	False
Version Number :	1.0
Facility Latitude :	28.983889
Facility Longitude :	-080.913333
Valid Latitude Longitude Flag :	True
FRS Description :	FACILITY CENTROID
FRS Method :	INTERPOLATION-PHOTO
Horizontal Accuracy Measure :	100
Horizontal Reference Datum Code :	001
Source Map Scale Number :	N/R
Last Date in Agency List :	2022-05-17

Process Details

Process ID :	1000011333
Process Facility ID :	1000009626
Process Description :	Chlorine

Chemical Details

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

Chemical Name :	Chlorine
Chemical ID :	62
Quantity :	8000
Chemical Name :	Public OCA Chemical
Chemical ID :	0
Quantity :	0
Chemical Name :	Public OCA Chemical
Chemical ID :	0
Quantity :	0

RMP Summary

RMP Contact Name :	Dennis Norman
RMP Title :	Superintendent of Wastewater
RMP Description :	N/R
RMP Complete Flag :	True

Accident History

Facility ID :	1000009626
Accident Date :	N/R
Accident Time :	N/R
Accident Release Duration :	N/R
Release Event :	N/R
Release Source :	N/R
Other Release Source :	N/R
Onsite Property Damage :	N/R
Offsite Property Damage :	N/R
Envir Damage :	N/R
Envir Damage-Other :	N/R
Initiating Event :	N/R
Cause Equipment Failure :	N/R
Cause-Other :	N/R
Offsite Responders Notify :	N/R
CBI Flag :	N/R
Accident History ID :	N/R

Site Details

Facility ID :	12815
Facility County FIPS :	12127
LEPC :	N/R
Facility URL :	N/R
Facility Phone Number :	N/R
Facility Email Address :	N/R
Facility DUNS :	N/R
Parent Company Name :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

Company 2 Name :	N/R
Company DUNS :	N/R
Company 2 DUNS :	N/R
Operator Name :	Dennis Norman
Operator Address :	500 West Ocean Avenue, Edgewater, FL 32132
Operator Address 2 :	N/R
Operator Phone :	9044242488
Emergency Contact Name :	Dennis Norman
Emergency Contact Title :	Superintendent of Wastewater
Emergency Contact Phone :	9044242488
Phone 24 :	9044242488
Emergency Contact Ext PIN :	N/R
Emergency Contact Email :	N/R
No Accidents :	Yes
Foreign State Prov :	N/R
Foreign Zip Code :	N/R
Foreign Country :	N/R
FTE :	12
Other EPA Facility ID :	N/R
EPA Facility ID :	100000135935
OSHA PSM :	Yes
EPCRA 302 :	No
CAA Title V :	No
Clear Air Op Permit ID :	N/R
Safety Inspection Date :	1995-06-01
Safety Inspection by :	State occupational safety agency
OSHA Ranking :	No
Predictive Filing Flag :	No
Submission Type :	F
CBI Flag :	No
Completion Check Date :	1999-07-16
Receipt Date :	1999-06-24
Graphics Indicator :	No
Attachments Indicator :	No
Certification Received Flag :	Yes
Submission Method :	RMP*Submit
CBI Substantiation Flag :	No
Electronic Waiver Received Flag :	No
Postmark Date :	1999-06-21
De Registration Date :	2013-02-22
De Registration Effective Date :	2013-02-18
Anniversary Date :	2004-06-21
Error Report Date :	N/R
CBI Unsanitized Version Flag :	No
Version Number :	1.1.7
Facility Latitude :	28.983333
Facility Longitude :	-80.916667
Valid Latitude Longitude Flag :	Yes
FRS Description :	FACILITY CENTROID
FRS Method :	INTERPOLATION-PHOTO
Horizontal Accuracy Measure :	N/R
Horizontal Reference Datum Code :	N/R
Source Map Scale Number :	N/R
Last Date in Agency List :	2023-11-02

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

Process Details
- Process ID : 17173
- Process Facility ID : 12815
- Process Description : Chlorine

Chemical Details
- Chemical Name : Chlorine
- Chemical ID : 62
- Quantity : 8000

- Chemical Name : Sulfur dioxide (anhydrous)
- Chemical ID : 49
- Quantity : 6000

RMP Summary
- RMP Contact Name : Dennis Norman
- RMP Title : Superintendent of Wastewater
- RMP Description : N/R
- RMP Complete Flag : Yes

Accident History
- Facility ID : 12815
- Accident Date : N/R
- Accident Time : N/R
- Accident Release Duration : N/R
- Release Event : N/R
- Release Source : N/R
- Other Release Source : N/R
- Onsite Property Damage : N/R
- Offsite Property Damage : N/R
- Envir Damage : N/R
- Envir Damage-Other : N/R
- Initiating Event : N/R
- Cause Equipment Failure : N/R
- Cause-Other : N/R
- Offsite Responders Notify : N/R
- CBI Flag : N/R
- Accident History ID : N/R

Site Details
- Facility ID : 33036
- Facility County FIPS : 12127
- LEPC : N/R
- Facility URL : N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

Facility Phone Number :	N/R
Facility Email Address :	N/R
Facility DUNS :	N/R
Parent Company Name :	City of Edgewater
Company 2 Name :	N/R
Company DUNS :	N/R
Company 2 DUNS :	N/R
Operator Name :	Dennis Norman
Operator Address :	500 West Ocean Avenue, Edgewater, FL 32132
Operator Address 2 :	N/R
Operator Phone :	3864242488
Emergency Contact Name :	Dennis Norman
Emergency Contact Title :	Superintendent of Wastewater
Emergency Contact Phone :	3864242488
Phone 24 :	3864242488
Emergency Contact Ext PIN :	N/R
Emergency Contact Email :	N/A
No Accidents :	Yes
Foreign State Prov :	N/R
Foreign Zip Code :	N/R
Foreign Country :	N/R
FTE :	11
Other EPA Facility ID :	N/R
EPA Facility ID :	100000135935
OSHA PSM :	Yes
EPCRA 302 :	No
CAA Title V :	No
Clear Air Op Permit ID :	N/R
Safety Inspection Date :	2004-06-21
Safety Inspection by :	Fire Department
OSHA Ranking :	No
Predictive Filing Flag :	No
Submission Type :	R
CBI Flag :	No
Completion Check Date :	2004-07-16
Receipt Date :	2004-06-18
Graphics Indicator :	No
Attachments Indicator :	No
Certification Received Flag :	Yes
Submission Method :	RMP*Submit
CBI Substantiation Flag :	No
Electronic Waiver Received Flag :	No
Postmark Date :	2004-06-17
De Registration Date :	2013-02-22
De Registration Effective Date :	2013-02-18
Anniversary Date :	2009-06-17
Error Report Date :	N/R
CBI Unsanitized Version Flag :	No
Version Number :	3.1
Facility Latitude :	28.983889
Facility Longitude :	-080.913333
Valid Latitude Longitude Flag :	Yes
FRS Description :	FACILITY CENTROID
FRS Method :	INTERPOLATION-PHOTO

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

RMP ***(cont.)***

Horizontal Accuracy Measure :	100
Horizontal Reference Datum Code :	001
Source Map Scale Number :	N/R
Last Date in Agency List :	2023-11-02

Process Details

Process ID :	47671
Process Facility ID :	33036
Process Description :	Chlorine

Chemical Details

Chemical Name :	Chlorine
Chemical ID :	62
Quantity :	8000
Chemical Name :	Sulfur dioxide (anhydrous)
Chemical ID :	49
Quantity :	6000

RMP Summary

RMP Contact Name :	Dennis Norman
RMP Title :	Superintendent of Wastewater
RMP Description :	N/R
RMP Complete Flag :	Yes

Accident History

Facility ID :	33036
Accident Date :	N/R
Accident Time :	N/R
Accident Release Duration :	N/R
Release Event :	N/R
Release Source :	N/R
Other Release Source :	N/R
Onsite Property Damage :	N/R
Offsite Property Damage :	N/R
Envir Damage :	N/R
Envir Damage-Other :	N/R
Initiating Event :	N/R
Cause Equipment Failure :	N/R
Cause-Other :	N/R
Offsite Responders Notify :	N/R
CBI Flag :	N/R
Accident History ID :	N/R

Map Id: H34
Direction: E
Distance: 0.208 mi., 1099 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : EDGEWATER, CITY OF | Edgewater Wastewater Treatment Plant
500 W OCEAN AVE | 500 West Ocean Avenue
EDGEWATER | Edgewater, FL

Database(s) : [DOCKET, INACTIVE PCS, RMP, STORMWATER] ***(cont.)***

Envirosite ID: 57303239
EPA ID: N/R

STORMWATER

Facility Name :	EDGEWATER, CITY OF
Facility Address :	500 W OCEAN AVE, EDGEWATER, FL 32132-2164
NPDES ID :	FLR05I904
Permittee Name :	City of Edgewater
Permit Status :	Effective
Permit Issuing Name :	State
Issued Date :	2022-08-08
Effective Date :	2022-08-08
Termination Date :	N/R
Expiration Date :	2027-08-07
EPA Region :	04
SIC Code :	4952
NAICS Code :	221320
EJ Indexes Above 80th Percentile :	N
Significant Noncompliance Status :	N/R
Quarters with Noncompliance :	0
Industrial Stormwater Formal Enforcement Actions:	N/R
Facility Map Flag :	N/R
DRF URL :	Click here for hyperlink provided by the agency.
Latitude :	28.98985
Longitude :	-80.89993
Last Date in Agency List :	2024-08-13

Map Id: 35
Direction: N
Distance: 0.300 mi., 1586 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : WM HEALTHCARE SOLUTIONS INC
28.991683, -80.918679

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52664804
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	WM HEALTHCARE SOLUTIONS INC
Status :	Inactive
Industry :	Waste Management
EPA Program :	CWA; RCRA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y

Map Id: 35
Direction: N
Distance: 0.300 mi., 1586 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : WM HEALTHCARE SOLUTIONS INC
28.991683, -80.918679

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52664804
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.991683
Longitude :	-80.918679
Last Date in Agency List :	2024-08-02

Map Id: 36
Direction: NNE
Distance: 0.334 mi., 1765 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG6 - Park Towne Indus North Parcel
Parktowne Boulevard
EDGEWATER, FL 32132

Database(s) : [HIST FED BROWNFIELDS]

Envirosite ID: 36432251
EPA ID: N/R

HIST FED BROWNFIELDS

Facility Name :	EDG6 - Park Towne Indus North Parcel
Facility Address :	Parktowne Boulevard, EDGEWATER, FL 32132

Site Details

ACRES Property ID :	226795
Property Size (acres) :	2.02
Local Property Number(s) :	7452-22-0A-0140
Ownership Entity :	Government
Current Owner :	City of Edgewater
Did Ownership Change :	N/R
SFLLP fact into the ownership :	N/R
Latitude :	28.99129
Longitude :	-80.915885
Horizontal Collection Method :	N/R
Source Map Scale :	N/R
Reference Point :	N/R
Horizontal Reference Datum :	N/R
Description/History :	Undeveloped, vacant land
Last Date in Agency List :	2023-10-03

Additional Details

Past Use: Greenspace (acres) :	N/R
Past Use: Residential (acres) :	N/R
Past Use: Commercial (acres) :	N/R
Past Use: Industrial (acres) :	N/R
Past Use: Multistory (acres) :	N/R
Cleanup Required :	N
Contaminants Found: Controlled Substances:	N/R
Contaminants Found: Petroleum :	N/R
Contaminants Found: Asbestos :	N/R
Contaminants Found: Lead :	N/R

Map Id: 36
Direction: NNE
Distance: 0.334 mi., 1765 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG6 - Park Towne Indus North Parcel
Parktowne Boulevard
EDGEWATER, FL 32132

Database(s) : [HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 36432251
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Contaminants Found: PAHs :	N/R
Contaminants Found: PCBs :	N/R
Contaminants Found: VOCs :	N/R
Contaminants Found: Selenium :	N/R
Contaminants Found: Iron :	N/R
Contaminants Found: Arsenic :	N/R
Contaminants Found: Cadmium :	N/R
Contaminants Found: Chromium :	N/R
Contaminants Found: Copper :	N/R
Contaminants Found: Mercury :	N/R
Contaminants Found: Nickel :	N/R
Contaminants Found: Pesticides :	N/R
Contaminants Found: SVOCs :	N/R
Contaminants Found: Other Metals :	N/R
Contaminants Found: Other :	N/R
Contaminants Found: Other (Descr) :	N/R
Contaminants Found: Unknown :	N/R
Contaminants Found: None :	N/R
Contaminants Cleaned Up: Controlled Substances:	N/R
Contaminants Cleaned Up: Petroleum :	N/R
Contaminants Cleaned Up: Asbestos :	N/R
Contaminants Cleaned Up: Lead :	N/R
Contaminants Cleaned Up: PAHs :	N/R
Contaminants Cleaned Up: PCBs :	N/R
Contaminants Cleaned Up: VOCs :	N/R
Contaminants Cleaned Up: Selenium :	N/R
Contaminants Cleaned Up: Iron :	N/R
Contaminants Cleaned Up: Arsenic :	N/R
Contaminants Cleaned Up: Cadmium :	N/R
Contaminants Cleaned Up: Chromium :	N/R
Contaminants Cleaned Up: Copper :	N/R
Contaminants Cleaned Up: Mercury :	N/R
Contaminants Cleaned Up: Nickel :	N/R
Contaminants Cleaned Up: Pesticides :	N/R
Contaminants Cleaned Up: SVOCs :	N/R
Contaminants Cleaned Up: Other Metals:	N/R
Contaminants Cleaned Up: Other :	N/R
Contaminants Cleaned Up: Other (Descr):	N/R
Contaminants Cleaned Up: Unknown :	N/R
Contaminants Cleaned Up: None :	N/R
Media Affected: Air :	N/R
Media Affected: Sediments :	N/R
Media Affected: Soil :	N/R
Media Affected: Drinking Water :	N/R
Media Affected: Ground Water :	N/R
Media Affected: Surface Water :	N/R
Media Affected: Bldg Materials :	N/R
Media Affected: Indoor Air :	N/R
Media Affected: Unknown :	N/R
Media Cleaned Up: Air :	N/R
Media Cleaned Up: Sediments :	N/R
Media Cleaned Up: Soil :	N/R
Media Cleaned Up: Drinking Water :	N/R
Media Cleaned Up: Ground Water :	N/R
Media Cleaned Up: Surface Water :	N/R

Map Id: 36
Direction: NNE
Distance: 0.334 mi., 1765 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG6 - Park Towne Indus North Parcel
Parktowne Boulevard
EDGEWATER, FL 32132

Database(s) : [HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 36432251
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Media Cleaned Up: Bldg Materials :	N/R
Media Cleaned Up: Indoor Air :	N/R
Media Cleaned Up: Unknown :	N/R
ST/Tribal Prg ID Number :	N/R
Further Action/Cleanup :	N/R
Enrollment ST/Tribal Prg :	N/R
Institutional Ctrl (ICs) Req? :	N
IC Category: Proprietary Controls :	N/R
IC Category: Informational Devices :	N/R
IC Category: Governmental Controls :	N/R
IC Category: Enforcement/Permit Tools:	N/R
ICs in Place? :	N
Date ICs in Place :	N/R
Future Use: Greenspace :	N/R
Future Use: Residential :	N/R
Future Use: Commercial :	N/R
Future Use: Industrial :	2.02
Future Use: Multistory (acres) :	N/R

Assessment Details

Cooperative Agreement Number :	00D12013
Type of Brownfields Grant :	Assessment
Type of Funding :	Hazardous & Petroleum
Grant Recipient Name :	City of Edgewater
IC Data Address :	N/R
Redevelopment Completion Date :	N/R
Cleanup Start Date :	N/R
Cleanup Completion Date :	N/R
Redevelopment Start Date :	N/R
Number of Cleanup and Redev Jobs :	N/R
Acreage and Greenspace Created :	N/R
Photographs are Available :	Y
Video is Available :	N
Accomplishment Counted :	N/R
Assessment Phase :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
Amount of Assessment Funding :	N/R
Source of Assessment Funding :	N/R
Entity Providing Assessment Funds :	N/R
Source of Cleanup Funding :	N/R
Entity Providing Cleanup Funds :	N/R
Amount of Cleanup Funding :	N/R
Source of Redevelopment Funding :	N/R
Entity Prvding Redevelopment Funds :	N/R
Amount of Redevelopment Funding :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS]

Envirosite ID: 7564463
EPA ID: N/R

BROWNFIELDS-ACRES

Facility Name :	EDG3 - Dale Industrial Parcel
Facility Address :	Dale Street, Edgewater, FL 32132
County :	Volusia

Site Details

Property ID :	177581
EPA FRS ID :	N/R
EPA FRS Site Name :	N/R
Alias Name :	N/R
Current Use :	N/R
Future Use :	N/R
GP Funding Type ID :	Hazardous & Petroleum
Property Size :	70.0
Local Parcel Number :	7452-22-0A-0010
Former Use :	Property has no known or recorded previous land use. The property's use code in County records is "vacant industrial."
Ownership Entity ID :	Private
Current Owner :	Dr. Leslie Morgan
Photo Available :	Y
Video Available :	N
Ownership Change :	N
Ownership Liability Factor :	N/R
Cleanup Required Flag :	N
Cleanup Required Date :	N/R
State Tribal Enroll ID Number :	N/R
State Tribal Enroll Date :	N/R
Property Not Enrolled Flag :	Y
NFA Issue Date :	N/R
Info Devices :	N/R
Check Pilot Flag :	N/R
CERCLIS WasteLAN Indicator :	N/R
RCRA Indicator :	N/R
BF Proj Number :	N/R
Mun Owned :	N/R
Approx Value :	N/R
Build Sqft :	N/R
Date of Form :	N/R
Add Date :	2014-10-29
Mod Date :	2016-12-14
Mod User :	xslasset
CERCLIS Flag :	N/R
RFR Flag :	Y
RFR Date :	2015-05-07
RFR Grant ID :	69601342.0
Multi Story Flag :	N/R
Institutional Control In Place Flag :	N
Institutional Control In Place Date :	N/R
Institutional Control Additional Info:	Additional assessment is required to make this determination
Institutional Control Required Flag :	N
Institutional Control Required Date :	N/R
Institutional Control Data Address :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

BROWNFIELDS-ACRES ***(cont.)***

Property Controls :	N/R
Govt Controls :	N/R
Permit Tools :	N/R
Eng. Control in Place :	N
Eng. Control in Place Date :	N/R
Eng. Control Additional Info :	Additional assessment is required to make this determination
Eng. Control Required Flag :	N
Eng. Control Flag Cover Tech :	N/R
Eng. Control Flag Immobilization :	N/R
Eng. Control Flag Barriers :	N/R
Eng. Control Flag Security :	N/R
Eng. Control Flag Other :	N/R
Eng. Control Other :	N/R
Eng. Control Data Address :	N/R
Cleanup Req Ukn Comment :	N/R
AWP Catalyst Y/N :	N/R
Lat/Long Override Flag :	Y
Latitude Measure :	28.9914
Longitude Measure :	-80.9236
Src Map Scale Num :	N/R
Ref Point ID :	101.0
Hcm Id :	1.0
Datum Code ID :	2.0
Horiz Accuracy Measure :	N/R
Last Date in Agency List :	2024-08-01

Contaminants Summary

Contaminant :	Other Metals
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Contaminant :	PAHs
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Contaminant :	VOCs
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Affected Media

Media Affected :	None

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS

Facility Name :	EDG3 - Dale Industrial Parcel
Facility Address :	Dale Street, Edgewater, FL 32132
County :	VOLUSIA

Site Details

ACRES Property ID :	177581
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R
Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R
Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R
Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Private
Size (in acres) :	70
Parcel Number(s) :	7452-22-0A-0010
Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	Phase I ESA
Assessment Start Date :	2014-10-01

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Assessment Completion Date :	2014-10-28
AA Name of Entity Providing Funds :	EPA
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	N
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	Other Media
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R
Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	N
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Additional assessment is required to make this determination
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	N
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Additional assessment is required to make this determination
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	70
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.9914
Longitude :	-80.9236

ACRES Property ID :	177581
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R
Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R
Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Private
Size (in acres) :	70
Parcel Number(s) :	7452-22-0A-0010
Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	Limited Phase II ESA
Assessment Start Date :	2014-12-01
Assessment Completion Date :	2014-12-15
AA Name of Entity Providing Funds :	EPA
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	N
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	Other Media
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	N
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Additional assessment is required to make this determination
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	N
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Additional assessment is required to make this determination
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	70
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.9914
Longitude :	-80.9236

ACRES Property ID :	177581
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R
Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R
Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R
Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Private

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Size (in acres) :	70
Parcel Number(s) :	7452-22-0A-0010
Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
AA Name of Entity Providing Funds :	N/R
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	N
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	Other Media
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R
Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	N
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Additional assessment is required to make this determination
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	N
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Additional assessment is required to make this determination
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	70
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.9914
Longitude :	-80.9236

FRS

Facility Name :	EDG3 - DALE INDUSTRIAL PARCEL
Facility Address :	DALE STREET, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110063009836
FRS Facility URL :	Click here for hyperlink provided by the agency.

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

FRS ***(cont.)***

Last Date in Agency List : 2024-08-21

Source Description

Source Description :

ACRES stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

FRS Environmental Interest
Source and System ID : ACRES - 177581

HIST FED BROWNFIELDS

Facility Name : EDG3 - Dale Industrial Parcel
Facility Address : Dale Street, Edgewater, FL 32132

Site Details

ACRES Property ID :	177581
Property Size (acres) :	70
Local Property Number(s) :	7452-22-0A-0010
Ownership Entity :	Private
Current Owner :	Dr. Leslie Morgan
Did Ownership Change :	N
SFLLP fact into the ownership :	N/R
Latitude :	28.9914
Longitude :	-80.9236
Horizontal Collection Method :	Address Matching-House Number
Source Map Scale :	N/R
Reference Point :	Entrance Point of a Facility or Station
Horizontal Reference Datum :	North American Datum of 1983
Description/History :	Property has no known or recorded previous land use. The property's use code in County records is vacant industrial.""
Last Date in Agency List :	2023-10-03

Additional Details

Past Use: Greenspace (acres) :	N/R
Past Use: Residential (acres) :	N/R
Past Use: Commercial (acres) :	N/R
Past Use: Industrial (acres) :	N/R
Past Use: Multistory (acres) :	N/R
Cleanup Required :	N

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Contaminants Found: Controlled Substances:	N/R
Contaminants Found: Petroleum :	N/R
Contaminants Found: Asbestos :	N/R
Contaminants Found: Lead :	N/R
Contaminants Found: PAHs :	N/R
Contaminants Found: PCBs :	N/R
Contaminants Found: VOCs :	N/R
Contaminants Found: Selenium :	N/R
Contaminants Found: Iron :	N/R
Contaminants Found: Arsenic :	N/R
Contaminants Found: Cadmium :	N/R
Contaminants Found: Chromium :	N/R
Contaminants Found: Copper :	N/R
Contaminants Found: Mercury :	N/R
Contaminants Found: Nickel :	N/R
Contaminants Found: Pesticides :	N/R
Contaminants Found: SVOCs :	N/R
Contaminants Found: Other Metals :	N/R
Contaminants Found: Other :	N/R
Contaminants Found: Other (Descr) :	N/R
Contaminants Found: Unknown :	N/R
Contaminants Found: None :	N/R
Contaminants Cleaned Up: Controlled Substances:	N/R
Contaminants Cleaned Up: Petroleum :	N/R
Contaminants Cleaned Up: Asbestos :	N/R
Contaminants Cleaned Up: Lead :	N/R
Contaminants Cleaned Up: PAHs :	N/R
Contaminants Cleaned Up: PCBs :	N/R
Contaminants Cleaned Up: VOCs :	N/R
Contaminants Cleaned Up: Selenium :	N/R
Contaminants Cleaned Up: Iron :	N/R
Contaminants Cleaned Up: Arsenic :	N/R
Contaminants Cleaned Up: Cadmium :	N/R
Contaminants Cleaned Up: Chromium :	N/R
Contaminants Cleaned Up: Copper :	N/R
Contaminants Cleaned Up: Mercury :	N/R
Contaminants Cleaned Up: Nickel :	N/R
Contaminants Cleaned Up: Pesticides :	N/R
Contaminants Cleaned Up: SVOCs :	N/R
Contaminants Cleaned Up: Other Metals:	N/R
Contaminants Cleaned Up: Other :	N/R
Contaminants Cleaned Up: Other (Descr):	N/R
Contaminants Cleaned Up: Unknown :	N/R
Contaminants Cleaned Up: None :	N/R
Media Affected: Air :	N/R
Media Affected: Sediments :	N/R
Media Affected: Soil :	N/R
Media Affected: Drinking Water :	N/R
Media Affected: Ground Water :	N/R
Media Affected: Surface Water :	N/R
Media Affected: Bldg Materials :	N/R
Media Affected: Indoor Air :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Media Affected: Unknown :	N/R
Media Cleaned Up: Air :	N/R
Media Cleaned Up: Sediments :	N/R
Media Cleaned Up: Soil :	N/R
Media Cleaned Up: Drinking Water :	N/R
Media Cleaned Up: Ground Water :	N/R
Media Cleaned Up: Surface Water :	N/R
Media Cleaned Up: Bldg Materials :	N/R
Media Cleaned Up: Indoor Air :	N/R
Media Cleaned Up: Unknown :	N/R
ST/Tribal Prg ID Number :	N/R
Further Action/Cleanup :	N/R
Enrollment ST/Tribal Prg :	N/R
Institutional Ctrl (ICs) Req? :	N
IC Category: Proprietary Controls :	N/R
IC Category: Informational Devices :	N/R
IC Category: Governmental Controls :	N/R
IC Category: Enforcement/Permit Tools:	N/R
ICs in Place? :	N
Date ICs in Place :	N/R
Future Use: Greenspace :	N/R
Future Use: Residential :	N/R
Future Use: Commercial :	N/R
Future Use: Industrial :	70
Future Use: Multistory (acres) :	N/R

Assessment Details

Cooperative Agreement Number :	00D12013
Type of Brownfields Grant :	Assessment
Type of Funding :	Hazardous & Petroleum
Grant Recipient Name :	City of Edgewater
IC Data Address :	N/R
Redevelopment Completion Date :	N/R
Cleanup Start Date :	N/R
Cleanup Completion Date :	N/R
Redevelopment Start Date :	N/R
Number of Cleanup and Redev Jobs :	N/R
Acreage and Greenspace Created :	N/R
Photographs are Available :	Y
Video is Available :	N
Accomplishment Counted :	N
Assessment Phase :	N/R
Assessment Start Date :	2014-12-01
Assessment Completion Date :	2014-12-15
Amount of Assessment Funding :	19325
Source of Assessment Funding :	N/R
Entity Providing Assessment Funds :	EPA
Source of Cleanup Funding :	N/R
Entity Providing Cleanup Funds :	N/R
Amount of Cleanup Funding :	N/R
Source of Redevelopment Funding :	N/R
Entity Prvding Redevelopment Funds :	N/R
Amount of Redevelopment Funding :	N/R

Map Id: 37
Direction: NW
Distance: 0.381 mi., 2010 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : EDG3 - DALE INDUSTRIAL PARCEL
DALE STREET
Edgewater | EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS, HIST FED BROWNFIELDS] ***(cont.)***

Envirosite ID: 7564463
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Cooperative Agreement Number :	00D12013
Type of Brownfields Grant :	Assessment
Type of Funding :	Hazardous & Petroleum
Grant Recipient Name :	City of Edgewater
IC Data Address :	N/R
Redevelopment Completion Date :	N/R
Cleanup Start Date :	N/R
Cleanup Completion Date :	N/R
Redevelopment Start Date :	N/R
Number of Cleanup and Redev Jobs :	N/R
Acreage and Greenspace Created :	N/R
Photographs are Available :	Y
Video is Available :	N
Accomplishment Counted :	Y
Assessment Phase :	N/R
Assessment Start Date :	2014-10-01
Assessment Completion Date :	2014-10-28
Amount of Assessment Funding :	4200
Source of Assessment Funding :	N/R
Entity Providing Assessment Funds :	EPA
Source of Cleanup Funding :	N/R
Entity Providing Cleanup Funds :	N/R
Amount of Cleanup Funding :	N/R
Source of Redevelopment Funding :	N/R
Entity Prvding Redevelopment Funds :	N/R
Amount of Redevelopment Funding :	N/R

Cooperative Agreement Number :	00D12013
Type of Brownfields Grant :	Assessment
Type of Funding :	Hazardous & Petroleum
Grant Recipient Name :	City of Edgewater
IC Data Address :	N/R
Redevelopment Completion Date :	N/R
Cleanup Start Date :	N/R
Cleanup Completion Date :	N/R
Redevelopment Start Date :	N/R
Number of Cleanup and Redev Jobs :	N/R
Acreage and Greenspace Created :	N/R
Photographs are Available :	Y
Video is Available :	N
Accomplishment Counted :	N/R
Assessment Phase :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
Amount of Assessment Funding :	N/R
Source of Assessment Funding :	N/R
Entity Providing Assessment Funds :	N/R
Source of Cleanup Funding :	N/R
Entity Providing Cleanup Funds :	N/R
Amount of Cleanup Funding :	N/R
Source of Redevelopment Funding :	N/R
Entity Prvding Redevelopment Funds :	N/R
Amount of Redevelopment Funding :	N/R

Map Id: 38
Direction: NE
Distance: 0.384 mi., 2028 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0043
115 N FLAGLER AVE
EDGEWATER, FL

Database(s) : [DEDB - FL]

Envirosite ID: 57303240
EPA ID: N/R

DEDB - FL

Sample Date :	2001-01-17
Sample ID :	010118-079
Sample Type :	RESAMPLE
FLUW ID :	AAF0043
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JIMS AUTO REPAIR
Well Address :	115 N FLAGLER AVE
Well Type :	50
Well Status :	ABANDONED
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010118-14
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-09
Sample ID :	010110-016
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0043
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JIMS AUTO REPAIR
Well Address :	115 N FLAGLER AVE
Well Type :	50
Well Status :	ABANDONED
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	Irrigation Well
Last Date in Agency List :	2015-11-25

Sample Date :	2001-01-17
Sample ID :	010118-079
Sample Type :	RESAMPLE
FLUW ID :	AAF0043
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JIMS AUTO REPAIR
Well Address :	115 N FLAGLER AVE
Well Type :	N/R
Well Status :	ABANDONED
City :	N/R
County :	VOLUSIA

Map Id: 38
Direction: NE
Distance: 0.384 mi., 2028 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0043
115 N FLAGLER AVE
EDGEWATER, FL

Database(s) : [DEDB - FL] ***(cont.)***

Envirosite ID: 57303240
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	VOLUSIA-010118-14
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21
Sample Date :	2001-01-09
Sample ID :	010110-016
Sample Type :	FIRST_SAMP
FLUW ID :	AAF0043
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	JIMS AUTO REPAIR
Well Address :	115 N. FLAGLER AVE
Well Type :	N/R
Well Status :	ABANDONED
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-010110-04
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515
200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE
EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL]

Envirosite ID: 57303242
EPA ID: N/R

AIRS - FL

Facility Name :	ATLANTA AVENUE READY-MIX PLANT
Facility Address :	200 N Flagler Ave, EDGEWATER, 32132
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AIRS - FL ***(cont.)***

Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	7775275
Owner/Company Name :	CEMEX CONSTRUCTION MATERIALS FLORIDA LLC
Category :	POINT
Relocatable :	Y
UTM Zone :	17
North :	3207.16
East :	508.33
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Active
Facility Type :	CONCRETE PLANT
Directions :	1406 ATLANTA AVE
Facility Comment :	Facility relocation from 2898 Harry T Moore Ave in Mims on 3/29/2019 to 200 N Flagler Ave. in Edgewater on 4/01/2019.
Last Date in Agency List :	2019-04-22
Facility Name :	DREWRY SITE DEVELOPMENT
Facility Address :	200 N Flagler Ave, EDGEWATER, 32132

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AIRS - FL ***(cont.)***

County :	VOLUSIA
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	7776292
Owner/Company Name :	DREWRY SITE DEVELOPMENT
Category :	POINT
Relocatable :	Y
UTM Zone :	17
North :	3207.27
East :	508.3
Township :	N/R
Major Group SIC :	14
Government Facility Code :	0
Public Exempt :	N
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Inactive
Facility Type :	NONMETALLIC MINERAL PROCESSING
Directions :	200 N Flagler Ave
Facility Comment :	N/R
Last Date in Agency List :	2024-08-21
Facility Name :	DREWRY SITE DEVELOPMENT DAYTONA
Facility Address :	200 N Flagler Ave, EDGEWATER, 32132

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AIRS - FL ***(cont.)***

County :	VOLUSIA
Startup Date (Relocation) :	2023-04-18
Shutdown Date (Relocation) :	2023-04-17
AIRS ID :	7776213
Owner/Company Name :	DREWRY SITE DEVELOPMENT LLC
Category :	POINT
Relocatable :	Y
UTM Zone :	17
North :	3207.09
East :	508.24
Township :	N/R
Major Group SIC :	14
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	N/R
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	Y
NESHAP :	N
Emission Guidelines :	N
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Active
Facility Type :	NONMETALLIC MINERAL PROCESSING
Directions :	200 N Flagler Ave
Facility Comment :	N/R
Last Date in Agency List :	2023-06-05
Facility Name :	EDGEWATER BLOCK PLANT
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AIRS - FL ***(cont.)***

County :	VOLUSIA
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	1270159
Owner/Company Name :	ANCHOR BLOCK OF FLORIDA
Category :	POINT
Relocatable :	N
UTM Zone :	17
North :	3207.01
East :	508.25
Township :	N/R
Major Group SIC :	32
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N/R
Compliance Tracking Code :	C
Current Permit Indicator :	AG
Syn Non Title V Source :	N
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N/R
Major of HAPS :	N
Syn Minor of HAPS :	N/R
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R
AOR Required :	N
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	N/R
Facility Office :	CD
Facility Status :	Inactive
Facility Type :	CONCRETE PLANT
Directions :	N/R
Facility Comment :	N/R
Last Date in Agency List :	2024-08-21

AST - FL

Facility Name :	EDGEWATER READY MIX

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AST - FL ***(cont.)***

Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517641
Facility Phone :	3864277940
Facility Status :	OPEN
Facility Type :	C
Type Description :	Fuel user/Non-retail
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	5616441492
Contact :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
DEP Contractor Own :	P

Tank Information

Tank ID :	4
Gallons :	10000
Tank Location :	ABOVEGROUND
Substance :	Vehicular Diesel
Install Date :	1991-08-01
Status :	In Service
Status Date :	N/R
Construction Items :	Primary Construction - Steel Secondary Containment - AST containment
Monitoring Items :	External Tk Monitoring - DEP approved monitoring

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

AST - FL ***(cont.)***

Piping Items :	Miscellaneous Attributes - Suction piping system Miscellaneous Attributes - Abv, no soil contact Primary Construction - Steel/galvanized metal
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

BROWNFIELDS-ACRES

Facility Name :	EDG7 - Park Towne Indus Parcel South
Facility Address :	200 North Flagler Avenue, Edgewater, FL 32132
County :	Volusia

Site Details

Property ID :	226796
EPA FRS ID :	N/R
EPA FRS Site Name :	N/R
Alias Name :	N/R
Current Use :	N/R
Future Use :	N/R
GP Funding Type ID :	Hazardous & Petroleum
Property Size :	1.42
Local Parcel Number :	7452-22-0A-0130
Former Use :	Undeveloped, vacant land
Ownership Entity ID :	Government
Current Owner :	City of Edgewater
Photo Available :	Y
Video Available :	N
Ownership Change :	N
Ownership Liability Factor :	N/R
Cleanup Required Flag :	U
Cleanup Required Date :	N/R
State Tribal Enroll ID Number :	N/R
State Tribal Enroll Date :	N/R
Property Not Enrolled Flag :	Y
NFA Issue Date :	N/R
Info Devices :	N/R
Check Pilot Flag :	N/R
CERCLIS WasteLAN Indicator :	N/R
RCRA Indicator :	N/R
BF Proj Number :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

BROWNFIELDS-ACRES ***(cont.)***

Mun Owned :	N/R
Approx Value :	N/R
Build Sqft :	N/R
Date of Form :	N/R
Add Date :	2016-12-14
Mod Date :	2016-12-14
Mod User :	xslasset
CERCLIS Flag :	N/R
RFR Flag :	N
RFR Date :	N/R
RFR Grant ID :	N/R
Multi Story Flag :	N/R
Institutional Control In Place Flag :	N
Institutional Control In Place Date :	N/R
Institutional Control Additional Info:	Soil and groundwater assessment will need to be completed prior to this determination.
Institutional Control Required Flag :	U
Institutional Control Required Date :	N/R
Institutional Control Data Address :	N/R
Property Controls :	N/R
Govt Controls :	N/R
Permit Tools :	N/R
Eng. Control in Place :	N
Eng. Control in Place Date :	N/R
Eng. Control Additional Info :	Soil and groundwater assessment will need to be completed prior to this determination.
Eng. Control Required Flag :	U
Eng. Control Flag Cover Tech :	N/R
Eng. Control Flag Immobilization :	N/R
Eng. Control Flag Barriers :	N/R
Eng. Control Flag Security :	N/R
Eng. Control Flag Other :	N/R
Eng. Control Other :	N/R
Eng. Control Data Address :	N/R
Cleanup Req Ukn Comment :	N/R
AWP Catalyst Y/N :	N/R
Lat/Long Override Flag :	N/R
Latitude Measure :	28.9912900
Longitude Measure :	-80.9158840
Src Map Scale Num :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

BROWNFIELDS-ACRES ***(cont.)***

Ref Point ID :	N/R
Hcm Id :	N/R
Datum Code ID :	N/R
Horiz Accuracy Measure :	N/R
Last Date in Agency List :	2024-08-01

Contaminants Summary

Contaminant :	Other Metals
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Contaminant :	Petroleum/Petroleum Products
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Affected Media

Media Affected :	Unknown

CS - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	Volusia County
DEP Cleanup Site Key :	78646616
Program Site ID :	8517641
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-10-23
Verification Date :	2005-07-19
Load Date :	2024-01-31
Verifier :	WOEBER_A
Collector :	MOSER_T64

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

CS - FL ***(cont.)***

Verifier Agency :	DEPARTMENT OF ENVIRONMENTAL PR
Collection Agency :	CONTRACTOR
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	CD
Comments :	N/R
Last Date in Agency List :	2024-02-01

DEDB - FL

Sample Date :	2011-08-15
Sample ID :	110722-041
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 C N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2007-12-04
Sample ID :	071107-017
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 C N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA2-071107-004
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2006-08-29
Sample ID :	060814-024
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 C N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2011-08-15
Sample ID :	110722-039
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 A NORTH FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21
Sample Date :	2011-08-15
Sample ID :	110722-040
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 B N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17
Sample Date :	2000-10-02
Sample ID :	001003-047
Sample Type :	RESAMPLE
FLUW ID :	AAD4514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 B N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-001003-09
Customer ID :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2011-08-15
Sample ID :	110722-039
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 A N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2006-08-29
Sample ID :	060814-025
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 A N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Date :	2000-10-02
Sample ID :	001003-048
Sample Type :	RESAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 A N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-001003-09
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2006-08-29
Sample ID :	060814-023
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2022
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 D N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2021-11-17

Sample Date :	2006-08-29
Sample ID :	060814-023

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2022
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2011-08-15
Sample ID :	110722-041
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 C N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2007-12-04
Sample ID :	071107-017
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 C N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA2-071107-004
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2006-08-29
Sample ID :	060814-024
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 C N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2006-08-29
Sample ID :	060814-023
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2022
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 D N FLAGLER AVE
Well Type :	42
Well Status :	INACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2011-08-15
Sample ID :	110722-040
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 B NORTH FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2011-08-15
Sample ID :	110722-041
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 C N. FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2007-12-04
Sample ID :	071107-017
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C.)
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA2-071107-004
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2006-08-29
Sample ID :	060814-024
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD2023
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Address :	200 N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

Sample Date :	2011-08-15
Sample ID :	110722-040
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 B N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2000-10-02
Sample ID :	001003-047
Sample Type :	RESAMPLE
FLUW ID :	AAD4514
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 B N FLAGLER AVE
Well Type :	42

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-001003-09
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2011-08-15
Sample ID :	110722-039
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.22
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 A N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-110722-008
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2006-08-29
Sample ID :	060814-025
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 A N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

County :	VOLUSIA
Job Name :	VOLUSIA-060814-003
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2000-10-02
Sample ID :	001003-048
Sample Type :	RESAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC
Well Address :	200 A N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	EDGEWATER
County :	VOLUSIA
Job Name :	VOLUSIA-001003-09
Customer ID :	N/R
Description :	Limited Use
Last Date in Agency List :	2015-11-25

Sample Date :	2006-08-29
Sample ID :	060814-025
Sample Type :	FIRST SAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.25
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 N FLAGLER AVE
Well Type :	42 - LIMITED USE PUBLIC WATER SYSTEM (64E-8; F.A.C
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-060814-003

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DEDB - FL ***(cont.)***

Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21
Sample Date :	2000-10-02
Sample ID :	001003-048
Sample Type :	RESAMPLE
FLUW ID :	AAD4515
Analyte :	ETHYLENE DIBROMIDE (EDB)
Value :	0.2
Units :	ug/L
Qualifier :	U
Resident Last Name :	N/R
Well Business Name :	TARMAC INC
Well Address :	200 N FLAGLER AVE
Well Type :	42
Well Status :	ACTIVE
City :	N/R
County :	VOLUSIA
Job Name :	VOLUSIA-001003-09
Customer ID :	N/R
Description :	N/R
Last Date in Agency List :	2024-08-21

DWM CONTAM - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132-2152
County :	VOLUSIA
Score Effective Date :	2011-09-14
Score :	45
Score Ranked :	41
Rank :	3987
Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	C - Fuel user/Non-retail
County Code :	64
District :	CD
Operator :	CHUCK HORTON
Phone :	(386)427-7940
Name Changed Date :	2006-04-06

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Address Changed Date :	N/R
Latitude Degrees :	28
Latitude Minutes :	59
Latitude Seconds :	29.5245
Longitude Degrees :	80
Longitude Minutes :	54
Longitude Seconds :	52.2705
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	1994-05-20
Related Party ID :	24990
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	TITAN AMERICA LLC
Related Party Address 1 :	455 Fairway Dr, Deerfield Beach, FL 33441-1809
Related Party Address 2 :	ATTN: STORAGE TANK REGIS
Contact :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Related Party Phone :	(561)644-1492
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2024-08-09

ECHO

Facility Name :	EDGEWATER MACHINE & FABRICATING
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	N/R
Registry ID :	110006380264
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	INTERPOLATION-PHOTO
Reference Point :	FACILITY/MONITORING SITE BOUNDARY POINT
Accuracy Meters :	13
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091010
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	N/R
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.991618
Longitude :	-80.914821
Last Date in Agency List :	2024-07-12

Facility Name :	EDGEWATER (RM & BLOCK)
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Last Inspection Date :	N/R
Registry ID :	110064435375
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	N/R
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	N/R
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091010
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	N/R
NAA Flag :	N/R
Latitude :	28.99232
Longitude :	-80.91482
Last Date in Agency List :	2016-04-18
Facility Name :	TARMAC AMERICA
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2020-04-03
Registry ID :	110024466022
FIPS Code :	12127
EPA Region :	04
Inspection Count :	1
Last Inspection Days :	1500
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091010
MYRTK Universe :	NNN
NPDES IDs :	FLG110583
CWA Permit Types :	Non-M
CWA Compliance Tracking :	On
CWA NAICS :	327320 327331
CWA SICS :	3273 3271
CWA Inspection Count :	1
CWA Last Inspection Days :	1499
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation Identified
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271 3273
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing, 327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2020-04-03
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.99251
Longitude :	-80.91427
Last Date in Agency List :	2024-07-12
Facility Name :	TITAN FLORIDA-EDGEWATER (RM & BLOCK)
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA COUNTY
Last Inspection Date :	N/R
Registry ID :	110064435375
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	N/R
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	N/R
Programs IN SNC :	0
Current Compliance Status :	N/R
Three-Year Compliance Status :	N/R
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830091010
MYRTK Universe :	NNN
NPDES IDs :	N/R
CWA Permit Types :	N/R
CWA Compliance Tracking :	N/R
CWA NAICS :	N/R
CWA SICS :	N/R
CWA Inspection Count :	N/R
CWA Last Inspection Days :	N/R
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	N/R
CWA Current Compliance Status :	N/R
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	N/R
Facility NAICS :	327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	N/R
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	Y
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	N
NPDES Flag :	N

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	Y
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.99251
Longitude :	-80.91427
Last Date in Agency List :	2024-07-12
Facility Name :	TITAN FLORIDA-EDGEWATER RMP
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2015-03-02
Registry ID :	110024466022
FIPS Code :	12127
EPA Region :	04
Inspection Count :	2
Last Inspection Days :	1448
Informal Count :	0
Last Informal Action Date :	N/R
Formal Action Count :	0
Last Formal Action Date :	N/R
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	N/R
Last Penalty Amount :	N/R
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation
Three-Year Compliance Status :	_____
Collection Method :	ADDRESS MATCHING-HOUSE NUMBER
Reference Point :	CENTER OF A FACILITY OR STATION
Accuracy Meters :	30
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

Derived CB2010 :	121270830091010
MYRTK Universe :	NNN
NPDES IDs :	FLG110583
CWA Permit Types :	Minor
CWA Compliance Tracking :	On
CWA NAICS :	327320 327331
CWA SICS :	3273 3271
CWA Inspection Count :	2
CWA Last Inspection Days :	1448
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	No Violation
CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	_____
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	3271 3273
Facility NAICS :	327331 - Concrete Block and Brick Manufacturing, 327320 - Ready-Mix Concrete Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2015-03-02
Facility Last Formal Act EPA Date :	N/R
Facility Last Formal Act State Date :	N/R
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	N/R
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	N/R
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ECHO ***(cont.)***

RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N/R
Latitude :	28.99251
Longitude :	-80.91427
Last Date in Agency List :	2019-02-25

EPA LUST

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, Florida
County :	N/R
Facility ID :	FL8517641
LUST ID :	FL19683
Reported Date :	1991-09-05
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	174
Estimated Private Domestic Wells within 1500ft:	11
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	Yes
WHPA Public Water System and Facility ID:	FL3640331_4359753177
WHPA Water Type :	GW
WHPA Facility Type :	WL
WHPA HUC12 :	30802020400
Within Estimated 100-year Floodplain:	No

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

EPA LUST ***(cont.)***

Latitude :	28.9916699999999
Longitude :	-80.9144399999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, Florida 32132
County :	N/R
Facility ID :	FL8517641
Facility Status :	Closed UST(s)
Open USTs :	0
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	28.99166667
Longitude :	-80.91444444
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8517641-1
Tank Status :	Closed
Installation Date :	1974-07-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R
Tank ID :	FL8517641-2
Tank Status :	Closed
Installation Date :	1973-07-01
Removal Date :	N/R
Capacity :	10000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

EPA UST ***(cont.)***

Tank ID :	FL8517641-3
Tank Status :	Closed
Installation Date :	1974-07-01
Removal Date :	N/R
Capacity :	10000
Substances :	Vehicular Diesel
Tank Wall Type :	N/R

ERNS

Facility Address :	200 NORTH FLAGLER AVENUE, EDGEWATER, FL
County :	VOLUSIA

Incident Information

Incident Date Time :	2013-02-04 10:00:00
Type of Incident :	MOBILE
Incident Cause :	EQUIPMENT FAILURE
Incident DTG :	OCCURRED
Incident Location :	PARKING LOT
Sequence Number :	1037482
Potential Flag :	N
Description of Incident :	***WEB REPORT*** A CCC TRANSPORTATION TRACTOR EXPERIENCED A MECHANICAL FAILURE WHICH RESULTED IN THE RELEASE OF APPROXIMATELY 130 GALLONS OF DIESEL FUEL. THE DIESEL FUEL WAS RELEASED TO THE PAVEMENT.
Last Date in Agency List :	2015-12-23

Incident Response Summary

Date Time Received :	2013-02-04 10:53:00
Date Time Completed :	2013-02-04 11:19:00
Call Type :	Incident
Source :	WEB REPORT
Responsible Company :	CCC TRANSPORTATION
Responsible Org Type :	PRIVATE ENTERPRISE
Responsible City :	N/R
Responsible State :	FL
Responsible Zip :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ERNS ***(cont.)***

Incident Details Summary

Remedial Action :	ERTS DISPATCHED SWS ENVIRONMENTAL TO THE SITE TO PERFORM REMEDIATION ACTIVITIES.
Medium :	LAND
Medium Description :	LAND
Body of Water :	N/R
Weather Conditions :	N/R
Water Temperature :	N/R
Water Supply Contaminated :	U
Waterway Closed :	N
Waterway Description :	N/R

Additional Incident Details Summary

Actual Amount :	N/R
Actual Amount Units :	N/R
Capacity of Tank :	N/R
Capacity of Tank Units :	N/R
Continuous Release Begin Date :	N/R
Continuous Release End Date :	N/R
Continuous Release Change Date :	N/R
Continuous Release Permit :	N/R
Continuous Release Type :	N/R
Description of Tank :	N/R
Device Operational :	U
DOT Crossing Number :	N/R
DOT Regulated :	U
NPDES :	N/R
NPDES Compliance :	U
Pipeline Aboveground :	ABOVE
Pipeline Covered :	N
Pipeline Type :	N/R
Tank ID :	N/R
Tank Regulated :	U
Tank Regulated by :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ERNS ***(cont.)***

Materials Involved Summary

Name of Material :	DIESEL FUEL
CAS Number :	000000-00-0
Amount of Material :	130
Unit of Measure :	GALLON(S)
UN Number :	N/R
CHRIS Code :	ODS
Reached Water :	NO
Amount in Water :	N/R
Unit of Measure (Reach Water) :	N/R

Mobile Details

Vehicle Own Fuel Capacity :	N/R
Cargo Capacity :	N/R
Amount of Cargo on Board :	N/R
Hazmat Carrier :	U
Carrier Licensed :	U
Noncompliance with Hazmat :	U
Mobile Type :	TRACTOR TRAILER TRUCK
Cargo Capacity Units :	N/R
Amount of Cargo on Board Units :	N/R
Vehicle Year :	N/R
Vehicle Make :	N/R
Vehicle Model :	N/R
Vehicle Number :	A16131
Trailer Number :	N/R

FA 3 - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	VOLUSIA

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2021-06-01
Expiration Date :	2022-06-01

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ALLIANZ GLOBAL RISKS US INSURANCE CO
Facility Phone :	3864277940
Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Address :	455 Fairway Dr ATTN: STORAGE TANK REGIS, Deerfield Beach, FL 33441
Contact Name :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Phone :	5616441492
Last Date in Agency List :	2024-06-20

Effectivity Date :	2021-04-30
Expiration Date :	2021-06-01
Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ALLIANZ GLOBAL RISKS US INSURANCE CO
Facility Phone :	3864277940
Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Address :	455 Fairway Dr ATTN: STORAGE TANK REGIS, Deerfield Beach, FL 33441
Contact Name :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Phone :	5616441492
Last Date in Agency List :	2024-06-20

Effectivity Date :	2020-04-30
Expiration Date :	2021-04-30
Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	3864277940
Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Address :	455 Fairway Dr ATTN: STORAGE TANK REGIS, Deerfield Beach, FL 33441

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FA 3 - FL ***(cont.)***

Contact Name :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Phone :	5616441492
Last Date in Agency List :	2024-06-20

Effectivity Date :	2019-04-30
Expiration Date :	2020-04-30
Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	3864277940
Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Address :	455 Fairway Dr ATTN: STORAGE TANK REGIS, Deerfield Beach, FL 33441
Contact Name :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Phone :	5616441492
Last Date in Agency List :	2024-06-20

Effectivity Date :	2018-04-30
Expiration Date :	2019-04-30
Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
DEP Contractor :	P
Financial Responsibility :	SELF-INSURANCE - LETTER FROM CHIEF FINANCIAL OFFIC
Insurance Company :	N/R
Facility Phone :	3864277940
Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Address :	455 Fairway Dr ATTN: STORAGE TANK REGIS, Deerfield Beach, FL 33441
Contact Name :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
Phone :	5616441492
Last Date in Agency List :	2024-06-20

FED BROWNFIELDS

Facility Name :	EDG7 - Park Towne Indus Parcel South
Facility Address :	200 North Flagler Avenue, Edgewater, FL 32132
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Site Details

ACRES Property ID :	226796
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R
Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R
Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R
Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Government
Size (in acres) :	1.42
Parcel Number(s) :	7452-22-0A-0130

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	Phase I
Assessment Start Date :	2016-09-01
Assessment Completion Date :	2016-09-09
AA Name of Entity Providing Funds :	EPA
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	U
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	Unknown
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R
Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	U
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Additional Engineering Controls Information:	Soil and groundwater assessment will need to be completed prior to this determination.
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	U
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Soil and groundwater assessment will need to be completed prior to this determination.
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	1.42
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.99129
Longitude :	-80.915884

ACRES Property ID :	226796
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R
Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R
Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Government
Size (in acres) :	1.42
Parcel Number(s) :	7452-22-0A-0130
Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
AA Name of Entity Providing Funds :	N/R
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	U
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	Unknown
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name :	EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL
Database(s) :	[AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	U
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Soil and groundwater assessment will need to be completed prior to this determination.
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	U
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Soil and groundwater assessment will need to be completed prior to this determination.
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	1.42
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.99129
Longitude :	-80.915884

FRS

Facility Name :	EDG7 - PARK TOWNE INDUS PARCEL SOUTH
Facility Address :	200 NORTH FLAGLER AVENUE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110070004618
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description :

ACRES stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

FRS Environmental Interest

Source and System ID :	ACRES - 226796
Facility Name :	EDGEWATER MACHINE & FABRICATING
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110035723198
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2015-06-02

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 67738 RCRAINFO - FLTMP8801642
Facility Name :	EDGEWATER MACHINE & FABRICATING
Facility Address :	200 N FLAGLER AVE PO BOX 358, EDGEWATER, FL 321323580
County :	VOLUSIA

Site Details

Registry ID :	110006380264
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

Source Description :

RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.

FRS Environmental Interest

Source and System ID :	FLORIDA DEP - 49432 FLORIDA DEP - 55487 FLORIDA DEP - 67738 RCRAINFO - FLD982085573 RCRAINFO - FLD982163800 RCRAINFO - FLTMP8801642
Facility Name :	TARMAC AMERICA
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110024466022
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :	AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1212700018
ICIS - FL0000001212700018
ICIS - FLG110583

Facility Name : TARMAC - EDGEWATER CBP
Facility Address : 200 N FLAGLER AVE, EDGEWATER, FL 321322152
County : VOLUSIA

Site Details
Registry ID : 110027949629
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

FRS Environmental Interest
Source and System ID : FLORIDA DEP - 22633

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

Facility Name : TITAN FLORIDA-EDGEWATER (RM & BLOCK)
Facility Address : 200 N FLAGLER AVE, EDGEWATER, FL 32132
County : VOLUSIA COUNTY

Site Details
Registry ID : 110064435375
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2024-08-21

Source Description

Source Description :

TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest
Source and System ID : TRIS - 3213WDGWTR2NFLB

Facility Name : TITAN FLORIDA-EDGEWATER RMP
Facility Address : 200 N FLAGLER AVE, EDGEWATER, FL 32132
County : VOLUSIA

Site Details
Registry ID : 110024466022
FRS Facility URL : Click here for hyperlink provided by the agency.
Last Date in Agency List : 2019-04-11

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

FRS ***(cont.)***

Source Description

Source Description : AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

FRS Environmental Interest

Source and System ID : AIRS/AFS - 1212700018
ICIS - FL0000001212700018
ICIS - FLG110583

GWIF - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, NEW SMYRNA BEACH, 32132
County :	VOLUSIA
Facility ID :	8517641
Facility Type :	PETROLEUM
Location ID :	182175
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	182175
GPS Date :	2006-08-29
HAE (Height Above Ellipsoid) :	-1.24
Project ID :	SUPER
Insp Name :	JEFF SULZBACH
Insp CHD :	VOLUSIA
Request Number :	RE39426
Datum :	WS1984
Software :	Risk_Solo_v2
Streetside :	N/R
Agency :	DOH
Comment :	ABOVE GROUND STORAGE TANK
Latitude :	28.991572

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

GWIF - FL ***(cont.)***

Longitude :	-80.914462
Last Date in Agency List :	2024-08-21

HIST FED BROWNFIELDS

Facility Name :	EDG7 - Park Towne Indus Parcel South
Facility Address :	200 North Flagler Avenue, Edgewater, FL 32132

Site Details

ACRES Property ID :	226796
Property Size (acres) :	1.42
Local Property Number(s) :	7452-22-0A-0130
Ownership Entity :	Government
Current Owner :	City of Edgewater
Did Ownership Change :	N
SFLLP fact into the ownership :	N/R
Latitude :	28.99129
Longitude :	-80.915884
Horizontal Collection Method :	N/R
Source Map Scale :	N/R
Reference Point :	N/R
Horizontal Reference Datum :	N/R
Description/History :	Undeveloped, vacant land
Last Date in Agency List :	2023-10-03

Additional Details

Past Use: Greenspace (acres) :	N/R
Past Use: Residential (acres) :	N/R
Past Use: Commercial (acres) :	N/R
Past Use: Industrial (acres) :	N/R
Past Use: Multistory (acres) :	N/R
Cleanup Required :	U
Contaminants Found: Controlled Substances:	N/R
Contaminants Found: Petroleum :	N/R
Contaminants Found: Asbestos :	N/R
Contaminants Found: Lead :	N/R
Contaminants Found: PAHs :	N/R
Contaminants Found: PCBs :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Contaminants Found: VOCs :	N/R
Contaminants Found: Selenium :	N/R
Contaminants Found: Iron :	N/R
Contaminants Found: Arsenic :	N/R
Contaminants Found: Cadmium :	N/R
Contaminants Found: Chromium :	N/R
Contaminants Found: Copper :	N/R
Contaminants Found: Mercury :	N/R
Contaminants Found: Nickel :	N/R
Contaminants Found: Pesticides :	N/R
Contaminants Found: SVOCs :	N/R
Contaminants Found: Other Metals :	N/R
Contaminants Found: Other :	N/R
Contaminants Found: Other (Descr) :	N/R
Contaminants Found: Unknown :	N/R
Contaminants Found: None :	N/R
Contaminants Cleaned Up: Controlled Substances:	N/R
Contaminants Cleaned Up: Petroleum :	N/R
Contaminants Cleaned Up: Asbestos :	N/R
Contaminants Cleaned Up: Lead :	N/R
Contaminants Cleaned Up: PAHs :	N/R
Contaminants Cleaned Up: PCBs :	N/R
Contaminants Cleaned Up: VOCs :	N/R
Contaminants Cleaned Up: Selenium :	N/R
Contaminants Cleaned Up: Iron :	N/R
Contaminants Cleaned Up: Arsenic :	N/R
Contaminants Cleaned Up: Cadmium :	N/R
Contaminants Cleaned Up: Chromium :	N/R
Contaminants Cleaned Up: Copper :	N/R
Contaminants Cleaned Up: Mercury :	N/R
Contaminants Cleaned Up: Nickel :	N/R
Contaminants Cleaned Up: Pesticides :	N/R
Contaminants Cleaned Up: SVOCs :	N/R
Contaminants Cleaned Up: Other Metals:	N/R
Contaminants Cleaned Up: Other :	N/R
Contaminants Cleaned Up: Other (Descr):	N/R
Contaminants Cleaned Up: Unknown :	N/R
Contaminants Cleaned Up: None :	N/R
Media Affected: Air :	N/R
Media Affected: Sediments :	N/R
Media Affected: Soil :	N/R
Media Affected: Drinking Water :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Media Affected: Ground Water :	N/R
Media Affected: Surface Water :	N/R
Media Affected: Bldg Materials :	N/R
Media Affected: Indoor Air :	N/R
Media Affected: Unknown :	Y
Media Cleaned Up: Air :	N/R
Media Cleaned Up: Sediments :	N/R
Media Cleaned Up: Soil :	N/R
Media Cleaned Up: Drinking Water :	N/R
Media Cleaned Up: Ground Water :	N/R
Media Cleaned Up: Surface Water :	N/R
Media Cleaned Up: Bldg Materials :	N/R
Media Cleaned Up: Indoor Air :	N/R
Media Cleaned Up: Unknown :	N/R
ST/Tribal Prg ID Number :	N/R
Further Action/Cleanup :	N/R
Enrollment ST/Tribal Prg :	N/R
Institutional Ctrl (ICs) Req? :	U
IC Category: Proprietary Controls :	N/R
IC Category: Informational Devices :	N/R
IC Category: Governmental Controls :	N/R
IC Category: Enforcement/Permit Tools:	N/R
ICs in Place? :	N
Date ICs in Place :	N/R
Future Use: Greenspace :	N/R
Future Use: Residential :	N/R
Future Use: Commercial :	N/R
Future Use: Industrial :	1.42
Future Use: Multistory (acres) :	N/R

Assessment Details

Cooperative Agreement Number :	00D12013
Type of Brownfields Grant :	Assessment
Type of Funding :	Hazardous & Petroleum
Grant Recipient Name :	City of Edgewater
IC Data Address :	N/R
Redevelopment Completion Date :	N/R
Cleanup Start Date :	N/R
Cleanup Completion Date :	N/R
Redevelopment Start Date :	N/R
Number of Cleanup and Redev Jobs :	N/R
Acreage and Greenspace Created :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

HIST FED BROWNFIELDS ***(cont.)***

Photographs are Available :	Y
Video is Available :	N
Accomplishment Counted :	N/R
Assessment Phase :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
Amount of Assessment Funding :	N/R
Source of Assessment Funding :	N/R
Entity Providing Assessment Funds :	N/R
Source of Cleanup Funding :	N/R
Entity Providing Cleanup Funds :	N/R
Amount of Cleanup Funding :	N/R
Source of Redevelopment Funding :	N/R
Entity Prvding Redevelopment Funds :	N/R
Amount of Redevelopment Funding :	N/R

ICIS

Facility Name :	TARMAC - EDGEWATER CONCRETE BA
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132

Site Details

NPDES ID :	FLG110583
ICIS Facility Interest ID :	2400047464
Facility UIN :	110024466022
Facility Type Code :	Privately Owned Facility
Impaired Waters :	N/R
Latitude :	28.9916
Longitude :	-80.9139
Last Date in Agency List :	2017-01-24

Facility NAICS

NAICS Code :	327320
NAICS Description :	Ready-Mix Concrete Manufacturing
NAICS Code :	327331
NAICS Description :	Concrete Block and Brick Manufacturing

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

ICIS ***(cont.)***

Facility SIC
SIC Code : 3271
SIC Description : Concrete Block And Brick

SIC Code : 3273
SIC Description : Ready-Mixed Concrete

Facility Name : TITAN FLORIDA-EDGEWATER RMP
Facility Address : 200 N FLAGLER AVE, EDGEWATER, FL 32132-2152

Site Details
NPDES ID : FLG110583
ICIS Facility Interest ID : 2400047464
Facility UIN : 110024466022
Facility Type Code : Privately Owned Facility
Impaired Waters : 303(D) Listed
Latitude : 28.9916167
Longitude : -80.9138833
Last Date in Agency List : 2024-06-07

Facility NAICS
NAICS Code : 327331
NAICS Description : Concrete Block and Brick Manufacturing

NAICS Code : 327320
NAICS Description : Ready-Mix Concrete Manufacturing

Facility SIC
SIC Code : 3273
SIC Description : Ready-Mixed Concrete

SIC Code : 3271
SIC Description : Concrete Block And Brick

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

INACTIVE PCS

Issue Date :	2020-02-13
Original Issue Date :	2010-08-03
Effective Date :	2020-02-13
Expiration Date :	2025-02-12
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602119968
External Permit Number :	FLG110583
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	.0456
Actual Average Flow Number :	.0456
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Titan Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2015-04-07
Original Issue Date :	2010-08-03
Effective Date :	2015-10-01
Expiration Date :	2020-08-02
Retirement Date :	2020-02-12
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600403015
External Permit Number :	FLG110583
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	.0456
Actual Average Flow Number :	.0456

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

INACTIVE PCS ***(cont.)***

State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Al Andreansky Consulting
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

Issue Date :	2010-08-03
Original Issue Date :	2010-08-03
Effective Date :	2010-08-03
Expiration Date :	2015-08-02
Retirement Date :	2015-09-30
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400045852
External Permit Number :	FLG110583
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	.045
Actual Average Flow Number :	.0456
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Tarmac America LLC
Permit Comp Status :	Y
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2022-09-23

LAST - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

LAST - FL ***(cont.)***

Site Details

Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	3864277940
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Owner Address 1 :	455 Fairway Dr, Deerfield Beach, FL 33441
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	5616441492
Contact :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486

Discharge Details

Discharge Date :	1991-09-05
Status Date :	2024-02-28
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-09-14
Score :	45
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

LUST - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

LUST - FL ***(cont.)***

Site Details

Facility ID :	8517641
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Phone :	3864277940
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Owner Address 1 :	455 Fairway Dr, Deerfield Beach, FL 33441
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	5616441492
Contact :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486

Discharge Details

Discharge Date :	1991-09-05
Status Date :	2024-02-28
Status Description :	SRCR COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-09-14
Score :	45
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

NPDES - FL

Facility Name :	Tarmac - Edgewater Concrete Batch Plant
Facility Address :	200 N Flagler Ave, Edgewater, FL
County :	VOLUSIA

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

NPDES - FL ***(cont.)***

Site Details

Issue Date :	2010-08-03
Effective Date :	2010-08-03
Expiration Date :	2015-08-02
Facility ID :	FLG110583
Facility Type :	Concrete Batch GP
Status :	Active
NPDES :	Y
Company Name :	Tarmac America LLC
Document Description :	Generic Permit
Nature of Business :	Manufacture Of Concrete Block And Redimix Concrete
Ownership Type :	Private
Treatment Process Summary :	No Treatment. Discharged To Onsite Percolation Pond With No Offsite Discharge
Department Office :	Central District
Capacity (MGD) :	0.0456
DW Class :	N/R
Last Date in Agency List :	2014-06-27

Related Party Details

Related Party Name :	John Crawford, Director
Related Party Address :	455 Fairway Dr, Deerfield Beach FL 33441-1809
Related Party Address 2 :	N/R
Related Party Phone :	9544812800
Related Party Email :	jccrawford@titanamerica.com
Facility Name :	Titan Florida-Edgewater RMP
Facility Address :	200 N Flagler Ave, Edgewater, FL
County :	VOLUSIA

Site Details

Issue Date :	2020-02-13
Effective Date :	2020-08-03
Expiration Date :	2025-08-02
Facility ID :	FLG110583
Facility Type :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

NPDES - FL ***(cont.)***

Status :	Active
NPDES :	Y
Company Name :	Titan Florida LLC
Document Description :	Generic Permit
Nature of Business :	Manufacture Of Concrete Block And Redimix Concrete
Ownership Type :	Private
Treatment Process Summary :	No Treatment. Discharged To Onsite Percolation Pond With No Offsite Discharge
Department Office :	Central District
Capacity (MGD) :	0.0456
DW Class :	N/R
Last Date in Agency List :	2024-08-16

Related Party Details

Related Party Name :	Matthew Davitt
Related Party Address :	455 Fairway Dr, Deerfield Beach FL 33441-1809
Related Party Address 2 :	-
Related Party Phone :	5616441492
Related Party Email :	mdavitt@titanamerica.com

PCS FACILITY

Issue Date :	2020-02-13
Original Issue Date :	2010-08-03
Effective Date :	2020-02-13
Expiration Date :	2025-02-12
Retirement Date :	2020-08-02
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3602119968
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	.0456
Actual Average Flow Number :	.0456
State Water Body :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

PCS FACILITY ***(cont.)***

State Water Body Name :	N/R
Permit Name :	Al Andreansky Consulting
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2020-02-13
Original Issue Date :	2010-08-03
Effective Date :	2020-08-03
Expiration Date :	2025-08-02
Retirement Date :	N/R
Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3603597615
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	.0456
Actual Average Flow Number :	.0456
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Titan Florida LLC
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2015-04-07
Original Issue Date :	2010-08-03
Effective Date :	2015-10-01
Expiration Date :	2020-08-02
Retirement Date :	2020-02-12

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

PCS FACILITY ***(cont.)***

Termination Date :	N/R
Issuing Agency :	Florida Department of Environmental Protection
Agency Type :	State
Activity ID :	3600403015
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Effective
Total Design Flow Number :	.0456
Actual Average Flow Number :	.0456
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Al Andreansky Consulting
Permit Comp Status :	N/R
RNC Tracking :	Y
Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

Issue Date :	2010-08-03
Original Issue Date :	2010-08-03
Effective Date :	2010-08-03
Expiration Date :	2015-08-02
Retirement Date :	2015-09-30
Termination Date :	N/R
Issuing Agency :	N/R
Agency Type :	State
Activity ID :	2400045852
External Permit Number :	N/R
Facility Type Indicator :	NON-POTW
Permit Type :	General Permit Covered Facility-NPDES)
Major Minor Status :	N
Permit Status :	Administratively Continued
Total Design Flow Number :	.045
Actual Average Flow Number :	.0456
State Water Body :	N/R
State Water Body Name :	N/R
Permit Name :	Tarmac America LLC
Permit Comp Status :	Y
RNC Tracking :	Y

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

PCS FACILITY ***(cont.)***

Master External Permit Number :	FLG110000
TMDL Interface :	N/R
EDMR Authorization :	N
Pretreatment Indicator :	N/R
Last Date in Agency List :	2024-06-10

RCRA_NONGEN

Facility Name :	EDGEWATER BATCH PLANT
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132-2152
County :	VOLUSIA
Date Form Received by Agency :	2009-12-22
EPA ID :	FLD982163800
Mailing Address :	PO BOX 2998, HIALEAH, FL 33012
Contact :	SCOTT QUAAS
Contact Address :	PO BOX 2998, HIALEAH, FL 33012
Contact Country :	US
Contact Telephone :	305-823-8800
Contact Email :	N/R
EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	SCOTT QUAAS
Owner/Operator Address :	PO BOX 2998, HIALEAH, FL 33012
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1988-05-11
Facility Name :	EDGEWATER BATCH PLANT
Classification :	Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Facility Name :	EDGEWATER MACHINE & FABRICATOR
Facility Address :	200 N FLAGLER AVE PO BOX 358, EDGEWATER, FL 32132-0358
County :	VOLUSIA

Date Form Received by Agency :	2005-09-26
EPA ID :	FLD982085573
Mailing Address :	PO BOX 358 200 N FLAGLER AVE, EDGEWATER, FL 32132-0358
Contact :	JAMES SCOTT
Contact Address :	PO BOX 358, EDGEWATER, FL 32132-0358
Contact Country :	US
Contact Telephone :	904-428-3215
Contact Email :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

EPA Region :	04
Land Type :	Private
Source Type :	Implementer
Classification :	Not a generator, verified
Description :	Not a generator, verified
Last Date in Agency List :	2024-06-19

Owner/Operator Summary

Owner/Operator Name :	JAMES SCOTT
Owner/Operator Address :	PO BOX 358, EDGEWATER, FL 32132
Owner/Operator Country :	US
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	1996-10-18
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

RCRA_NONGEN ***(cont.)***

Historical Generators
Date Form Received by Agency : 1988-09-28
Facility Name : EDGEWATER MACHINE & FABRICATOR
Classification : Small Quantity Generator

Notices of Violations Summary
Regulation Violated : N

RCRA_VSQG

Facility Name : EDGEWATER MACHINE & FABRICATING
Facility Address : 200 N FLAGLER AVE, EDGEWATER, FL 32132-2152
County : VOLUSIA

Date Form Received by Agency : 1988-08-18
EPA ID : FLTMP8801642
Mailing Address : N/R
Contact : N/R
Contact Address : N/R
Contact Country : US
Contact Telephone : N/R
Contact Email : N/R
EPA Region : 04
Land Type : Other land type
Source Type : Emergency
Classification : Very Small Quantity Generator

Description :

Handlers that generate 100 kilograms or less of hazardous waste per calendar month, and accumulate 1000 kg or less of hazardous waste at any time; or generate one kilogram or less of acutely hazardous waste per calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste;or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulate at any time: 1 kg or less of acutely hazardous waste; or 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste.

Last Date in Agency List : 2024-06-19

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

RCRA_VSQG ***(cont.)***

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Notices of Violations Summary

Regulation Violated :	N

SPILLS - FL

Facility Name :	American Compliance Technologies
Facility Address :	200 N Flagler Ave. - parking lot, EDGEWATER
County :	Volusia

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Incident Details

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Spill
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	30 gallon
Pollutant Category :	Petroleum

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Facility Name :	CCC Transportation LLC
Facility Address :	200 North Flagler Ave., EDGEWATER
County :	Volusia

Incident Details

Incident Number :	48386
Incident Date :	2013-02-04
Incident Status :	Closed
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	130.00 gallon
Pollutant Category :	Petroleum

Facility Name :	Emergency Response and Training Solutions
Facility Address :	200 North Flagler Ave., EDGEWATER
County :	Volusia

Incident Details

Incident Number :	48386
Incident Date :	2013-02-04
Incident Status :	Closed
Incident Type :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	130.00 gallon
Pollutant Category :	Petroleum

Facility Name :	ERTS
Facility Address :	200 North Flagler Ave., EDGEWATER
County :	Volusia

Incident Details

Incident Number :	48386
Incident Date :	2013-02-04
Incident Status :	Closed
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	130.00 gallon
Pollutant Category :	Petroleum
Facility Name :	Premium Environmental Services
Facility Address :	200 N Flagler Ave. - parking lot, EDGEWATER
County :	Volusia

Incident Details

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Spill
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	30 gallon
Pollutant Category :	Petroleum

Facility Name :	Ruan Transport Corporation
Facility Address :	200 N Flagler Ave. - parking lot, EDGEWATER
County :	Volusia

Incident Details

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Spill
On-scene Response :	N
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Incident Number :	61711
Incident Date :	2018-10-05
Incident Status :	Saved
Incident Type :	Inland
Descriptions :	Vehicle Accident
On-scene Response :	N

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2018-12-20

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	30 gallon
Pollutant Category :	Petroleum

Facility Name :	SWS Environmental Services
Facility Address :	200 North Flagler Ave., EDGEWATER
County :	Volusia

Incident Details

Incident Number :	48386
Incident Date :	2013-02-04
Incident Status :	Closed
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

SPILLS - FL ***(cont.)***

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	130.00 gallon
Pollutant Category :	Petroleum

Facility Name :	Tarmac America LLC
Facility Address :	200 North Flagler Ave., EDGEWATER
County :	Volusia

Incident Details

Incident Number :	48386
Incident Date :	2013-02-04
Incident Status :	Closed
Incident Type :	N/R
Descriptions :	N/R
On-scene Response :	N/R
State Warning Point Date :	N/R
State Warning Point Code :	N/R
Sector Code :	N/R
Facility Reported :	N/R
Business Type :	N/R
Petroleum Flag :	N/R
Off-site Release Flag :	N/R
Release Source Code :	N/R
Release Description :	N/R
Last Date in Agency List :	2017-10-12

Pollutants

Pollutant Name :	Diesel fuel
Pollutant Actual Volume :	130.00 gallon
Pollutant Category :	Petroleum

T 2 - FL

Facility Name :	TARMAC AMERICA - EDGEWATER RMC
Facility Address :	200 NORTH FLAGLER AVENUE, EDGEWATER, FL 32132-2152
County :	Volusia

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Filing Year :	2013
Filing Type :	311 Tier2
Company Name :	TARMAC AMERICA LLC
Facility ID :	4515810
State Facility ID :	N/R
SIC :	N/R
NAICS :	32732 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	190757732
De-Registered Date :	N/R
Data Submitted by :	Kelly Folsom
Contact 1 - Name :	Kelly Folsom
Contact 1 - Contact Type :	313 Technical 24 Hour Contact
Contact 1 - Email :	kfolsom@titanamerica.com
Contact 1 - 24-hour Phone :	313 Technical 24 Hour Contact Phone :954-242-0183
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2014-02-21
First Submit Date :	2014-02-21
Latitude :	28.991543
Longitude :	-80.91452
Last Date in Agency List :	2015-08-27

Chemical Information

Filing Year :	N/R
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	2318000.0
Average Daily Quantity :	1159000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	N/R
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	F
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	68131748
Chemical Name :	FLY ASH [COAL ASH]

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Maximum Daily Quantity :	266000.0
Average Daily Quantity :	133000.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	2
F :	0
R :	1
S :	N/R
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R
In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	N/R
CAS Number :	68476346
Chemical Name :	Diesel Fuel Oil (low sulfur)
Maximum Daily Quantity :	3700.0
Average Daily Quantity :	1700.0
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	2
R :	0
S :	N/R
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	N/R
Chronic :	T
Pressure :	F
Reactive :	F
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	N/R
Oxidizer (Liquid, Solid or Gas) :	N/R
Self-Reactive :	N/R
Pyrophoric (Liquid or Solid) :	N/R
Pyrophoric Gas :	N/R
Self-Heating :	N/R
Organic Peroxide :	N/R
Corrosive to Metal :	N/R
Gas Under Pressure (Compressed Gas) :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	N/R
Combustible Dust :	N/R
Acute :	N/R
Skin Corrosion or Irritation :	N/R
Serious Eye Damage or Eye Irritation:	N/R
Respiratory or Skin Sensitization :	N/R
Germ Cell Mutagenicity :	N/R
Carcinogenicity :	N/R
Reproductive Toxicity :	N/R
Specific Target Organ Toxicity (Single or Repeated Exposure):	N/R
Aspiration Hazard :	N/R
Simple Asphyxiant :	N/R
Hazard Not Otherwise Classified :	N/R

Filing Year :	2012
Filing Type :	Tier2
Company Name :	TARMAC AMERICA LLC
Facility ID :	4092986
State Facility ID :	N/R
SIC :	N/R
NAICS :	32732 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	N/R
De-Registered Date :	N/R
Data Submitted by :	Kelly Folsom
Contact 1 - Name :	Kelly Folsom
Contact 1 - Contact Type :	313 Technical 24 Hour Contact
Contact 1 - Email :	kfolsom@titanamerica.com
Contact 1 - 24-hour Phone :	313 Technical 24 Hour Contact Phone :954-242-0183
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	N/R
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2013-02-27
First Submit Date :	2013-02-27
Latitude :	28.991543
Longitude :	-80.91452
Last Date in Agency List :	2014-02-12

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Facility Name :	TITAN FLORIDA - EDGEWATER RMC
Facility Address :	200 NORTH FLAGLER AVENUE, EDGEWATER, FL 32132-2152
County :	Volusia
Filing Year :	2023(Tier2)
Filing Type :	312 TRI
Company Name :	TITAN AMERICA LLC
Facility ID :	7433037
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	190757732
De-Registered Date :	N/R
Data Submitted by :	Matthew Davitt
Contact 1 - Name :	Titan America
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	kfolsom@titanamerica.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	9542420183
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2024-02-28
First Submit Date :	2024-02-28(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2024-07-22

Chemical Information

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	MPOZZOLITH 700
Maximum Daily Quantity :	19,724
Average Daily Quantity :	9,862
Max Amount in Largest Container :	19,724
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F
Filing Year :	2023(Tier2)
CAS Number :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Chemical Name :	MGlenium 7920
Maximum Daily Quantity :	17,953
Average Daily Quantity :	8,976
Max Amount in Largest Container :	17,953
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	N/R
Chemical Name :	MSET AC 534
Maximum Daily Quantity :	11,668
Average Daily Quantity :	5,834
Max Amount in Largest Container :	11,668
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	14808607
Chemical Name :	Aggregates
Maximum Daily Quantity :	9,494,000
Average Daily Quantity :	4,747,000
Max Amount in Largest Container :	2,000,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2023(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	2,562,000
Average Daily Quantity :	1,281,000
Max Amount in Largest Container :	400,000
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
Filing Type :	312 TRI
Company Name :	TITAN AMERICA LLC
Facility ID :	7296485
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	190757732

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

De-Registered Date :	N/R
Data Submitted by :	Kelly Folsom
Contact 1 - Name :	Titan America
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	kfolsom@titanamerica.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	9542420183
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2023-03-01
First Submit Date :	2023-03-01(Tier2)
Latitude :	N/R
Longitude :	N/R
Last Date in Agency List :	2023-07-21

Chemical Information

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	MSET AC 534
Maximum Daily Quantity :	23,335
Average Daily Quantity :	11,668
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	N/R
Chemical Name :	MGlenium 7920
Maximum Daily Quantity :	17,953
Average Daily Quantity :	8,976
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	14808607
Chemical Name :	Aggregates
Maximum Daily Quantity :	9,494,000
Average Daily Quantity :	4,747,000
Max Amount in Largest Container :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Hazard Not Otherwise Classified :	F
Filing Year :	2022(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT
Maximum Daily Quantity :	2,562,000
Average Daily Quantity :	1,281,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2022(Tier2)
CAS Number :	68131748
Chemical Name :	FLY ASH [COAL ASH]
Maximum Daily Quantity :	120,000
Average Daily Quantity :	60,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	2
F :	0
R :	1
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
Filing Type :	312 TRI
Company Name :	TITAN AMERICA LLC
Facility ID :	7111994
State Facility ID :	N/R
SIC :	N/R
NAICS :	327320 - Ready-Mix Concrete Manufacturing
Dun & Bradstreet Code :	190757732
De-Registered Date :	N/R
Data Submitted by :	Kelly Folsom
Contact 1 - Name :	Titan America
Contact 1 - Contact Type :	Owner / Operator
Contact 1 - Email :	kfolsom@titanamerica.com
Contact 1 - 24-hour Phone :	N/R
Contact 1 - Work Phone :	N/R
Contact 1 - Additional Phone :	9542420183
Access ID :	N/R
Florida SERC :	N/R
EIN Number :	N/R
Last Modified Date :	2022-02-23
First Submit Date :	2022-02-23(Tier2)
Latitude :	N/R
Longitude :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Last Date in Agency List : 2022-12-20

Chemical Information

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	MPOZZOLITH 700
Maximum Daily Quantity :	14,190
Average Daily Quantity :	7,095
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	MGLENIUM 7920
Maximum Daily Quantity :	31,380
Average Daily Quantity :	15,690
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	N/R
Chemical Name :	MSET AC 534
Maximum Daily Quantity :	34,961
Average Daily Quantity :	17,481
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0
S :	-
Solid :	F
Liquid :	T
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	T
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	F
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	14808607
Chemical Name :	Aggregates
Maximum Daily Quantity :	9,494,000
Average Daily Quantity :	4,747,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	0
F :	0
R :	0

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	F
Serious Eye Damage or Eye Irritation:	F
Respiratory or Skin Sensitization :	F
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F
Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

Filing Year :	2021(Tier2)
CAS Number :	65997151
Chemical Name :	PORTLAND CEMENT

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Maximum Daily Quantity :	2,562,000
Average Daily Quantity :	1,281,000
Max Amount in Largest Container :	N/R
EHS :	N/R
Below Thresholds :	N/R
Trade Secret :	N/R
H :	N/R
F :	N/R
R :	N/R
S :	-
Solid :	T
Liquid :	F
Gas :	F
Pure :	F
Mixture :	T
Explosive :	F
Chronic :	N/R
Pressure :	N/R
Reactive :	N/R
Storage :	N/R
Pressure 2 :	N/R
Temperature Types :	N/R
Max Amount :	N/R
Flammable (Gases, Aerosols, Liquids, or Solids):	F
Oxidizer (Liquid, Solid or Gas) :	F
Self-Reactive :	F
Pyrophoric (Liquid or Solid) :	F
Pyrophoric Gas :	F
Self-Heating :	F
Organic Peroxide :	F
Corrosive to Metal :	F
Gas Under Pressure (Compressed Gas) :	F
In Contact with Water Emits Flammable Gas:	F
Combustible Dust :	F
Acute :	F
Skin Corrosion or Irritation :	T
Serious Eye Damage or Eye Irritation:	T
Respiratory or Skin Sensitization :	T
Germ Cell Mutagenicity :	F
Carcinogenicity :	F
Reproductive Toxicity :	F

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

T 2 - FL ***(cont.)***

Specific Target Organ Toxicity (Single or Repeated Exposure):	T
Aspiration Hazard :	F
Simple Asphyxiant :	F
Hazard Not Otherwise Classified :	F

TRIS

Facility Name :	EDGEWATER (RM & BLOCK)
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Facility Details

TRIF ID :	3213WDGWTR2NFLB
Federal Facility Flag :	NO
Primary NAICS :	327320 - Ready-Mix Concrete Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2016-09-14

Contact Information

Public Contact Name :	KELLY FOLSOM
Public Contact Email :	KFOLSOM@TITANAMERICA.COM
Public Contact Phone :	9542420183
Public Contact Phone Ext :	N/R
Parent Company Name :	TITAN AMERICA LLC
Parent Company DB NR :	190757732

Reported Chemical Information

Reporting Year :	2019
Document Control Number :	1319218187060
CAS Number :	007439921
Chemical Name :	LEAD

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

TRIS ***(cont.)***

Unit of Measure :	Pounds
Maximum Amount Onsite :	01
Reporting Year :	2014
Document Control Number :	1314212441808
CAS Number :	007439921
Chemical Name :	LEAD
Unit of Measure :	Pounds
Maximum Amount Onsite :	01

Onsite Release Summary

Total Fugitive Air Emissions :	.0035
Total Stack Air Emissions :	.0021
Total Air Emissions :	.0056
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0
Total Surface Impoundments :	.0011
Total Other Disposal :	0
Total On-Site Land Releases :	.0011
Total Fugitive Air Emissions :	.0078
Total Stack Air Emissions :	.0046
Total Air Emissions :	.0124
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

TRIS ***(cont.)***

Total Land Treatment :	0
Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	.0023

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	.0011

Total Transferred Off-Site to Disposal:	0
Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	.0023

Facility Name :	TITAN FLORIDA-EDGEWATER (RM & BLOCK)
Facility Address :	200 N FLAGLER AVE, EDGEWATER, FL 32132
County :	VOLUSIA

Facility Details

TRIF ID :	3213WDGWTR2NFLB
Federal Facility Flag :	NO
Primary NAICS :	327320 - Ready-Mix Concrete Manufacturing
NAICS 2 :	N/R
NAICS 3 :	N/R
NAICS 4 :	N/R
NAICS 5 :	N/R
NAICS 6 :	N/R
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-16

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

TRIS ***(cont.)***

Contact Information

Public Contact Name :	KELLY FOLSOM
Public Contact Email :	KFOLSOM@TITANAMERICA.COM
Public Contact Phone :	9542420183
Public Contact Phone Ext :	N/R
Parent Company Name :	TITAN AMERICA LLC
Parent Company DB NR :	190757732

Reported Chemical Information

Reporting Year :	2022
Document Control Number :	1322221173812
CAS Number :	7439-92-1
Chemical Name :	Lead
Unit of Measure :	Pounds
Maximum Amount Onsite :	01

Onsite Release Summary

Total Fugitive Air Emissions :	.011979
Total Stack Air Emissions :	.007016
Total Air Emissions :	.018995
Total Number of Receiving Streams :	0
Total Surface Water Discharge :	0
Total Underground Injection Onsite to Class I Wells - Pounds:	0
Total Underground Injection Onsite to Class II-V Wells - Pounds:	0
Total Underground Injection :	0
Total RCRA Subtitle C Landfills :	0
Total Other On-Site Land Releases :	0
Total Land Treatment :	0
Total Surface Impoundments :	N/R
Total Other Disposal :	0
Total On-Site Land Releases :	.002468

Offsite Release Summary

Total Transferred Off-Site to Disposal:	0

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

TRIS ***(cont.)***

Total Transferred Off-Site for Further Waste Management:	0
Total RCRA C Surface Impoundments :	0
Total Other Surface Impoundments :	.002468

UST - FL

Facility Name :	EDGEWATER READY MIX
Facility Address :	200 N FLAGLER AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517641
Facility Phone :	3864277940
Facility Status :	OPEN
Facility Type :	Fuel user/Non-retail
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	24990
Owner Name :	TITAN AMERICA LLC
Owner Address 1 :	455 Fairway Dr, Deerfield Beach, FL 33441
Owner Address 2 :	ATTN: STORAGE TANK REGIS
Owner Phone :	5616441492
Contact :	MATTHEW DAVITT / SHELBY OLSEN 337-523-5486
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1974-07-01
Status :	Removed from Site
Status Date :	1991-09-30

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

UST - FL ***(cont.)***

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1973-07-01
Status :	Removed from Site
Status Date :	1991-09-30

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Vehicular Diesel
Install Date :	1974-07-01
Status :	Removed from Site
Status Date :	1991-09-30

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

WASTEWATER - FL

Facility Name :	Tarmac - Edgewater Concrete Batch Plant
Facility Address :	200 N Flagler Ave, Edgewater, FL
County :	VOLUSIA

Issue Date :	2010-08-03
Effective Date :	2010-08-03
Expiration Date :	2015-08-02
Facility ID :	FLG110583
Facility Type :	Concrete Batch GP
Status :	Active
NPDES :	Y
Major/Minor Discharge :	N/R
Environmental Interest :	N/R
Company Name :	Titan Florida, LLC
Related Party Name :	Muhammad Khan, Environmental Manager Florida Business Unit
Related Party Address :	455 Fairway Dr, Deerfield Bch FL 33441-1809
Related Party Address 2 :	N/R
Related Party Phone :	8052001655
Related Party Email :	mkhan@titanamerica.com
Document Description :	Generic Permit

Map Id: 39
Direction: NNE
Distance: 0.385 mi., 2032 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : EDGEWATER READY MIX | TITAN FLORIDA-EDGEWATER RMP | AAD4515 200 N FLAGLER AVE | 200 NORTH FLAGLER AVENUE | 200 C N FLAGLER AVE EDGEWATER | Edgewater | NEW SMYRNA BEACH, FL

Database(s) : [AIRS - FL, AST - FL, BROWNFIELDS-ACRES, CS - FL, DEDB - FL, DWM CONTAM - FL, ECHO, EPA LUST, EPA UST, ERNS, FA 3 - FL, FED BROWNFIELDS, FRS, GWIF - FL, HIST FED BROWNFIELDS, ICIS, INACTIVE PCS, LAST - FL, LUST - FL, NPDES - FL, PCS FACILITY, RCRA_NONGEN, RCRA_VSQG, SPILLS - FL, T 2 - FL, TRIS, UST - FL, WASTEWATER - FL] ***(cont.)***

Envirosite ID: 57303242
EPA ID: N/R

WASTEWATER - FL ***(cont.)***

Nature of Business :	Manufacture Of Concrete Block And Redimix Concrete
Ownership Type :	Private
Treatment Process Summary :	No Treatment. Discharged To Onsite Percolation Pond With No Offsite Discharge
Department Office :	Central District
Capacity (MGD) :	0.046
DW Class :	N/R
Last Date in Agency List :	2021-01-13
Facility Name :	Titan Florida-Edgewater RMP
Facility Address :	200 N Flagler Ave, Edgewater, FL
County :	VOLUSIA
Issue Date :	2020-02-13
Effective Date :	2020-08-03
Expiration Date :	2025-08-02
Facility ID :	FLG110583
Facility Type :	Concrete Batch GP
Status :	Active
NPDES :	Y
Major/Minor Discharge :	MI
Environmental Interest :	Industrial Wastewater Program
Company Name :	Al Andreansky Consulting
Related Party Name :	Al Andreansky, PMTE
Related Party Address :	PO Box 456, Palm Harbor FL 34682-0456
Related Party Address 2 :	N/R
Related Party Phone :	7274608612
Related Party Email :	envirosy@gate.net
Document Description :	Generic Permit
Nature of Business :	Manufacture Of Concrete Block And Redimix Concrete
Ownership Type :	Private
Treatment Process Summary :	N/R
Department Office :	Central District
Capacity (MGD) :	N/R
DW Class :	N/R
Last Date in Agency List :	2024-06-12

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL]

Envirosite ID: 57303241
EPA ID: FLT950051904

AFS

Facility Name :	COMPLEMENTARY COATINGS CORP.
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
County :	Volusia

Facility Summary

Program System ID :	FL0000001212700093
Facility Registry ID :	110000361536
EPA Region :	EPA Region 4 - AL, FL, GA, KY, MS, NC, SC, TN
SIC :	2851 - PAINTS, VARNISHES, LACQUERS, ENAMELS, AND ALLIED PRODUCTS
NAICS :	325510 - Paint and Coating Manufacturing
Facility Type :	Privately Owned Facility
Air Pollutant Class :	Synthetic Minor Emissions
Air Operating Status :	Permanently Closed
Current High Priority Violation (HPV):	No Violation Identified
Local Control Region Name :	N/R
Last Date in Agency List :	2024-07-11

Air Pollutant Details

Program System ID :	FL0000001212700093
Pollutant :	PARTICULATE MATTER < 10 UM
Substance Registry Services ID (SRS):	1647619
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001212700093
Pollutant :	TOTAL HAZARDOUS AIR POLLUTANTS (HAPS)
Substance Registry Services ID (SRS):	761502
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Synthetic Minor Emissions

Program System ID :	FL0000001212700093
Pollutant :	TOTAL PARTICULATE MATTER
Substance Registry Services ID (SRS):	1647643
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Program System ID :	FL0000001212700093
Pollutant :	VOLATILE ORGANIC COMPOUNDS (VOCS)
Substance Registry Services ID (SRS):	761346
Chemical Abstract Service Number :	N/R
Air Pollutant Class :	Minor Emissions

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

AFS ***(cont.)***

Air Violation History Details

HPV Day Zero Date :	N/R
HPV Resolved Date :	N/R
Program System ID :	FL0000001212700093
Activity ID :	N/R
Agency Type :	N/R
State Code :	N/R
Air Local Control Region Code (LCON):	N/R
Comp Determination UID :	N/R
Enforcement Response Policy :	N/R
Program :	N/R
Pollutant :	N/R
Earliest Determination Date of Federally Reportable Violation (FRV):	N/R

AIRS - FL

Facility Name :	CORONADO PAINT COMPANY
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, 32132
County :	VOLUSIA
Startup Date (Relocation) :	N/R
Shutdown Date (Relocation) :	N/R
AIRS ID :	1270093
Owner/Company Name :	COMPLEMENTARY COATINGS CORP.
Category :	POINT
Relocatable :	N/R
UTM Zone :	17
North :	3206.49
East :	508.65
Township :	N/R
Major Group SIC :	28
Government Facility Code :	0
Public Exempt :	N/R
One Time Title V Credit :	N
Title V :	N
Title V by EPA Designation :	N
Compliance Tracking Code :	SM
Current Permit Indicator :	N/R
Syn Non Title V Source :	Y
Major of Non Haps Pollutants :	N
Syn Minor of Non Hap Pollutants :	N
Major of HAPS :	N
Syn Minor of HAPS :	Y
NSPS :	N
NESHAP :	N
Emission Guidelines :	N/R
Small Business Stationary :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

AIRS - FL ***(cont.)***

AOR Required :	Y
Ozone SIP Facility :	N
Regulatory Comment :	N/R
Facility Final Shutdown Date :	2009-12-14
Facility Office :	CD
Facility Status :	Inactive
Facility Type :	SURFACE COATING OPERATION
Directions :	308 OLD COUNTY ROAD
Facility Comment :	PAINT MANUFACTURING FACILITY
Last Date in Agency List :	2024-08-21

AST - FL

Facility Name :	COMPLEMENTARY COATINGS CORP (DBA INSL-X)
Facility Address :	308 OLD COUNTY RD, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	9806438
Facility Phone :	3864267666
Facility Status :	CLOSED
Facility Type :	E
Type Description :	Industrial Plant
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	56851
Owner Name :	COMPLEMENTARY COATINGS CORP (DBA INSL-X)
Owner Address 1 :	N/R
Owner Address 2 :	ATTN: DAVID W DILL
Owner Phone :	3864286461
Contact :	DAVID W DILL
DEP Contractor Own :	P

Tank Information

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Tank ID :	1
Gallons :	6363
Tank Location :	ABOVEGROUND

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

AST - FL ***(cont.)***

Substance :	Hazardous Substance
Install Date :	1997-01-01
Status :	Removed from Site
Status Date :	2010-02-01

Tank ID :	10
Gallons :	6363
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1997-01-01
Status :	Removed from Site
Status Date :	2010-02-01

Tank ID :	11
Gallons :	6363
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1997-01-01
Status :	Removed from Site
Status Date :	2010-02-01

Tank ID :	14
Gallons :	2961
Tank Location :	ABOVEGROUND
Substance :	Misc Petrol-Based Product
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2006-06-01

Tank ID :	18
Gallons :	5985
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2006-06-01

Tank ID :	19
Gallons :	10094
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2006-06-01

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

AST - FL ***(cont.)***

Tank ID :	21
Gallons :	6062
Tank Location :	ABOVEGROUND
Substance :	Misc Petrol-Based Product
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2006-06-01

Tank ID :	23
Gallons :	5199
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2010-02-01

Tank ID :	24
Gallons :	2948
Tank Location :	ABOVEGROUND
Substance :	Misc Petrol-Based Product
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2006-06-01

Tank ID :	26
Gallons :	5199
Tank Location :	ABOVEGROUND
Substance :	Hazardous Substance
Install Date :	1975-01-01
Status :	Removed from Site
Status Date :	2010-02-01

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

BRS

Facility Name :	COMPLEMENTARY COATINGS CORP (D/B/A INSL-X)
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
County :	VOLUSIA

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Site Details

Date Form Received by Agency :	2010-02-12
EPA ID :	FLD082400441
Mailing Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
Contact :	JOSEPH E ROBERTS
Contact Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
Contact Country :	US
Contact Telephone :	386-426-7666
Contact Email :	JOE.ROBERTS@INSL-X.COM
EPA Region :	04
Land Type :	Private
Source Type :	Annual/Biennial Report updated with Notification
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2024-06-24

Owner/Operator Summary

Owner/Operator Name :	308 REALTY LLC
Owner/Operator Address :	308 OLD COUNTY ROAD, EDGEWATR, FL 32132
Owner/Operator Country :	N/R
Owner/Operator Telephone :	386-426-7666
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private
Owner/Operator Type :	Owner
Owner/Operator Start Date :	2008-03-03
Owner/Operator End Date :	N/R

Owner/Operator Name :	COMPLEMENTARY COATINGS CORP (D/B/A INSL-
Owner/Operator Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
Owner/Operator Country :	N/R
Owner/Operator Telephone :	386-426-7666
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	Private

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Owner/Operator Type :	Operator
Owner/Operator Start Date :	2008-03-03
Owner/Operator End Date :	N/R

Waste Activity Monitoring

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Report Cycle :	2009
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE PAINT RELATED MATERIAL - GENERATED FROM EQUIPMENT CLEANUP
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W211 - Paint thinner or petroleum distillates
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	152.9615
Managed Tons :	0
Shipped Tons :	152.9615
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	Y - Waste minimization was implemented and was successful in reducing quantity and/or toxicity (please detail reasons in the Comments section)
Waste Code List :	D001, F003, F005
Waste Code Group :	F1_5 - F001-F005 combinations
Waste Generation Type :	N/R

Report Cycle :	2009
Hazardous Waste Page Number :	2
Hazardous Waste Sub-Page Number :	1
BR Form :	GM

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Waste Description :	WASTE SOLIDS CONTAINING FLAMMABLE LIQUIDS - GENERATED DURING EQUIPMENT CLEANUP.
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W002 - Contaminated debris (see definition at 40 CFR 268.2(g) and requirements at 40 CFR 268.45):for example, certain paper, clothing, rags, wood, empty fiber or plastic containers, glass, piping, or other solids
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	2.29
Managed Tons :	0
Shipped Tons :	2.29
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	X - No waste minimization efforts were implemented for this waste
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R
Report Cycle :	2009
Hazardous Waste Page Number :	3
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	PHOTOGRAPHIC WASTE CONTAINS ACETIC ACID, AMMONIUM THIOSULFATE, SILVER CHLORIDE - GENERATED FROM FILM PROCESSING.
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G13 - Cleaning out process equipment (periodic sludge or residual removal from enclosed processes including internal scrubbing or cleaning)
Form Code :	W119 - Other inorganic liquid (specify in comments)
Management Method :	H010 - Metals recovery including retorting, smelting, chemical, etc.
Generation Tons :	0.075
Managed Tons :	0
Shipped Tons :	0.075
Received Tons :	0

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Receiver ID :	FLD984229609
Receiver State :	FL
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	X - No waste minimization efforts were implemented for this waste
Waste Code List :	D011
Waste Code Group :	D011 - SILVER
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	IGNITABLE SPENT SOLVENT - GENERATED FROM EQUIPMENT CLEANUP
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W211 - Paint thinner or petroleum distillates
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	107.656
Managed Tons :	0
Shipped Tons :	107.656
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D001, F003, F005
Waste Code Group :	F1_5 - F001-F005 combinations
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	2
BR Form :	GM
Waste Description :	IGNITABLE SPENT SOLVENT - GENERATED FROM EQUIPMENT CLEANUP
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W211 - Paint thinner or petroleum distillates
Management Method :	H040 - Incineration - thermal destruction other than use as a fuel (includes any preparation prior to burning)
Generation Tons :	1.567

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Managed Tons :	0
Shipped Tons :	1.567
Received Tons :	0
Receiver ID :	OHD048415665
Receiver State :	OH
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D001, F003, F005
Waste Code Group :	F1_5 - F001-F005 combinations
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	2
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	WASTE SOLIDS CONTAINING FLAMMABLE LIQUIDS - GENERATED DURING EQUIPMENT CLEANUP
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W002 - Contaminated debris (see definition at 40 CFR 268.2(g) and requirements at 40 CFR 268.45):for example, certain paper, clothing, rags, wood, empty fiber or plastic containers, glass, piping, or other solids
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	1.878
Managed Tons :	0
Shipped Tons :	1.878
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	3

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	FLAMMABLE LIQUID CONTAINS XYLENE AND TOLUENE 1,3-DIISOCYANATE, GENERATED DURING INVENTORY PURGE OF OFF SPECIFICATION AND OBSOLETE RAW MATERIALS.
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W211 - Paint thinner or petroleum distillates
Management Method :	H061 - Fuel blending prior to energy recovery at another site (waste generated either on-site or received from off-site)
Generation Tons :	0.137
Managed Tons :	0
Shipped Tons :	0.137
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D001
Waste Code Group :	D001 - IGNITABLE WASTE
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	4
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	CORROSIVE LIQUID CONTAINS SODIUM HYDROXIDE AND SODIUM SILICATE - GENERATED DURING INVENTORY PURGE OF OFF SPECIFICATION AND OBSOLETE RAW MATERIALS.
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G11 - Discarding off-specification, out-of-date, and/or unused chemicals or products
Form Code :	W110 - Caustic aqueous waste without cyanides (pH >12.5)
Management Method :	H121 - Neutralization only (no other treatment)
Generation Tons :	1.524
Managed Tons :	0

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Shipped Tons :	1.524
Received Tons :	0
Receiver ID :	OHD083377010
Receiver State :	OH
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D002
Waste Code Group :	D002 - CORROSIVE WASTE
Waste Generation Type :	N/R
Report Cycle :	2007
Hazardous Waste Page Number :	5
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	PHOTOGRAPHIC WASTE CONTAINS ACETIC ACID, AMMONIUM THIOSULFATE, SILVER CHLORIDE - GENERATED FROM FILM PROCESSING
Primary NAICS :	32551 - Paint and Coating Manufacturing
Source Code :	G13 - Cleaning out process equipment (periodic sludge or residual removal from enclosed processes including internal scrubbing or cleaning)
Form Code :	W119 - Other inorganic liquid (specify in comments)
Management Method :	H010 - Metals recovery including retorting, smelting, chemical, etc.
Generation Tons :	0.011
Managed Tons :	0
Shipped Tons :	0.011
Received Tons :	0
Receiver ID :	FLD984229609
Receiver State :	FL
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D011
Waste Code Group :	D011 - SILVER
Waste Generation Type :	N/R
Report Cycle :	2005
Hazardous Waste Page Number :	1
Hazardous Waste Sub-Page Number :	1
BR Form :	GM
Waste Description :	IGNITABLE SPENT SOLVENT SOLVENT - GENERATED FROM EQUIPMENT CLEANUP
Primary NAICS :	32551 - Paint and Coating Manufacturing

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

BRS ***(cont.)***

Source Code :	G06 - Painting and coating (manufacturing, building, or maintenance)
Form Code :	W211 - Paint thinner or petroleum distillates
Management Method :	H050 - Energy recovery at this site - used as fuel (includes on-site fuel blending before energy recovery; report only this code)
Generation Tons :	244.5125
Managed Tons :	0
Shipped Tons :	244.5125
Received Tons :	0
Receiver ID :	SCD036275626
Receiver State :	SC
Shipper ID :	FLD082400441
Shipper State :	FL
Waste Minimization :	N/R
Waste Code List :	D001, F005
Waste Code Group :	F005 - THE FOLLOWING SPENT NONHALOGENATED SOLVENTS: TOLUENE, METHYL ETHYL KETONE, CARBON DISULFIDE, ISOBUTANOL, PYRIDINE, BENZENE, 2-ETHOXYETHANOL, AND 2-NIT
Waste Generation Type :	N/R

CERCLIS NFRAP

Facility Name :	CORONADO PAINT INC
Facility Address :	308 OLD COUNTRY RD, EDGEWATER, FL 32032
County :	VOLUSIA
Site ID :	0400762
Epa ID :	FLD082400441
Short Name :	CORONADO PAINT INC
Congressional District :	04
IFMS ID :	N/R
SMSA Number :	2020
USGC Hydro Unit :	03080202
Federal Facility :	N
DMNSN Number :	2
Site Orphan Flag :	N
RCRA ID :	N/R
USGS Quadrangle :	N/R
Site Init by Prog :	N/R
NFRAP Flag :	NFA
Parent ID :	N/R
RST Code :	N/R
EPA Region :	04
Classification :	N/R
Site Settings Code :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

CERCLIS NFRAP ***(cont.)***

NPL Status :	Not on the NPL
DMNSN Unit Code :	ACRE
RBRAC Code :	N/R
RResp Fed Agency Code :	N/R
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
Non NPL Status Date :	1995-03-30
Site Fips Code :	12127
CC Concurrence Date :	N/R
CC Concurrence FY :	N/R
Alias EPA ID :	N/R
Site FUDS Flag :	N/R

CERCLIS Site Contact Name(s)

Contact ID :	4000275
Contact Title :	Site Assessment Manager (SAM)
Contact ID :	13002428
Contact Title :	Site Assessment Manager (SAM)
Alias Comments :	CORONADO PAINT INC
Site Description :	N/R

CERCLIS Assessment History

Action Code :	001
Action :	SITE INSPECTION
Date Started :	N/R
Date Completed :	1991-01-30
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R
Action Code :	001
Action :	ARCHIVE SITE
Date Started :	N/R
Date Completed :	1996-01-23
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA In-House
Planning Status :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

CERCLIS NFRAP ***(cont.)***

Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	PRELIMINARY ASSESSMENT
Date Started :	N/R
Date Completed :	1985-09-27
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	State, Fund Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

Action Code :	001
Action :	DISCOVERY
Date Started :	N/R
Date Completed :	1985-02-01
Priority Level :	1
Operational Unit :	00
Primary Responsibility :	EPA Fund-Financed
Planning Status :	N/R
Urgency Indicator :	N/R
Action Anomaly :	N/R

DOCKET

Facility Name :	WATTYL U.S. LTD.
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132

Site Activity Details

Enforcement Action Case Number :	04-2003-1811
Activity ID :	103768
Enforcement Action Name :	WATTYL U.S. LTD.
Last Date in Agency List :	2024-05-16

Final Ordr Iss/Final Order Enter Date:	2003-09-17
Complaint/Proposed Order Actual Date:	N/R
Final Order Issued Actual Date :	2003-09-17
Final Order Name :	Wattyl U.S. LTD.

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

DOCKET ***(cont.)***

Complaint Summary

Respondent/Defendant Name :	Wattyl U.S. LTD.
Named in Complaint :	Y
Named in Final Order :	Y
SEP Category :	N/R
SEP Description :	N/R
Regional Docket Number :	CAA-04-2003-1811

Standard Industrial Classification (SIC) Summary

Registry ID :	110000361536
Primary SIC :	2851 - PAINTS, VARNISHES, LACQUERS, ENAMELS, AND ALLIED PRODUCTS
Primary NAICS :	325510 - Paint and Coating Manufacturing
Settlement FRS ICIS Facility :	5868883 - WATTYL U.S. LTD.
Pollutants (SRS) :	N/R
Admin EA Closed Actual Date :	2003-09-17
Enforcement Action Name :	Wattyl U.S. LTD.
Enforcement Action Resolution :	Final Order No Penalty
Violation Types :	Violation Of A Permit Requirement Violations Of Reporting Requirements
Case Law Sections :	CAA 114 - Record keeping, Inspection, Information Request

Violation Penalties and Compliance Summary

Compliance Action Cost :	0
EPA Penalty Assessed Amount :	0
Cost Recovery Required :	N/R
Cost of SEP :	0
Cost of Complying Actions :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

ECHO

Facility Name :	COMPLEMENTARY COATINGS CORP
Facility Address :	308 OLD COUNTY RD, EDGEWATER, FL 32132
County :	VOLUSIA
Last Inspection Date :	2010-07-28
Registry ID :	110000361536
FIPS Code :	12127
EPA Region :	04
Inspection Count :	0
Last Inspection Days :	5037
Informal Count :	0
Last Informal Action Date :	2005-01-28
Formal Action Count :	0
Last Formal Action Date :	2005-02-25
Total Penalties :	0
Penalty Count :	N/R
Last Penalty Date :	2005-02-25
Last Penalty Amount :	6331
QTRS IN NC :	0
Programs IN SNC :	0
Current Compliance Status :	No Violation Identified
Three-Year Compliance Status :	_____
Collection Method :	GPS CODE (PSEUDO RANGE) STANDARD POSITION (SA OFF)
Reference Point :	ENTRANCE POINT OF A FACILITY OR STATION
Accuracy Meters :	4
Derived Tribes :	N/R
Derived HUC :	03080202
Derived WBD :	030802020400
Derived STCTY FIPS :	12127
Derived Zip :	32132
Derived CD113 :	06
Derived CB2010 :	121270830081021
MYRTK Universe :	NNN
NPDES IDs :	FLR05B023
CWA Permit Types :	Non-M
CWA Compliance Tracking :	Off
CWA NAICS :	N/R
CWA SICS :	2851
CWA Inspection Count :	N/R
CWA Last Inspection Days :	5126
CWA Informal Count :	N/R
CWA Formal Action Count :	N/R
CWA Last Formal Action Date :	N/R
CWA Penalties :	N/R
CWA Last Penalty Date :	N/R
CWA Last Penalty Amount :	N/R
CWA Quarters IN NC :	0
CWA Current Compliance Status :	Terminated Permit

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

ECHO ***(cont.)***

CWA Current SNC Flag :	N
CWA 13 Quarters Compliance Status :	N/R
CWA 13 Quarters Effluent Exceedances:	N/R
CWA Three-Year QNCR Codes :	N/R
DFR URL :	Click here for hyperlink provided by the agency.
Facility SIC :	2851
Facility NAICS :	325510 - Paint and Coating Manufacturing, 325211 - Plastics Material and Resin Manufacturing
Facility Last Inspection EPA Date :	N/R
Facility Last Inspection State Date :	2010-07-28
Facility Last Formal Act EPA Date :	2003-09-17
Facility Last Formal Act State Date :	2005-02-25
Facility Last Informal Act EPA Date :	N/R
Facility Last Informal Act State Date:	2005-01-28
Facility Federal Agency :	N/R
TRI Reporter :	N/R
Facility Imp Water Flag :	Y
Current SNC Flag :	N
Indian County Flag :	N
Federal Flag :	N/R
US Mexico Border Flag :	N/R
Chesapeak Bay Flag :	N/R
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Major Flag :	N/R
Active Flag :	Y
NAA Flag :	N
Latitude :	28.988306
Longitude :	-80.910038
Last Date in Agency List :	2024-07-12

FA 3 - FL

Facility Name :	COMPLEMENTARY COATINGS CORP (DBA INSL-X)
Facility Address :	308 OLD COUNTY RD, EDGEWATER, 32132
County :	VOLUSIA
Effectivity Date :	2008-09-30
Expiration Date :	2009-09-30
Facility ID :	9806438
Facility Status :	CLOSED
Facility Type :	Industrial Plant

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

FA 3 - FL ***(cont.)***

DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	AMERICAN CASUALTY CO OF READING PA
Facility Phone :	3864267666
Owner ID :	56851
Owner Name :	COMPLEMENTARY COATINGS CORP (DBA INSL-X)
Address :	308 OLD COUNTY RD ATTN: DAVID W DILL, EDGEWATER, FL 32132
Contact Name :	DAVID W DILL
Phone :	3864286461
Last Date in Agency List :	2024-06-20

FRS

Facility Name :	COMPLEMENTARY COATINGS CORP
Facility Address :	308 OLD COUNTY RD, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110000361536
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :	AIR contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies. AFS contains compliance and permit data for stationary sources of air pollution regulated by the EPA, State, and Local air pollution agencies.
Source Description :	The Emission Inventory System (EIS) maintains an inventory of large stationary sources and voluntarily-reported smaller sources of air point pollution emitters. It contains information about facility sites and their physical location, emission units, emission processes, release points, control approaches, and regulations. Facility inventory data are kept separate from the emissions data and have stable identifiers to improve continuity from year to year and to help identify duplicate or missing facilities. The Florida Environmental System Today Application (FIESTA) Data Maintenance (FDM) system maintains entity, environmental interest and affiliation data for the State of Florida.

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

FRS ***(cont.)***

Source Description : ICIS provides a database that, when complete, will contain enforcement and compliance information across most of EPA's programs. The vision for ICIS is to replace EPA's independent databases that contain enforcement data with a single repository for that information. Currently, ICIS contains all Federal Administrative and Judicial enforcement actions and a subset of the Permit Compliance System (PCS), which supports the National Pollutant Discharge Elimination System (NPDES). This information is maintained in ICIS by EPA in the Regional offices and at Headquarters. A future release of ICIS will completely replace PCS and will integrate that information with Federal actions already in the system. ICIS also has the capability to track other activities that support compliance and enforcement programs, including incident tracking, compliance assistance, and compliance monitoring. The NPDES module of the Compliance Information System (ICIS) tracks surface water permits issued under the Clean Water Act. Under NPDES, all facilities that discharge pollutants from any point source into waters of the United States are required to obtain a permit. The permit will likely contain limits on what can be discharged, impose monitoring and reporting requirements, and include other provisions to ensure that the discharge does not adversely affect water quality.

Source Description : RCRAInfo is EPA's comprehensive information system that supports the Resource Conservation and Recovery Act (RCRA) of 1976 and the Hazardous and Solid Waste Amendments (HSWA) of 1984 through the tracking of events and activities related to facilities that generate, transport, and treat, store, or dispose of hazardous waste. RCRAInfo allows RCRA program staff to track the notification, permit, compliance, and corrective action activities required under RCRA. RCRAInfo also supports generation of the National Hazardous Waste Biennial Report. All generators and treatment, storage, and disposal facilities who handle hazardous waste are required to report to the EPA Administrator at least once every two years to support creation of the Biennial Report.
TRIS is a publicly available EPA database reported annually by certain covered industry groups, as well as federal facilities. It contains information about more than 650 toxic chemicals that are being used, manufactured, treated, transported, or released into the environment, and includes information about waste management and pollution prevention activities.

FRS Environmental Interest
Source and System ID : AIRS/AFS - 1212700093
EIS - 8304311
FLORIDA DEP - 19301
ICIS - 5868883
ICIS - FL0000001212700093
ICIS - FLR05B023
RCRAINFO - FLD082400441
TRIS - 32032CRNDP308OL

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

HMIRS (DOT)

Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL
County :	VOLUSIA

Site Details

Date of Incident :	1992-06-01
Time of Incident :	08:00
Report Submission Source :	Paper
Report Number :	I-1992060493
Multiple Rows per Incident :	No
NRC Number :	N/R
Federal DOT Agency Name :	N/R
Mode of Transportation :	Highway
Transportation Phase :	UNLOADING
Carrier/Reporter Name :	CTL DISTRIBUTION INC.
Carrier/Reporter Address :	4201 BONNIE MINE RD
Carrier/Reporter Non-US State :	FL
Carrier/Reporter FED DOT ID :	123624
Carrier/Reporter HAZMAT Reg ID :	N/R
Carrier/Reporter Country :	UNITED STATES
Shipper Name :	CARGILL INCORPORATED
Shipper Address :	71 BARNETT RD
Shipper Non-US State :	GA
Shipper Country :	UNITED STATES
Shipper Waybill/Shipping Paper :	989097
Shipper HAZMAT Registration ID :	N/R
Origin City :	FOREST PARK
Origin State :	GEORGIA
Origin Postal Code :	N/R
Origin Country :	US
Destination City :	EDGEWATER
Destination State :	FLORIDA
Destination Postal Code :	32132
Destination Non-US State :	N/R
Destination Country :	US
Commodity Short Name :	COMBUSTIBLE LIQUID N.O.
Commodity Long Name :	COMBUSTIBLE LIQUID N.O.S.
Technical/Trade Name :	N/R
Identification Number :	NA1993
Hazardous Class :	COMBUSTIBLE LIQUID
Packing Group :	N/R
Quantity Released :	20
Unit of Measure :	Liquid - Gallon Liquid
HAZMAT Waste Indicator :	No
HAZMAT Waste EPA Number :	N/R
HMIS Toxic by Inhalation Indicator :	No
TIH Hazard Zone :	N/R
Material Shipment Approval Indicator:	No

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

HMIRS (DOT) ***(cont.)***

Material Shipment Approval Number :	N/R
Undeclared HAZMAT Shipment Indicator:	No
Packaging Type :	Cargo Tank Motor Vehicle (CTMV)
Failed Object Code :	N/R
Failed Object Description :	N/R
Manner of Failure Code :	N/R
Manner of Failure Description :	N/R
Failure Cause Code :	526
Failure Cause Description :	Loose Closure Component or Device
Identification Markings :	N/R
Cont 1 Packaging Type :	N/R
Cont 1 Material of Construction :	N/R
Cont 1 Head Type :	N/R
Cont 1 Package Amount :	N/R
Cont 1 Package Amount UOM :	N/R
Cont 1 Package Number in Shipment :	1
Cont 1 Package Shipment Number Failed:	1
Cont 1 Package Manufacturer :	BARBER
Cont 1 Pkg Manufacturer Date :	N/R
Cont 1 Package Serial Number :	1139BEE1B9
Cont 1 Package Last Test Date :	1992-04-01
Cont 1 Package Design Pressure Reported:	N/R
Cont 1 Design Pressure UOM Reported :	N/R
Cont 1 Package Shell Thickness Reported:	N/R
Cont 1 Shell Thickness UOM Reported :	N/R
Cont 1 Head Thickness Reported :	N/R
Cont 1 Head Thickness UOM Reported :	N/R
Cont 1 Valve or Device Fail Indicator:	No
Cont 1 Valve or Device Type :	N/R
Cont 1 Valve Device Manufacturer :	N/R
Cont 1 Valve or Device Model :	N/R
Cont 2 Package Type :	N/R
Cont 2 Material of Construction :	N/R
Cont 2 Package Capacity :	N/R
Cont 2 Capacity UOM Reported :	N/R
Cont 2 Package Amount UOM :	N/R
Cont 2 Package Number in Shipment :	N/R
Cont 2 Package Shipment Number Failed:	N/R
RAM Package Category :	N/R
RAM Package Certification :	FALSE
RAM Nuclide(s) Present :	N/R
RAM Transport Index :	N/R
RAM Activity Reported :	N/R
RAM UOM Reported :	N/R
RAM Activity :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

HMIRS (DOT) ***(cont.)***

RAM Activity UOM :	N/R
Spillage (Result) Indicator :	Yes
Fire (Result) Indicator :	No
Explosion (Result) Indicator :	No
Water Sewer (Result) Indicator :	No
Gas Dispersion (Result) Indicator :	No
Environmental Damage (Result) :	No
No Release (Result) Indicator :	No
Fire/EMS Report Indicator :	No
Fire EMS/EMS Report Number :	N/R
Police Report Indicator :	No
Police Report Number :	N/R
In-House Cleanup Indicator :	No
Other Cleanup Indicator :	No
Damage More than 500 :	No
Material Loss :	$35.00
Carrier Damage :	$0.00
Property Damage :	$0.00
Response Cost :	$0.00
Remediation Cleanup Cost :	$0.00
Damage Other (Old Form) :	$0.00
Total Amount of Damages :	$35.00
HAZMAT Fatality Indicator :	No
HAZMAT Fatalities Employees :	0
HAZMAT Fatalities Responders :	0
HAZMAT Fatality General Public :	0
Total Hazmat Fatalities :	0
Non-HAZMAT Fatality Indicator :	No
Non-HAZMAT Fatalities :	0
HAZMAT Injury Indicator :	No
HAZMAT Hospitalized Employees :	0
HAZMAT Hospitalized Responders :	0
HAZMAT Hospitalized Gen Public :	0
HAZMAT Hospitalized (Old Form) :	0
Total Hazmat Hospital Injuries :	0
HAZMAT Non-Hospital Employees :	0
HAZMAT Non-Hospital Responders :	0
HAZMAT Non-Hospital General Public :	0
HAZMAT Non-Hospital (Old Form) :	0
Total Hazmat Non-Hospital Injuries :	0
Total Hazmat Injuries :	0
Evacuation Indicator :	No
Public Evacuated :	0
Employees Evacuated :	0
Total Evacuated :	0
Total Evacuation Hours :	0
Major Artery Closed :	No
Major Artery Hours Closed :	0
Material Involved in Accident :	No

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

HMIRS (DOT) ***(cont.)***

Estimated Speed :	0
Weather Conditions :	N/R
Vehicle Overturn :	No
Vehicle Left Roadway/Track :	No
Passenger Aircraft Indicator :	No
Cargo Passenger Baggage Indicator :	N/R
Incident Occurrence :	N/R
Shipphase Non-Transported Indicator :	No
Shipphase Air First Flight Indicator:	No
Shipphase Air SubFlight Indicator :	No
Shipphase Init Transport Indicator :	No
Shipphase Transfer Indicator :	No
Contact Name :	DELTON E PETERSON
Contact Title :	SAFETY MANAGER
Contact Business Name :	N/R
Contact Address :	N/R
Contact Non-US State :	N/R
Contact Country :	US
Preparer of Incident Report :	N/R
Description of Events :	FITTING ON HOSE CONNECTION CAME LOOSE ALLOWING PRODUCT TO LEAK OUT ONTO GROUND. PRODUCT WAS CLEANED UP AND PLACED INTO DISPOSAL BARRELS FOR PROPER DISPOSAL.
Recommendations/Actions Taken :	N/R
HMIS Serious Incident Indicator :	No
HMIS Serious Fatality :	No
HMIS Serious Injury :	No
HMIS Serious Flight Plan :	No
HMIS Serious Evacuations :	No
HMIS Serious Major Artery :	No
HMIS Serious Bulk Release :	No
HMIS Serious Marine Pollutant :	No
HMIS Serious Radioactive :	No
HMIS General Package Type :	OHMIR.Ref_Container.descr_txt
HMIS Container Code :	MC307
HMIS Container Description :	Cargo tanks
HMIS Bulk Incident Indicator :	Yes
Undeclared Shipment :	No
Last Date in Agency List :	2014-05-05

PRP-CORP

Facility Name :	CORONADO PINT COMPANY
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132
Actual Date :	2000-09-14
Date Type :	SETTLEMENT DATE

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

PRP-CORP ***(cont.)***

EPA ID :	FLD032391542
Site Name :	ROUSE STEEL DRUM
NPL Status Description :	Not on the NPL
Non NPL Status Short Name :	Other Cleanup Activity: State-Lead Cleanup
Action Name :	ADM ORDR
Action Type Seq :	AC-2
Region Code :	04
Last Date in Agency List :	2024-07-05

RCRA_LQG

Facility Name :	AIR PARK ROAD CLEANUP
Facility Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132-0000
County :	VOLUSIA
Date Form Received by Agency :	1995-11-01
EPA ID :	FLT950051904
Mailing Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132-0000
Contact :	PHILIP B. HILDEBRAND
Contact Address :	N/R
Contact Country :	US
Contact Telephone :	407-578-9598
Contact Email :	N/R
EPA Region :	04
Land Type :	Not Reported
Source Type :	Annual/Biennial Report
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

RCRA_LQG ***(cont.)***

Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N
Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1995-06-19
Facility Name :	MAY PROPERTY - AIR PARK RD
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

Facility Name :	AIR PARK ROAD - HSA CLEANUP
Facility Address :	308 OLD COUNTY RD., EDGEWATER, FL 32132-0000
County :	VOLUSIA

Date Form Received by Agency :	1995-11-01
EPA ID :	FLT950052563
Mailing Address :	308 OLD COUNTY ROAD, EDGEWATER, FL 32132-0000
Contact :	PHILIP B HIDEBRAND
Contact Address :	N/R

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

RCRA_LQG ***(cont.)***

Contact Country :	US
Contact Telephone :	407-578-9598
Contact Email :	N/R
EPA Region :	04
Land Type :	Not Reported
Source Type :	Annual/Biennial Report
Classification :	Large Quantity Generator

Description :

Handlers that generate 1,000 kg or more of hazardous waste during any calendar month; or generate more than 1 kg of acutely hazardous waste during any calendar month; or generate more than 100 kg of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month; or generate 1 kg or less of acutely hazardous waste during any calendar month, and accumulate more than 1 kg of acutely hazardous waste at any time; or generate 100 kg or less of any residue or contaminated soil, waste or other debris resulting from the cleanup of a spill, into or on any land or water, of acutely hazardous waste during any calendar month, and accumulated more than 100 kg of that material at any time.

Last Date in Agency List : 2024-06-19

Owner/Operator Summary

Owner/Operator Name :	N/R
Owner/Operator Address :	N/R
Owner/Operator Country :	N/R
Owner/Operator Telephone :	N/R
Owner/Operator Email :	N/R
Owner/Operator Fax :	N/R
Legal Status :	N/R
Owner/Operator Type :	N/R
Owner/Operator Start Date :	N/R
Owner/Operator End Date :	N/R

Handler Activities Summary

U.S. Importer of Hazardous Waste :	N
Mixed Waste (Haz. and Radioactive) :	N
Recycler of Hazardous Waste :	N
Transporter of Hazardous Waste :	N
Treater, Storer or Disposer of HW :	N
Underground Injection Activity :	N
On-site Burner Exemption :	N
Furnace Exemption :	N
Used Oil Fuel Burner :	N
Used Oil Processor :	N
Used Oil Refiner :	N

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

RCRA_LQG ***(cont.)***

Used Oil Fuel Marketer to Burner :	N
Used Oil Specification Marketer :	N
Used Oil Transfer Facility :	N
Used Oil Transporter :	N

Historical Generators

Date Form Received by Agency :	1995-08-23
Facility Name :	MAY PROPERTY AIR PARK RD
Classification :	Very Small Quantity Generator

Notices of Violations Summary

Regulation Violated :	N

RESP PARTY - FL

Facility Name :	CORONADO PAINT - OLD COUNTY RD
Facility Address :	308 OLD COUNTY RD, EDGEWATER, 32132
Site ID :	72683
Project ID :	65008
Status :	CLOSED
District :	CD
ISDR Date :	1984-03-19
Project MGR :	THOMPSON_JL
OGC Number :	86-1396
Contaminants :	Chlorinated solvents
Offsite COC :	Yes
Priority Score :	N/R
County ID :	64
Datum ID :	NAD83
Method ID :	DPHO
Feature :	N/R
Object of Interest :	CAP_RAP SITE
Proximity :	EXACT
Collect Username :	N/R
Collect Affiliation :	N/R
Collect Program ID :	CL
Collect Date :	N/R
Map Source :	5000
Map Source Scale :	1999 doqs
Interpolation Scale :	N/R
Coordinate Accuracy ID :	4
Verify Method ID :	DPHO
Verify Username :	WOEBER_A

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

RESP PARTY - FL ***(cont.)***

Verify Affiliation :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verifying Program ID :	CL
Verification Date :	2005-10-07 09:21:03
Documents :	Click here for hyperlink provided by the agency.
Latitude :	28.987466
Longitude :	80.908684
Last Date in Agency List :	2021-04-22

SEMS_8R_ARCHIVED SITES

Facility Name :	CORONADO PAINT INC
Facility Address :	308 OLD COUNTRY RD, EDGEWATER, FL 32032
County :	VOLUSIA

Site Details

Site ID :	0400762
EPA ID :	FLD082400441
Region :	04
Congressional District :	04
Federal Facility :	N
Federal Facility Docket :	N
NPL Status :	Not on the NPL
Non NPL Status :	NFRAP-Site does not qualify for the NPL based on existing information
FIPS Code :	12127
Superfund Alternative Agreement :	N
Last Date in Agency List :	2024-07-15

Additional Information

Start Date :	1985-02-01
Finish Date :	1985-02-01
OU :	00
Action Code :	DS
Action Name :	DISCVRY
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf

Start Date :	N/R
Finish Date :	1985-09-27
OU :	00
Action Code :	PA
Action Name :	PA
Sequence :	1
Quality :	L

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

SEMS_8R_ARCHIVED SITES ***(cont.)***

Current Action Lead :	St Perf
Start Date :	N/R
Finish Date :	1996-01-23
OU :	00
Action Code :	VS
Action Name :	ARCH SITE
Sequence :	1
Quality :	N/R
Current Action Lead :	EPA Perf In-Hse
Start Date :	N/R
Finish Date :	1991-01-30
OU :	00
Action Code :	SI
Action Name :	SI
Sequence :	1
Quality :	N
Current Action Lead :	St Perf

SHWS ERIC - FL

Facility Name :	CORONADO PAINT - OLD COUNTY RD
Facility Address :	308 OLD COUNTY RD, EDGEWATER, FL 32132
County :	Volusia
ERIC ID :	ERIC_9538
Site Status :	CLOSED
Source Facility Name :	Dougherty Manufacturing
Source Facility ID :	19301
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	COMPLETEWITHCOND
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	JI Thompson
Site Phase Description :	Phase 5 - Cleanup Complete
Offsite Contamination :	CONTAMNOSCHOOL
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.987465
Longitude :	-80.908684
Last Date in Agency List :	2024-08-19

Map Id: I40
Direction: ENE
Distance: 0.393 mi., 2076 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP | CORONADO PAINT INC | CORONADO PAINT - OLD COUNTY RD
308 OLD COUNTY RD | 308 OLD COUNTRY RD
EDGEWATER, FL

Database(s) : [AFS, AIRS - FL, AST - FL, BRS, CERCLIS NFRAP, DOCKET, ECHO, FA 3 - FL, FRS, HMIRS (DOT), PRP-CORP, RCRA_LQG, RESP PARTY - FL, SEMS_8R_ARCHIVED SITES, SHWS ERIC - FL] ***(cont.)***

Envirosite ID: 57303241
EPA ID: FLT950051904

SHWS ERIC - FL ***(cont.)***

ERIC ID :	ERIC_9538
Site Status :	CLOSED
Source Facility Name :	Dougherty Manufacturing
Source Facility ID :	19301
Program :	CERCLA Site Screening Program
Program Type :	CERCLA
Program Status :	COMPLETE
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Jl Thompson
Site Phase Description :	Phase 5 - Cleanup Complete
Offsite Contamination :	CONTAMNOSCHOOL
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.987465
Longitude :	-80.908684
Last Date in Agency List :	2024-08-19

Map Id: I41
Direction: ENE
Distance: 0.417 mi., 2202 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP
28.988306, -80.910038

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52693990
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	COMPLEMENTARY COATINGS CORP
Status :	Active
Industry :	Plastics and Resins
EPA Program :	CAA; CWA; RCRA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N

Map Id: I41
Direction: ENE
Distance: 0.417 mi., 2202 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : COMPLEMENTARY COATINGS CORP
28.988306, -80.910038

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52693990
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.988306
Longitude :	-80.910038
Last Date in Agency List :	2024-08-02
Status :	Active
Industry :	Paints and Coatings
EPA Program :	CAA; CWA; RCRA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	Y
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	Y
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.988306
Longitude :	-80.910038
Last Date in Agency List :	2024-08-02

Map Id: I42
Direction: ENE
Distance: 0.423 mi., 2232 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : DOUGHERTY MANUFACTURING
28.98759, -80.90969

Database(s) : [PFAS INDUSTRY]

Envirosite ID: 52711559
EPA ID: N/R

PFAS INDUSTRY

Facility Name :	DOUGHERTY MANUFACTURING
Status :	Active
Industry :	Plastics and Resins
EPA Program :	CWA
State :	FL
City :	EDGEWATER
County :	VOLUSIA
Fa SNC Flag :	N
AIR Flag :	N
NPDES Flag :	Y
SDWIS Flag :	N
RCRA Flag :	N
TRI Flag :	N
GHG Flag :	N
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.98759

Map Id: I42
Direction: ENE
Distance: 0.423 mi., 2232 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : DOUGHERTY MANUFACTURING
28.98759, -80.90969

Database(s) : [PFAS INDUSTRY] ***(cont.)***

Envirosite ID: 52711559
EPA ID: N/R

PFAS INDUSTRY ***(cont.)***

Longitude :	-80.90969
Last Date in Agency List :	2024-08-02

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS]

Envirosite ID: 7997609
EPA ID: N/R

BROWNFIELDS-ACRES

Facility Name :	EDG6 - Park Towne Indus North Parcel
Facility Address :	Parktowne Boulevard, EDGEWATER, FL 32132
County :	Volusia

Site Details

Property ID :	226795
EPA FRS ID :	N/R
EPA FRS Site Name :	N/R
Alias Name :	N/R
Current Use :	N/R
Future Use :	N/R
GP Funding Type ID :	Hazardous & Petroleum
Property Size :	2.02
Local Parcel Number :	7452-22-0A-0140
Former Use :	Undeveloped, vacant land
Ownership Entity ID :	Government
Current Owner :	City of Edgewater
Photo Available :	Y
Video Available :	N
Ownership Change :	N/R
Ownership Liability Factor :	N/R
Cleanup Required Flag :	N
Cleanup Required Date :	N/R
State Tribal Enroll ID Number :	N/R
State Tribal Enroll Date :	N/R
Property Not Enrolled Flag :	Y
NFA Issue Date :	N/R
Info Devices :	N/R
Check Pilot Flag :	N/R
CERCLIS WasteLAN Indicator :	N/R
RCRA Indicator :	N/R
BF Proj Number :	N/R
Mun Owned :	N/R
Approx Value :	N/R
Build Sqft :	N/R
Date of Form :	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

BROWNFIELDS-ACRES ***(cont.)***

Add Date :	2016-12-14
Mod Date :	2016-12-14
Mod User :	xslasset
CERCLIS Flag :	N/R
RFR Flag :	Y
RFR Date :	2016-12-21
RFR Grant ID :	69601342.0
Multi Story Flag :	N/R
Institutional Control In Place Flag :	N
Institutional Control In Place Date :	N/R
Institutional Control Additional Info:	Based on the assumption the property will be used for industrial purposes.
Institutional Control Required Flag :	N
Institutional Control Required Date :	N/R
Institutional Control Data Address :	N/R
Property Controls :	N/R
Govt Controls :	N/R
Permit Tools :	N/R
Eng. Control in Place :	N
Eng. Control in Place Date :	N/R
Eng. Control Additional Info :	Based on the assumption the property will be used for industrial purposes.
Eng. Control Required Flag :	N
Eng. Control Flag Cover Tech :	N/R
Eng. Control Flag Immobilization :	N/R
Eng. Control Flag Barriers :	N/R
Eng. Control Flag Security :	N/R
Eng. Control Flag Other :	N/R
Eng. Control Other :	N/R
Eng. Control Data Address :	N/R
Cleanup Req Ukn Comment :	N/R
AWP Catalyst Y/N :	N/R
Lat/Long Override Flag :	Y
Latitude Measure :	28.9912900
Longitude Measure :	-80.9158850
Src Map Scale Num :	N/R
Ref Point ID :	N/R
Hcm Id :	N/R
Datum Code ID :	N/R
Horiz Accuracy Measure :	N/R
Last Date in Agency List :	2024-08-01

Contaminants Summary

Contaminant :	N/R
Contaminant Found :	N/R
Contaminant Cleaned Up :	N/R
Other Description :	N/R
Other Cleaned Up :	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

BROWNFIELDS-ACRES ***(cont.)***

Affected Media
Media Affected : N/R

FED BROWNFIELDS

Facility Name : EDG6 - Park Towne Indus North Parcel
Facility Address : Parktowne Boulevard, EDGEWATER, FL 32132
County : VOLUSIA

Site Details
ACRES Property ID : 226795
EPA ID : N/R
Acreage and Greenspace Created : N/R
Amount of Funding Expended on This Activity: N/R
Assessment Phase : N/R
Awp Catalyst Yn : N/R
Cf State Code : N/R
Cleanup Doc : N/R
Congressional District : N/R
Current Owner : N/R
Date ICs in Place : N/R
Description/History : N/R
EPA Region : Region 4
Entity Providing Assessment Funds : N/R
Fca Fy : N/R
Flag EC In Place : N/R
Flag EC Required : N/R
Future Use: Multistory (arces) : N/R
GPA Type Description : N/R
GPA Type ID : N/R
Grant ID : N/R
Ind Name : N/R
Indicate Whether Institutional Controls are in Place: N/R
Other Media Ind : N/R
Past Use: Multistory (arces) : N/R
Primary Name : N/R
Program Code : BF
ReDev Name of Entity Providing Funds: N/R
Registry ID : N/R
Rfr Notation : N/R
Stcntrbg : N/R
Sub Name : N/R
Cooperative Agreement Recipient Name: City of Edgewater
Cooperative Agreement Number : 00D12013
Type of CA Funding Used : Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding: N/R
Property Alias : N/R
Property Owner : Government
Size (in acres) : 2.02
Parcel Number(s) : 7452-22-0A-0140

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	Phase I
Assessment Start Date :	2016-09-02
Assessment Completion Date :	2016-09-23
AA Name of Entity Providing Funds :	EPA
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	N
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	N/R
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R
Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R
Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	N
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Based on the assumption the property will be used for industrial purposes.
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	N
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R
Additional Institutional Controls Information:	Based on the assumption the property will be used for industrial purposes.
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	2.02
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.99129
Longitude :	-80.915885
ACRES Property ID :	226795
EPA ID :	N/R
Acreage and Greenspace Created :	N/R
Amount of Funding Expended on This Activity:	N/R
Assessment Phase :	N/R
Awp Catalyst Yn :	N/R
Cf State Code :	N/R
Cleanup Doc :	N/R
Congressional District :	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Current Owner :	N/R
Date ICs in Place :	N/R
Description/History :	N/R
EPA Region :	Region 4
Entity Providing Assessment Funds :	N/R
Fca Fy :	N/R
Flag EC In Place :	N/R
Flag EC Required :	N/R
Future Use: Multistory (arces) :	N/R
GPA Type Description :	N/R
GPA Type ID :	N/R
Grant ID :	N/R
Ind Name :	N/R
Indicate Whether Institutional Controls are in Place:	N/R
Other Media Ind :	N/R
Past Use: Multistory (arces) :	N/R
Primary Name :	N/R
Program Code :	BF
ReDev Name of Entity Providing Funds:	N/R
Registry ID :	N/R
Rfr Notation :	N/R
Stcntrbg :	N/R
Sub Name :	N/R
Cooperative Agreement Recipient Name:	City of Edgewater
Cooperative Agreement Number :	00D12013
Type of CA Funding Used :	Hazardous & Petroleum
For Assessment, Cleanup, Multipurpose and RLF CAs, Type of Funding:	N/R
Property Alias :	N/R
Property Owner :	Government
Size (in acres) :	2.02
Parcel Number(s) :	7452-22-0A-0140
Is this property enrolled in a State or Tribal Voluntary Response Program?:	Y
Date of Enrollment :	N/R
AA Activity Funded :	N/R
Assessment Start Date :	N/R
Assessment Completion Date :	N/R
AA Name of Entity Providing Funds :	N/R
AA Source of Funding :	N/R
Indicate Whether Cleanup is Necessary:	N
Contaminants Found :	N/R
Contaminants Cleaned Up :	N/R
Contaminants REC :	N/R
Media Affected :	N/R
Media Cleaned Up :	N/R
Cleanup Activity Start Date :	N/R
Cleanup Activity Completion Date :	N/R
Indicate whether Cleanup/Treatment Technology(ies) Were Implemented:	N/R
Excavation and Disposal of Soils :	N/R
Extraction of Contaminants (soil vapor, free product, groundwater, etc.):	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Removal of Materials (tanks and piping, etc.):	N/R
Reduction of Contaminants through Bioremediation/Phytoremediation:	N/R
Cleanup of Structures (removal/abatement of asbestos/lead, PCB caulk, other contaminated building materials, etc.):	N/R
Additional Cleanup/Treatment Technology(ies) Information:	N/R
Address of Data Source (URL if available):	N/R
Indicate Whether Engineering Controls are Required:	N
Cover Technologies (e.g., Capping) :	N/R
Security (e.g., Guard, Fence) :	N/R
Immobilization Process (e.g., Encapsulaton, In-Situ Solidification):	N/R
Engineering Barriers (e.g., Slurry Walls, Sheet):	N/R
Other :	N/R
Additional Engineering Controls Information:	Based on the assumption the property will be used for industrial purposes.
Indicate Whether Engineering Controls are in Place:	N
ACRES Cleaned Up :	N/R
Number of Cleanup Jobs Leveraged :	N/R
Section 128(a) State/Tribal :	N/R
Multipurpose - Cost Share Amount :	N/R
Cleanup - Cost Share Amount :	N/R
RLF Loan - RLF Loan Amount :	N/R
RLF Loan - Cost Share Amount :	N/R
RLF Loan - Program income Amount :	N/R
Date RLF Loan Signed :	N/R
RLF Loan - Repayment Period :	N/R
RLF Loan - Interest Rate :	N/R
RLF Subgrant - RLF Subgrant Amount :	N/R
RLF Subgrant - Cost Share Amount :	N/R
RLF Subgrant - Program Income Amount:	N/R
Date RLF Subgrant Signed :	N/R
Cleanup Source of Funding :	N/R
Cleanup Name of Entity Providing Funds:	N/R
Cleanup Activity Funded :	N/R
Indicate whether Institutional Controls are Required:	N
Proprietary Controls (e.g., easements, covenants):	N/R
Informational Devices (e.g., state registries, deed notices):	N/R
Governmental Controls (e.g., zoning, building codes, land use restrictions):	N/R
Enforcement/Permit Tools (e.g., permits, consent decrees):	N/R

Map Id: 43
Direction: N
Distance: 0.429 mi., 2266 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : EDG6 - PARK TOWNE INDUS NORTH PARCEL
PARKTOWNE BOULEVARD
EDGEWATER, FL 32132

Database(s) : [BROWNFIELDS-ACRES, FED BROWNFIELDS, FRS] ***(cont.)***

Envirosite ID: 7997609
EPA ID: N/R

FED BROWNFIELDS ***(cont.)***

Additional Institutional Controls Information:	Based on the assumption the property will be used for industrial purposes.
Address of Data Sources (URL if available):	N/R
Indicate Whether Institutional Controls in Place:	N
Redevelopment Start Date :	N/R
Redevelopment Completion Date :	N/R
ReDev Source of Funding :	N/R
ReDev Activity Funded :	N/R
Number of Redevelopment Jobs Leveraged:	N/R
Redevelopment Land Use: Residential :	N/R
Redevelopment Land Use: Greenspace :	N/R
Redevelopment Land Use: Industrial :	2.02
Redevelopment Land Use: Commercial :	N/R
Predominant Past Use(s) Residential :	N/R
Predominant Past Use(s) Greenspace :	N/R
Predominant Past Use(s) Industrial :	N/R
Predominant Past Use(s) Commercial :	N/R
Latitude :	28.99129
Longitude :	-80.915885

FRS

Facility Name :	EDG6 - PARK TOWNE INDUS NORTH PARCEL
Facility Address :	PARKTOWNE BOULEVARD, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Registry ID :	110070004617
FRS Facility URL :	Click here for hyperlink provided by the agency.
Last Date in Agency List :	2024-08-21

Source Description

Source Description :

ACRES stores information reported by EPA Brownfields grant recipients on brownfields properties assessed or cleaned up with grant funding as well as information on Targeted Brownfields Assessments performed by EPA Regions.

FRS Environmental Interest

Source and System ID :	ACRES - 226795

Map Id: 44
Direction: SE
Distance: 0.561 mi., 2963 ft.
Elevation: 5 ft.
Relative: Lower

Site Name : TRI COUNTY HARD CHROME | EDGEWATER PIT | MANGO TREE DRIVE AREA DEBRIS STAGING AREA
MANGO TREE DRIVE
EDGEWATER, FL 32132

Database(s) : [CS - FL, SHWS ERIC - FL, SWF/LF - FL]

Envirosite ID: 32447018
EPA ID: N/R

CS - FL

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	MANGO TREE DRIVE, EDGEWATER
County :	Volusia County
DEP Cleanup Site Key :	80554794
Program Site ID :	ERIC_9534
Program Source Data :	ERIC
Program Area :	OTHCU
Collection Date :	N/R
Verification Date :	2005-10-19
Load Date :	2024-07-21
Verifier :	WOEBER_A
Collector :	N/R
Verifier Agency :	N/R
Collection Agency :	N/R
Verification Status :	N/R
Remediation Status :	OPEN
Office/District :	CD
Comments :	Alternate ID:
Last Date in Agency List :	2024-07-22

SHWS ERIC - FL

Facility Name :	TRI COUNTY HARD CHROME
Facility Address :	MANGO TREE DRIVE, EDGEWATER, FL
County :	Volusia
ERIC ID :	ERIC_9534
Site Status :	OPEN
Source Facility Name :	Tri County Hard Chrome
Source Facility ID :	33165
Program :	Responsible Party Cleanup
Program Type :	RESPONSPARTY
Program Status :	ACTIVE
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	Lu Burson
Site Phase Description :	Phase 2 - Full Assessment
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	NAD83
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.988036
Longitude :	-80.915292
Last Date in Agency List :	2024-08-19

SWF/LF - FL

Facility Name :	EDGEWATER PIT
Facility Address :	MANGO TREE DRIVE, EDGEWATER, FL 32132
County :	VOLUSIA

Map Id: 44
Direction: SE
Distance: 0.561 mi., 2963 ft.
Elevation: 5 ft.
Relative: Lower

Site Name : TRI COUNTY HARD CHROME | EDGEWATER PIT | MANGO TREE DRIVE AREA DEBRIS STAGING AREA
MANGO TREE DRIVE
EDGEWATER, FL 32132

Database(s) : [CS - FL, SHWS ERIC - FL, SWF/LF - FL] ***(cont.)***

Envirosite ID: 32447018
EPA ID: N/R

SWF/LF - FL ***(cont.)***

Site Details

Facility ID :	99965
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	INACTIVE (I)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	CD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	28.9802
Longitude :	80.9131
Last Date in Agency List :	2024-05-14

Facility Name :	MANGO TREE DRIVE AREA DEBRIS STAGING AREA
Facility Address :	MANGO TREE DRIVE, EDGEWATER, FL 32132
County :	VOLUSIA

Site Details

Facility ID :	98377
Class :	DISASTER DEBRIS MANAGEMENT SITE
Class Type :	910
Class Status :	PRE-AUTHORIZED (B)
Test Site Data :	TestSite Inventory Report, TestSite Result Report
Detail :	Facility Activities, Documents in OCULUS
District :	CD
Section/Township/Range :	N/R
Responsible Authority Name :	N/R
Responsible Authority Address :	N/R
Responsible Authority Phone Number :	N/R
Responsible Authority Email Address :	N/R
Land Owner Name :	N/R
Land Owner Address :	N/R
Land Owner Phone Number :	N/R
Site Supervisor Name :	N/R
Site Supervisor Address :	N/R
Site Supervisor Phone Number :	N/R
Site Supervisor Email Address :	N/R
Latitude :	28.977778
Longitude :	80.910833
Last Date in Agency List :	2024-05-14

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL]

Envirosite ID: 1481324
EPA ID: VSQG

CS - FL

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, 32132
County :	Volusia County
DEP Cleanup Site Key :	80562650
Program Site ID :	8517531
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2003-10-22
Verification Date :	2003-10-22
Load Date :	2024-07-21
Verifier :	MOSER_T64
Collector :	MOSER_T64
Verifier Agency :	CONTRACTOR
Collection Agency :	CONTRACTOR
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	CD
Comments :	N/R
Last Date in Agency List :	2024-07-22

DWM CONTAM - FL

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132-1932
County :	VOLUSIA
Score Effective Date :	N/R
Score :	N/R
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	64
District :	CD
Operator :	NAJEEB KHAN
Phone :	(386)423-2777
Name Changed Date :	2011-12-12
Address Changed Date :	2018-06-27
Latitude Degrees :	28
Latitude Minutes :	59
Latitude Seconds :	15.8649
Longitude Degrees :	80
Longitude Minutes :	54
Longitude Seconds :	21.4361
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	N/R
Related Party Begin Date :	2011-12-12
Related Party ID :	67653

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

DWM CONTAM - FL ***(cont.)***

Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	MAJIK MART INC
Related Party Address 1 :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132-1932
Related Party Address 2 :	N/R
Contact :	NAJEEB KHAN
Related Party Phone :	(386)423-2777
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2024-08-09

EPA LUST

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, Florida
County :	N/R
Facility ID :	FL8517531
LUST ID :	FL33344
Reported Date :	1987-02-06
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	646
Estimated Private Domestic Wells within 1500ft:	5
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	28.9875
Longitude :	-80.9055599999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8517531
LUST ID :	FL25979
Reported Date :	1988-12-28
Status :	No Further Action
Substance :	N/R

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

EPA LUST ***(cont.)***

Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	646
Estimated Private Domestic Wells within 1500ft:	5
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	28.9875
Longitude :	-80.9055599999999
Last Date in Agency List :	2024-05-23

Facility ID :	FL8517531
LUST ID :	FL7291
Reported Date :	2000-04-18
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	646
Estimated Private Domestic Wells within 1500ft:	5
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

EPA LUST ***(cont.)***

Latitude :	28.9875
Longitude :	-80.9055599999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, Florida 32132
County :	N/R
Facility ID :	FL8517531
Facility Status :	Open UST(s)
Open USTs :	1
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	28.9875
Longitude :	-80.90555556
Last Date in Agency List :	2024-05-22

Tank Details

Tank ID :	FL8517531-1
Tank Status :	Closed
Installation Date :	1982-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8517531-2
Tank Status :	Closed
Installation Date :	1982-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Unleaded Gas
Tank Wall Type :	N/R
Tank ID :	FL8517531-3
Tank Status :	Closed
Installation Date :	1982-07-01
Removal Date :	N/R
Capacity :	8000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

EPA UST ***(cont.)***

Tank ID :	FL8517531-4
Tank Status :	Open
Installation Date :	2000-04-01
Removal Date :	N/R
Capacity :	12000
Substances :	Unleaded Gas
Tank Wall Type :	N/R

FA 3 - FL

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2023-06-30
Expiration Date :	2024-06-30
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	3864232777
Owner ID :	67653
Owner Name :	MAJIK MART INC
Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Contact Name :	NAJEEB KHAN
Phone :	3864232777
Last Date in Agency List :	2024-06-20

Effectivity Date :	2022-06-30
Expiration Date :	2023-06-30
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE AND INDUSTRY INSURANCE COMPANY
Facility Phone :	3864232777
Owner ID :	67653
Owner Name :	MAJIK MART INC
Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Contact Name :	NAJEEB KHAN
Phone :	3864232777
Last Date in Agency List :	2024-06-20

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

FA 3 - FL ***(cont.)***

Effectivity Date :	2021-06-30
Expiration Date :	2022-06-30
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3864232777
Owner ID :	67653
Owner Name :	MAJIK MART INC
Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Contact Name :	NAJEEB KHAN
Phone :	3864232777
Last Date in Agency List :	2024-06-20

Effectivity Date :	2020-06-30
Expiration Date :	2021-06-30
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY INSURANCE CO
Facility Phone :	3864232777
Owner ID :	67653
Owner Name :	MAJIK MART INC
Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Contact Name :	NAJEEB KHAN
Phone :	3864232777
Last Date in Agency List :	2024-06-20

Effectivity Date :	2019-02-01
Expiration Date :	2020-02-01
Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	C
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3864232777
Owner ID :	67653
Owner Name :	MAJIK MART INC
Address :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Contact Name :	NAJEEB KHAN
Phone :	3864232777
Last Date in Agency List :	2024-06-20

GWIF - FL

Facility Name :	MAJIK MARKET
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, 32132

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

GWIF - FL ***(cont.)***

County :	VOLUSIA
Facility ID :	8517531
Facility Type :	PETROLEUM
Location ID :	203267
Location Method :	DGPS = Differentially Corrected GPS
GPS ID :	203267
GPS Date :	2004-09-28
HAE (Height Above Ellipsoid) :	11.11
Project ID :	SUPER
Insp Name :	JEFF SULZBACH
Insp CHD :	VOLUSIA
Request Number :	N/R
Datum :	WS1984
Software :	N/R
Streetside :	N/R
Agency :	N/R
Comment :	GAS STATION, NO POTABLE WELLS
Latitude :	28.987691
Longitude :	-80.905724
Last Date in Agency List :	2024-08-21

LUST - FL

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517531
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	3864232777
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	67653
Owner Name :	MAJIK MART INC
Owner Address 1 :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3864232777
Contact :	NAJEEB KHAN

Discharge Details

Discharge Date :	2000-04-18
Status Date :	2001-09-19

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

LUST - FL ***(cont.)***

Status Description :	NFA COMPLETE
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Discharge Date :	1988-12-28
Status Date :	2005-11-02
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	C
Description :	NO CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Discharge Date :	1987-02-06
Status Date :	2005-11-02
Status Description :	CLEANUP NOT REQUIRED
DEP Code :	C
Description :	NO CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Discharge Date :	2023-03-20
Status Date :	2023-03-20
Status Description :	VERIFIED CONTAMINATION, CLEANUP REQUIRED
DEP Code :	C
Description :	CLEANUP REQUIRED
Score Date :	N/R
Score :	N/R
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

MANIFEST EPA

Manifest Details

Manifest Number :	023035011JJK
Shipped Date :	2021-06-24
Updated Date :	2021-07-22
Received Date :	2021-07-08
Status :	Signed
Generator ID :	VSQG
Generator Name :	RIVERSIDE CLINICAL RESEARCH
Generator Address :	410 S . RIDGEWOOD AVENUE, EDGEWATER, FL 32132
Generator Mailing :	410 S . RIDGEWOOD AVENUE, EDGEWATER, FL 32132
Generator Contact :	N/R

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

MANIFEST EPA ***(cont.)***

Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N
Last Date in Agency List :	2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3248
DOT Information :	UN3248, Waste Medicine, liquid, flammable, toxic n.o.s(MELPHALAN ., STREPTOZOTOCIN) 3 , (6, 1) , PG II
Non Waste Description :	N/R
Quantity :	30 Pounds
Quantity Tons, Acute, Non-Acute :	0.015, 0, 0.015
Quantity Kg, Acute, Non-Acute :	0, 13.60545
Quantity Tons, Haz, Non-Haz :	0.015, 0
Quantity Kg, Haz, Non-Haz :	13.60545, 0
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	Y
Federal Code :	PHRM
State Code :	N/R

Manifest Details

Manifest Number :	022293199JJK
Shipped Date :	2020-10-20
Updated Date :	2020-11-10
Received Date :	2020-11-03
Status :	Signed
Generator ID :	VSQG
Generator Name :	RIVERSIDE CLINICAL RESEARCH
Generator Address :	410 S. RIDGEWOOD AVENUE, Edgewater, FL 32132
Generator Mailing :	410 S. RIDGEWOOD AVENUE, Edgewater, FL 32132
Generator Contact :	N/R
Destination ID :	ALD981020894
Destination Name :	CLEAN EARTH OF ALABAMA, INC.
Destination Mailing :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Address :	402 WEBSTER CHAPEL ROAD, GLENCOE, AL 35905
Destination Contact :	N/R
Submission Type :	DataImage5Copy
Origin Type :	Service
Manifest Residue :	N
Rejection :	N

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

MANIFEST EPA ***(cont.)***

Last Date in Agency List : 2024-06-04

Waste Details

Waste Line Number :	1
Is DOT Hazardous :	Y
DOT ID Number :	UN3246
DOT Information :	UN3246 WASTE MEDICINE,LIQUID,FLAMMABLE, TOXIC,N.O.S. (METPHELAN,STREPTOZOTOCIN)3,(6.1),PGII
Non Waste Description :	N/R
Quantity :	5 Pounds
Quantity Tons, Acute, Non-Acute :	0.0025, 0, 0.0025
Quantity Kg, Acute, Non-Acute :	0, 2.267575
Quantity Tons, Haz, Non-Haz :	0, 0.0025
Quantity Kg, Haz, Non-Haz :	0, 2.267575
Management Method :	H141 - STORAGE, BULKING AND/OR TRANSFER OFF SITE
Is EPA Waste :	N
Federal Code :	N/R
State Code :	N/R

UST - FL

Facility Name :	MAJIK MART INC
Facility Address :	410 S RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517531
Facility Phone :	3864232777
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	67653
Owner Name :	MAJIK MART INC
Owner Address 1 :	410 S RIDGEWOOD AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3864232777
Contact :	NAJEEB KHAN
DEP Contractor Own :	C

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

UST - FL ***(cont.)***

Tank Information

Tank ID :	1
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-07-01
Status :	Removed from Site
Status Date :	2000-04-01

Tank ID :	2
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-07-01
Status :	Removed from Site
Status Date :	2000-04-01

Tank ID :	3
Gallons :	8000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1982-07-01
Status :	Removed from Site
Status Date :	2000-04-01

Tank ID :	4
Gallons :	12000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	2000-04-01
Status :	In Service
Status Date :	2000-04-01

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Overfill/Spill - Tight fill
Primary Construction - Fiberglass clad steel
Secondary Containment - DEP approved containment

Monitoring Items :
External Tk Monitoring - Monitor UST/liner space
Internal Tk Monitoring - Monitor dbl wall tank space
Internal Tk Monitoring - Annual tightness test/Inventory
Miscellaneous - Visual inspect dispenser liners
Miscellaneous - Visual inspect pipe sumps
Piping Monitoring - Mechanical line leak detector

Map Id: 45
Direction: E
Distance: 0.672 mi., 3551 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : MAJIK MART INC | RIVERSIDE CLINICAL RESEARCH | MAJIK MARKET
410 S RIDGEWOOD AVE
EDGEWATER | Edgewater, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, MANIFEST EPA, UST - FL] ***(cont.)***

Envirosite ID: 1481324
EPA ID: VSQG

UST - FL ***(cont.)***

Piping Items :	Miscellaneous Attributes - Pressurized piping system Miscellaneous Attributes - Air/Seaport hydrant system Miscellaneous Attributes - Dispenser liners Secondary Containment - Double wall
Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Map Id: 46
Direction: SE
Distance: 0.750 mi., 3959 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : MANGO TREE DRIVE BROWNFIELD SITE
1507 MANGO TREE DR
EDGEWATER, FL 32132

Database(s) : [SHWS ERIC - FL]

Envirosite ID: 57122999
EPA ID: N/R

SHWS ERIC - FL

Facility Name :	MANGO TREE DRIVE BROWNFIELD SITE
Facility Address :	1507 MANGO TREE DR, EDGEWATER, FL 32132
County :	Volusia
ERIC ID :	ERIC_18635
Site Status :	ONHOLD
Source Facility Name :	Mango Tree Drive Brownfield Site
Source Facility ID :	162911
Program :	Brownfield Site Rehabilitation
Program Type :	BROWNFIELDS
Program Status :	ELIGREVIEW
District :	CD
Waste Management Office :	SJRWMD
ICR Indicator :	N
Discharge Date :	N/R
Site Manager :	N/R
Site Phase Description :	Phase 2 - Full Assessment
Offsite Contamination :	CONTAMUNKNOWN
Datum ID :	WGS84
Agency Hyperlink :	Click here for hyperlink provided by the agency.
Latitude :	28.975597
Longitude :	-80.90831
Last Date in Agency List :	2024-08-19

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL]

Envirosite ID: 1481301
EPA ID: N/R

CS - FL

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	Volusia County
DEP Cleanup Site Key :	74712678
Program Site ID :	8517357
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2015-06-29
Verification Date :	2015-06-29
Load Date :	2023-02-16
Verifier :	bayevsky_a
Collector :	bayevsky_a
Verifier Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	CD
Comments :	N/R
Last Date in Agency List :	2023-02-17

Facility Name :	EDGEWATER VALERO BP
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	Volusia County
DEP Cleanup Site Key :	80559199
Program Site ID :	8517357
Program Source Data :	STCM
Program Area :	PETRO
Collection Date :	2015-06-29
Verification Date :	2015-06-29
Load Date :	2024-07-21
Verifier :	bayevsky_a
Collector :	bayevsky_a
Verifier Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Collection Agency :	DEPARTMENT OF ENVIRONMENTAL PROTECTION
Verification Status :	REVIEWED
Remediation Status :	ACTIVE
Office/District :	CD
Comments :	N/R
Last Date in Agency List :	2024-07-22

DWM CONTAM - FL

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, FL 32132-1648
County :	VOLUSIA
Score Effective Date :	2011-07-26
Score :	10

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Score Ranked :	N/R
Rank :	N/R
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	64
District :	CD
Operator :	VIREN PATEL
Phone :	(386)689-5062
Name Changed Date :	2003-06-12
Address Changed Date :	N/R
Latitude Degrees :	28
Latitude Minutes :	59
Latitude Seconds :	52.8
Longitude Degrees :	80
Longitude Minutes :	54
Longitude Seconds :	38.4
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 0, TWP 17S, RNG 34E
Related Party Begin Date :	2021-05-11
Related Party ID :	81826
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	AVPN INVESTMENTS INC
Related Party Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Related Party Address 2 :	N/R
Contact :	VIREN PATEL
Related Party Phone :	(386)689-5062
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2023-03-16

Facility Name :	EDGEWATER VALERO BP
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, FL 32132-1648
County :	VOLUSIA

Score Effective Date :	2011-07-26
Score :	10
Score Ranked :	N/R
Rank :	N/R
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	A - Retail Station
County Code :	64
District :	CD
Operator :	VIREN PATEL
Phone :	(386)689-5062
Name Changed Date :	2023-05-04
Address Changed Date :	N/R
Latitude Degrees :	28
Latitude Minutes :	59

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

DWM CONTAM - FL ***(cont.)***

Latitude Seconds :	52.8
Longitude Degrees :	80
Longitude Minutes :	54
Longitude Seconds :	38.4
Feature :	N/R
Method :	AGPS
Datum :	0
Section/Township/Range :	SEC 0, TWP 17S, RNG 34E
Related Party Begin Date :	2021-05-11
Related Party ID :	81826
Primary Related Party Role :	ACCOUNT OWNER
Related Party Name :	AVPN INVESTMENTS INC
Related Party Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Related Party Address 2 :	N/R
Contact :	VIREN PATEL
Related Party Phone :	(386)689-5062
Related Party Extension :	N/R
Related Party Bad Address Indicator :	N
Last Date in Agency List :	2024-08-09

EPA LUST

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, Florida
County :	N/R
Facility ID :	FL8517357
LUST ID :	FL1482
Reported Date :	2010-11-29
Status :	Open
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	583
Estimated Private Domestic Wells within 1500ft:	41
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

EPA LUST ***(cont.)***

Latitude :	28.998
Longitude :	-80.9106699999999
Last Date in Agency List :	2024-05-23
Facility ID :	FL8517357
LUST ID :	FL30002
Reported Date :	1988-08-19
Status :	No Further Action
Substance :	N/R
Closed With Residual Contamination (Tribal Only):	N/R
NFA_Letter (Tribal Only) :	N/R
Tribe (Tribal Only) :	N/R
EPA Region :	4
Estimated Population within 1500ft :	583
Estimated Private Domestic Wells within 1500ft:	41
Within Source Water Protection Area (SPA):	No
SPA Public Water System and Facility ID:	N/R
SPA Water Type :	N/R
SPA Facility Type :	N/R
SPA HUC12 :	N/R
Within Groundwater Wellhead Protection Area (WHPA):	No
WHPA Public Water System and Facility ID:	N/R
WHPA Water Type :	N/R
WHPA Facility Type :	N/R
WHPA HUC12 :	N/R
Within Estimated 100-year Floodplain:	No
Latitude :	28.998
Longitude :	-80.9106699999999
Last Date in Agency List :	2024-05-23

EPA UST

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, Florida 32132
County :	N/R
Facility ID :	FL8517357
Facility Status :	Open UST(s)
Open USTs :	2
Closed USTs :	3
Temporarily Out of Service USTs :	0
Date of Last Inspection :	N/R
EPA Region :	4
Tribe :	N/R
Facility ID 2 :	N/R
Latitude :	28.998
Longitude :	-80.91066667

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

EPA UST ***(cont.)***

Last Date in Agency List : 2024-05-22

Tank Details

Tank ID : FL8517357-1
Tank Status : Closed
Installation Date : 1981-01-01
Removal Date : N/R
Capacity : 10000
Substances : Unleaded Gas
Tank Wall Type : N/R

Tank ID : FL8517357-2
Tank Status : Closed
Installation Date : 1981-01-01
Removal Date : N/R
Capacity : 10000
Substances : Unleaded Gas
Tank Wall Type : N/R

Tank ID : FL8517357-3
Tank Status : Closed
Installation Date : 1981-01-01
Removal Date : N/R
Capacity : 10000
Substances : Unleaded Gas
Tank Wall Type : N/R

Tank ID : FL8517357-4
Tank Status : Open
Installation Date : 1994-09-01
Removal Date : N/R
Capacity : 10000
Substances : Unleaded Gas
Tank Wall Type : N/R

Tank ID : FL8517357-5
Tank Status : Open
Installation Date : 1994-09-01
Removal Date : N/R
Capacity : 10000
Substances : Unleaded Gas
Tank Wall Type : N/R

FA 3 - FL

Facility Name : EDGEWATER VALERO
Facility Address : 325 N RIDGEWOOD AVE, EDGEWATER, 32132
County : VOLUSIA

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

FA 3 - FL ***(cont.)***

Details for this site have been truncated due to the large number of available details for this site within this dataset. For the complete details for this site, contact your Envirosite account representative for a complimentary site report containing all of the details available.

Effectivity Date :	2022-05-24
Expiration Date :	2023-05-24
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2023-05-09

Effectivity Date :	2017-06-28
Expiration Date :	2018-06-28
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	WESTCHESTER SURPLUS LINES INS CO
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2023-05-09

Effectivity Date :	2017-03-27
Expiration Date :	2018-03-27
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2023-05-09

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2015-03-27
Expiration Date :	2016-03-27
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2023-05-09

Effectivity Date :	2012-05-23
Expiration Date :	2013-05-23
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2023-05-09

Facility Name :	EDGEWATER VALERO BP
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Effectivity Date :	2022-05-24
Expiration Date :	2023-05-24
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	CRUM & FORSTER SPECIALTY INS. CO.
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2024-06-20

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

FA 3 - FL ***(cont.)***

Effectivity Date :	2017-06-28
Expiration Date :	2018-06-28
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	WESTCHESTER SURPLUS LINES INS CO
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2024-06-20

Effectivity Date :	2017-03-27
Expiration Date :	2018-03-27
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2024-06-20

Effectivity Date :	2015-03-27
Expiration Date :	2016-03-27
Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	ACE
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2024-06-20

Effectivity Date :	2012-05-23
Expiration Date :	2013-05-23
Facility ID :	8517357

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

FA 3 - FL ***(cont.)***

Facility Status :	OPEN
Facility Type :	Retail Station
DEP Contractor :	P
Financial Responsibility :	INSURANCE
Insurance Company :	COMMERCE & INDUSTRY
Facility Phone :	3866895062
Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Address :	1950 W PARK AVE, EDGEWATER, FL 32132
Contact Name :	VIREN PATEL
Phone :	3866895062
Last Date in Agency List :	2024-06-20

GWIF - FL

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Facility ID :	8517357
Facility Type :	PETROLEUM
Location ID :	248203
Location Method :	DPHO = Digital Aerial Photos
GPS ID :	248203
GPS Date :	2010-03-22
HAE (Height Above Ellipsoid) :	N/R
Project ID :	SUPER
Insp Name :	WENDY HOWLAND
Insp CHD :	VOLUSIA
Request Number :	N/R
Datum :	N/R
Software :	N/R
Streetside :	N/R
Agency :	DOH
Comment :	P 36 in 5/25/1995 SAR UST Area shown
Latitude :	28.99797
Longitude :	-80.91067
Last Date in Agency List :	2024-08-21

LUST - FL

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	3866895062
Last Date in Agency List :	2023-06-20

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Information

Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Owner Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3866895062
Contact :	VIREN PATEL

Discharge Details

Discharge Date :	2010-11-29
Status Date :	2019-11-06
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-07-26
Score :	10
CU Status :	N/R

Discharge Date :	1988-08-19
Status Date :	1995-12-28
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	26
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

Facility Name :	EDGEWATER VALERO BP
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517357
Facility Status :	OPEN
Facility Type :	Retail Station
Phone :	3866895062
Last Date in Agency List :	2024-06-06

Owner Information

Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

LUST - FL ***(cont.)***

Owner Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3866895062
Contact :	VIREN PATEL

Discharge Details

Discharge Date :	2010-11-29
Status Date :	2019-11-06
Status Description :	RA ONGOING
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	2011-07-26
Score :	10
CU Status :	N/R

Discharge Date :	1988-08-19
Status Date :	1995-12-28
Status Description :	NFA COMPLETE
DEP Code :	P
Description :	CLEANUP REQUIRED
Score Date :	1998-01-06
Score :	26
CU Status :	N/R

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.

UST - FL

Facility Name :	EDGEWATER VALERO
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517357
Facility Phone :	3866895062
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2023-06-20

Owner Information

Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Owner Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

UST - FL ***(cont.)***

Owner Phone :	3866895062
Contact :	VIREN PATEL
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	4
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1994-09-01
Status :	Out of Service
Status Date :	2022-03-30

Construction Items :	Miscellaneous Attributes - Compartmented Overfill/Spill - Flow shut-Off Overfill/Spill - Spill containment bucket Secondary Containment - Double wall
Monitoring Items :	Internal Tk Monitoring - Monitor dbl wall tank space Piping Monitoring - Monitor dbl wall pipe space Piping Monitoring - Mechanical line leak detector

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

UST - FL ***(cont.)***

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Secondary Containment - Double wall

Tank Information

Tank ID :	5
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Ethanol E85
Install Date :	1994-09-01
Status :	Out of Service
Status Date :	2022-03-30

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Piping Monitoring - Mechanical line leak detector
Piping Monitoring - Monitor dbl wall pipe space

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Secondary Containment - Double wall

Oculus Note :	Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink :	Click here for hyperlink provided by the agency.
Facility Name :	EDGEWATER VALERO BP
Facility Address :	325 N RIDGEWOOD AVE, EDGEWATER, 32132
County :	VOLUSIA

Site Details

Facility ID :	8517357
Facility Phone :	3866895062
Facility Status :	OPEN
Facility Type :	Retail Station
Last Date in Agency List :	2024-06-06

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

UST - FL ***(cont.)***

Owner Information

Owner ID :	81826
Owner Name :	AVPN INVESTMENTS INC
Owner Address 1 :	1950 W PARK AVE, EDGEWATER, FL 32132
Owner Address 2 :	N/R
Owner Phone :	3866895062
Contact :	VIREN PATEL
DEP Contractor Own :	P

Tank Information

Tank ID :	1
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	2
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	3
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1981-01-01
Status :	Removed from Site
Status Date :	1994-09-01

Tank ID :	4
Gallons :	10000
Tank Location :	UNDERGROUND
Substance :	Unleaded Gas
Install Date :	1994-09-01
Status :	In Service
Status Date :	2023-05-04

Construction Items : Miscellaneous Attributes - Compartmented
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Secondary Containment - Double wall

Map Id: 47
Direction: NNE
Distance: 0.898 mi., 4741 ft.
Elevation: 13 ft.
Relative: Higher

Site Name : EDGEWATER VALERO | EDGEWATER VALERO BP
325 N RIDGEWOOD AVE
EDGEWATER, FL

Database(s) : [CS - FL, DWM CONTAM - FL, EPA LUST, EPA UST, FA 3 - FL, GWIF - FL, LUST - FL, UST - FL] ***(cont.)***

Envirosite ID: 1481301
EPA ID: N/R

UST - FL ***(cont.)***

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Pressurized piping system
Miscellaneous Attributes - Dispenser liners
Secondary Containment - Double wall

Tank Information

Tank ID : 5
Gallons : 10000
Tank Location : UNDERGROUND
Substance : Ethanol E85
Install Date : 1994-09-01
Status : In Service
Status Date : 2023-05-04

Construction Items :
Miscellaneous Attributes - Compartmented
Overfill/Spill - Flow shut-Off
Overfill/Spill - Spill containment bucket
Secondary Containment - Double wall

Monitoring Items :
Internal Tk Monitoring - Monitor dbl wall tank space
Piping Monitoring - Monitor dbl wall pipe space
Piping Monitoring - Mechanical line leak detector

Piping Items :
Miscellaneous Attributes - Dispenser liners
Miscellaneous Attributes - Pressurized piping system
Secondary Containment - Double wall

Oculus Note : Use the Public Oculus Login button to enter the Oculus Website
Oculus Hyperlink : Click here for hyperlink provided by the agency.

ENVIROSITE ID	NAME	ADDRESS	CITY	ZIP	DATABASE(S)
35873526	AA68268	N/R			DEDB - FL
32500867	AAG3209	HOLLY HILL ELEM #12A			DEDB - FL
32535490	AAK1746	1100 8TH AVE			DEDB - FL
32547425	AAK1770	2024 3RD AVD			DEDB - FL
32547101	AAK8784	JUDY BERGER-13 HIBISCUS D...			DEDB - FL
35873079	N/R	MEW RD			DEDB - FL

FEDERAL RCRA NON-CORRACTS TSD FACILITIES LIST

ARCHIVED RCRA TSDF: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 05/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

RCRA_TSDF: Resource Conservation and Recovery Act hazardous waste transportation storage disposal and treatment facilities

Agency Version Date: 05/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS

AST PBS: Bulk petroleum terminals with a total bulk storage capacity of 50,000 barrels or more.

Agency Version Date: 05/10/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/31/2024
Agency: Department of Homeland Security
Agency Contact: 202-853-5361
Most Recent Contact: 08/06/2024

EPA UST: Facilities listed in the EPA UST Finder database

Agency Version Date: 03/28/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/18/2024
Agency: EPA
Agency Contact: (202) 566-1667
Most Recent Contact: 06/24/2024

FEMA UST: FEMA underground storage tank listing

Agency Version Date: 06/07/2023
Agency Update Frequency: Varies
Planned Next Contact: 11/08/2024
Agency: FEMA
Agency Contact: 202-212-5283
Most Recent Contact: 08/14/2024

HIST INDIAN UST R4: Historical Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 10/18/2023
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/30/2024
Agency: U.S. Environmental Protection Agency Region 4
Agency Contact: 855-246-3642
Most Recent Contact: 07/04/2024

HIST INDIAN UST R6: Historical Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 12/03/2021
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/09/2024
Agency: U.S. Environmental Protection Agency Region 6
Agency Contact: 855-246-3642
Most Recent Contact: 07/15/2024

HIST INDIAN UST R7: Historical Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 08/10/2021
Agency Update Frequency: Quarterly
Planned Next Contact: 09/27/2024
Agency: U.S. Environmental Protection Agency Region 7
Agency Contact: 855-246-3642
Most Recent Contact: 07/03/2024

INDIAN UST R1: Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 06/10/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/29/2024
Agency: U.S. Environmental Protection Agency Region 1
Agency Contact: 855-246-3642
Most Recent Contact: 09/04/2024

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS (cont.)

INDIAN UST R10: Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 07/04/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/30/2024
Agency: U.S. Environmental Protection Agency Region 10
Agency Contact: 855-246-3642
Most Recent Contact: 07/04/2024

INDIAN UST R2: Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016
Agency Update Frequency: Quarterly
Planned Next Contact: 12/02/2024
Agency: U.S. Environmental Protection Agency Region 2
Agency Contact: 855-246-3642
Most Recent Contact: 09/05/2024

INDIAN UST R4: Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 07/04/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 09/30/2024
Agency: U.S. Environmental Protection Agency Region 4
Agency Contact: 855-246-3642
Most Recent Contact: 07/04/2024

INDIAN UST R5: Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 06/24/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/18/2024
Agency: U.S. Environmental Protection Agency Region 5
Agency Contact: 855-246-3642
Most Recent Contact: 06/24/2024

INDIAN UST R6: Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 07/17/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/11/2024
Agency: U.S. Environmental Protection Agency Region 6
Agency Contact: 855-246-3642
Most Recent Contact: 07/17/2024

INDIAN UST R7: Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 06/24/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/18/2024
Agency: U.S. Environmental Protection Agency Region 7
Agency Contact: 855-246-3642
Most Recent Contact: 06/24/2024

INDIAN UST R8: Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 06/07/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/28/2024
Agency: U.S. Environmental Protection Agency Region 8
Agency Contact: 855-246-3642
Most Recent Contact: 09/03/2024

INDIAN UST R9: Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 09/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/27/2024
Agency: U.S. Environmental Protection Agency Region 9
Agency Contact: 855-246-3642
Most Recent Contact: 09/02/2024

AST - FL: Aboveground storage tank listing

Agency Version Date: 04/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 06/27/2024

AST_BROWARD COUNTY - FL: Broward county aboveground storage tank list

Agency Version Date: 01/10/2022
Agency Update Frequency: Semi Annually
Planned Next Contact: 11/15/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 08/21/2024

FEDERAL, STATE, AND TRIBAL REGISTERED STORAGE TANK LISTS (cont.)

HIST AST - FL: List of aboveground storage tank that are no longer in current agency list.

Agency Version Date: 11/19/2018
Agency Update Frequency: Annually
Planned Next Contact: 11/21/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 08/27/2024

HIST AST_BROWARD COUNTY - FL: Historical Broward County aboveground storage tank list.

Agency Version Date: 01/10/2022
Agency Update Frequency: Semi Annually
Planned Next Contact: 09/24/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 06/28/2024

HIST UST - FL: List of underground storage tanks that is no longer in current agency list.

Agency Version Date: 01/28/2019
Agency Update Frequency: Annually
Planned Next Contact: 11/26/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 08/30/2024

HIST UST_BROWARD COUNTY - FL: Historical Broward County underground storage tank listing.

Agency Version Date: 01/10/2022
Agency Update Frequency: Semi Annually
Planned Next Contact: 09/24/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 06/28/2024

UST - FL: Underground storage tank listing

Agency Version Date: 04/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 06/27/2024

UST_BROWARD COUNTY - FL: Broward county underground storage tank listing

Agency Version Date: 01/10/2022
Agency Update Frequency: Semi Annually
Planned Next Contact: 11/15/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 08/21/2024

UST_MIAMI-DADE COUNTY - FL: Miami-Dade county underground storage tank listing

Agency Version Date: 07/23/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/18/2024
Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 07/23/2024

FEDERAL CERCLIS LIST

CERCLIS NFRAP: The CERCLIS sites with No Further Remedial Action Planned from the CERCLIS program database. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 06/19/2024

CERCLIS-HIST: The CERCLIS program database contains information on the assessment and remediation of federal hazardous waste sites. The Environmental Protection Agency decommissioned the CERCLIS data in 2014. The last update was November 12, 2013.

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 06/19/2024

FEDERAL CERCLIS LIST (cont.)

EPA SAA: Listing of Sites with Superfund Alternative Approach Agreements.

Agency Version Date: 06/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/16/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 06/20/2024

FEDERAL FACILITY: Sites where Federal Facilities Restoration and Reuse Office (FFRRO) arranged cleanup for Base Closure and Property Transfer at Federal Facilities

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8712
Most Recent Contact: 06/19/2024

SEMS_8R_ACTIVE SITES: The Active Site Inventory Report displays site and location information at active SEMS sites. An active site is one at which site assessment, removal, remedial, enforcement, cost recovery, or oversight activities are being planned or conducted. NPL sites include latitude and longitude information. For non-NPL sites, a brief site status is provided.

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

SEMS_8R_ARCHIVED SITES: The Archived Site Inventory displays site and location information at sites archived from SEMS. An archived site is one at which EPA has determined that assessment has been completed and no further remedial action is planned under the Superfund program at this time.

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

FEDERAL RCRA CORRACTS FACILITIES LIST

CORRACTS: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases

Agency Version Date: 05/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-1667
Most Recent Contact: 08/14/2024

HIST CORRACTS 2: List of facilities where Resource Conservation and Recovery Act Corrective Action Program used to investigate and remediate hazardous releases that are no longer in current agency list.

Agency Version Date: 10/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-1667
Most Recent Contact: 07/11/2024

FEDERAL DELISTED NPL SITE LIST

DELISTED NPL: National Priority List of sites that were delisted and no longer require action

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

DELISTED PROPOSED NPL: Sites that have been delisted from the proposed National Priority List

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

FEDERAL DELISTED NPL SITE LIST (cont.)

SEMS_DELETED NPL: All Deleted National Priority List Sties

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

FEDERAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

EPA LF MOP: Sites in the EPA Landfill Methane Outreach Program

Agency Version Date: 08/13/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 08/13/2024

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS

EPA LUST: Releases listed in the EPA UST Finder database

Agency Version Date: 03/28/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/18/2024
Agency: EPA
Agency Contact: (202) 566-1667
Most Recent Contact: 06/24/2024

HIST INDIAN LUST R4: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 10/18/2023
Agency Update Frequency: Quarterly
Planned Next Contact: 09/27/2024
Agency: U.S. Environmental Protection Agency Region 4
Agency Contact: 855-246-3642
Most Recent Contact: 07/03/2024

HIST INDIAN LUST R8: Historical Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 08/16/2021
Agency Update Frequency: Quarterly
Planned Next Contact: 09/19/2024
Agency: U.S. Environmental Protection Agency Region 8
Agency Contact: 855-246-3642
Most Recent Contact: 06/25/2024

INDIAN LUST R1: Leaking Underground Storage Tanks on Indian Land in EPA Region 1

Agency Version Date: 06/10/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/29/2024
Agency: U.S. Environmental Protection Agency Region 1
Agency Contact: 855-246-3642
Most Recent Contact: 09/04/2024

INDIAN LUST R10: Leaking Underground Storage Tanks on Indian Land in EPA Region 10

Agency Version Date: 07/04/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/30/2024
Agency: U.S. Environmental Protection Agency Region 10
Agency Contact: 855-246-3642
Most Recent Contact: 07/04/2024

INDIAN LUST R2: Leaking Underground Storage Tanks on Indian Land in EPA Region 2

Agency Version Date: 12/07/2016
Agency Update Frequency: Quarterly
Planned Next Contact: 12/02/2024
Agency: U.S. Environmental Protection Agency Region 2
Agency Contact: 855-246-3642
Most Recent Contact: 09/05/2024

INDIAN LUST R4: Leaking Underground Storage Tanks on Indian Land in EPA Region 4

Agency Version Date: 07/04/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 09/30/2024
Agency: U.S. Environmental Protection Agency Region 4
Agency Contact: 855-246-3642
Most Recent Contact: 07/04/2024

FEDERAL, STATE, AND TRIBAL LEAKING STORAGE TANK LISTS (cont.)

INDIAN LUST R5: Leaking Underground Storage Tanks on Indian Land in EPA Region 5

Agency Version Date: 06/24/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/18/2024
Agency: U.S. Environmental Protection Agency Region 5
Agency Contact: 855-246-3642
Most Recent Contact: 06/24/2024

INDIAN LUST R6: Leaking Underground Storage Tanks on Indian Land in EPA Region 6

Agency Version Date: 06/26/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/20/2024
Agency: U.S. Environmental Protection Agency Region 6
Agency Contact: 855-246-3642
Most Recent Contact: 06/26/2024

INDIAN LUST R7: Leaking Underground Storage Tanks on Indian Land in EPA Region 7

Agency Version Date: 06/24/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/18/2024
Agency: U.S. Environmental Protection Agency Region 7
Agency Contact: 855-246-3642
Most Recent Contact: 06/24/2024

INDIAN LUST R8: Leaking Underground Storage Tanks on Indian Land in EPA Region 8

Agency Version Date: 06/25/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/19/2024
Agency: U.S. Environmental Protection Agency Region 8
Agency Contact: 855-246-3642
Most Recent Contact: 06/25/2024

INDIAN LUST R9: Leaking Underground Storage Tanks on Indian Land in EPA Region 9

Agency Version Date: 08/30/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/26/2024
Agency: U.S. Environmental Protection Agency Region 9
Agency Contact: 855-246-3642
Most Recent Contact: 08/30/2024

LAST - FL: Leaking Aboveground Storage Tank Listing

Agency Version Date: 04/02/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 06/27/2024

LUST - FL: Leaking underground storage tank sites listing

Agency Version Date: 04/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 06/27/2024

FEDERAL ERNS LIST

ERNS: Emergency Response Notification System records of reported spills

Agency Version Date: 06/13/2024
Agency Update Frequency: Annually
Planned Next Contact: 09/09/2024
Agency: National Response Center United States Coast Guard
Agency Contact: N/R
Most Recent Contact: 06/13/2024

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

FED E C: Federal listing of remediation sites with engineering controls

Agency Version Date: 07/11/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 07/11/2024

FEDERAL INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES (cont.)

FED I C: Federal listing of remediation sites with institutional controls

Agency Version Date: 07/11/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 07/11/2024

RCRA IC_EC: Sites with institutional or engineering controls related to Resource Conservation and Recovery Act

Agency Version Date: 06/25/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/19/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 06/25/2024

FEDERAL RCRA GENERATORS LIST

HIST RCRA_CESQG: List of Resource Conservation and Recovery Act licensed conditionally exempt small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 07/11/2024

HIST RCRA_LQG: List of Resource Conservation and Recovery Act licensed large quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 07/12/2024

HIST RCRA_NONGEN: List of Resource Conservation and Recovery Act licensed non-generators that are no longer in current agency list.

Agency Version Date: 10/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 07/11/2024

HIST RCRA_SQG: List of Resource Conservation and Recovery Act licensed small quantity generators that are no longer in current agency list.

Agency Version Date: 10/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 07/11/2024

RCRA_LQG: Resource Conservation and Recovery Act listing of licensed large quantity generators

Agency Version Date: 05/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

RCRA_NONGEN: Resource Conservation and Recovery Act listing of licensed non-generators

Agency Version Date: 05/20/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

RCRA_SQG: Resource Conservation and Recovery Act listing of licensed small quantity generators

Agency Version Date: 05/20/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

FEDERAL RCRA GENERATORS LIST (cont.)

RCRA_VSQG: Resource Conservation and Recovery Act listing of licensed very small quantity generators.

Agency Version Date: 05/20/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 215-814-2469
Most Recent Contact: 08/14/2024

FEDERAL NPL SITE LIST

NPL: List of priority contaminated sites among identified releases or threatened releases of hazardous substances pollutants or contaminants nationally

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

NPL EPA R1 GIS: Geospatial data for the Environmental Protection Agency Region 1 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-2132
Most Recent Contact: 06/19/2024

NPL EPA R3 GIS: Geospatial data for the Environmental Protection Agency Region 3 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-2132
Most Recent Contact: 06/19/2024

NPL EPA R6 GIS: Geospatial data for the Environmental Protection Agency Region 6 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-2132
Most Recent Contact: 06/19/2024

NPL EPA R8 GIS: Geospatial data for the Environmental Protection Agency Region 8 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-2132
Most Recent Contact: 06/19/2024

NPL EPA R9 GIS: Geospatial data for the Environmental Protection Agency Region 9 National Priority List subject to environmental regulation

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-2132
Most Recent Contact: 06/19/2024

PART NPL: Sites that are a part of an National Priority List site referred to as the parent site

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

FEDERAL NPL SITE LIST (cont.)

PROPOSED NPL: Sites that have been proposed for the National Priority List

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

SEMS_FINAL NPL: All Included National Priority List Sites

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

SEMS_PROPOSED NPL: All Proposed National Priority List Sites

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

STATE AND TRIBAL BROWNFIELD SITES

TRIBAL BROWNFIELDS: Tribal brownfield remediation site listing

Agency Version Date: 12/10/2017
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 10/28/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 08/01/2024

BROWNFIELDS - FL: Brownfield site listing

Agency Version Date: 08/09/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/05/2024
Agency: Department of Environmental Protection
Agency Contact: 407-897-4322
Most Recent Contact: 08/09/2024

BROWNFIELDS_SITES - FL: Brownfield site listing

Agency Version Date: 07/08/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/02/2024
Agency: Department of Environmental Protection
Agency Contact: 407-897-4322
Most Recent Contact: 07/08/2024

STATE- AND TRIBAL - EQUIVALENT CERCLIS

CS - FL: All cleanup sites in the state of Florida

Agency Version Date: 07/23/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/17/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 07/23/2024

SHWS - FL: State -funded cleanup program sites

Agency Version Date: 07/21/2021
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/31/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 08/06/2024

STATE- AND TRIBAL - EQUIVALENT CERCLIS (cont.)

SHWS ERIC - FL: Environmental Restoration Integrated Cleanup (ERIC) contains these datasets: Superfund National Priorities List (NPL) Sites, CERCLA Site Screening Program, State Funded Cleanup Program, State-owned Lands Cleanup Program, Site Rehabilitation Program, Hazardous Waste Cleanup Program, Petroleum Restoration Program, Department of Defense, Formerly Used Defense Site, Drycleaning Solvent Cleanup Program, Responsible Party Cleanup, Site Investigation Section, Brownfield Site Rehabilitation, Hillsborough EPC Brownfields.

Agency Version Date: 08/13/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/07/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/13/2024

SITES - FL: Summary status report compiled and revised from existing lists and intended to track progress of activities within and outside of the department as they relate to the listed sites

Agency Version Date: 12/24/2022
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 11/18/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/22/2024

STATE INSTITUTIONAL CONTROLS / ENGINEERING CONTROLS REGISTRIES

E C - FL: Remediation sites with engineering controls

Agency Version Date: 07/29/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 07/29/2024

I C - FL: Remediation sites with institutional controls

Agency Version Date: 07/29/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 07/29/2024

STATE RCRA GENERATORS LIST

HIST TSD - FL: List of Treatment Storage and Disposal facility records that are no longer in current agency list.

Agency Version Date: 02/04/2019
Agency Update Frequency: Annually
Planned Next Contact: 09/13/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8707
Most Recent Contact: 06/19/2024

LQG - FL: Listing of permitted large quantity hazardous waste generators

Agency Version Date: 08/13/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 08/13/2024

SQG - FL: Listing of permitted small quantity hazardous waste generators

Agency Version Date: 06/24/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/18/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 06/24/2024

TRA - FL: Listing of permitted hazardous waste transporters

Agency Version Date: 04/05/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/26/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8707
Most Recent Contact: 07/02/2024

STATE RCRA GENERATORS LIST (cont.)

TSD - FL: Treatment storage and disposal facility listing

Agency Version Date: 04/08/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/27/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8707
Most Recent Contact: 07/03/2024

STATE AND TRIBAL LANDFILL AND/OR SOLID WASTE DISPOSAL SITE LISTS

SWF/LF - FL: Solid waste facility and landfill listing

Agency Version Date: 04/25/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/16/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8707
Most Recent Contact: 07/22/2024

STATE AND TRIBAL VOLUNTARY CLEANUP SITES

VCP - FL: Voluntary cleanup program site list

Agency Version Date: 08/29/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/25/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8961
Most Recent Contact: 08/29/2024

LOCAL BROWNFIELD LISTS

BROWNFIELDS-ACRES: EPA Brownfields Assessment, Cleanup and Redevelopment Exchange System.

Agency Version Date: 05/03/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/24/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 07/30/2024

FED BROWNFIELDS: Federal brownfield remediation sites

Agency Version Date: 06/14/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 09/10/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 06/14/2024

HIST FED BROWNFIELDS: Historical federal brownfield remediation sites

Agency Version Date: 09/28/2023
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/10/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 06/14/2024

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES

FED CDL: The U.S. Department of Justice listing of clandestine drug lab locations

Agency Version Date: 08/29/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/25/2024
Agency: U.S. Department of Justice
Agency Contact: 202-307-7610
Most Recent Contact: 08/29/2024

US HIST CDL: The U.S. Department of Justice historical listing of clandestine drug lab locations

Agency Version Date: 08/05/2019
Agency Update Frequency: Quarterly
Planned Next Contact: 10/01/2024
Agency: U.S. Department of Justice
Agency Contact: 202-307-7610
Most Recent Contact: 07/05/2024

LOCAL LISTS OF HAZARDOUS WASTE / CONTAMINATED SITES (cont.)

CS_BROWARD COUNTY - FL: Broward county contaminated sites listing

Agency Version Date: 07/23/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/17/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 07/23/2024

CS_MIAMI-DADE COUNTY - FL: Miami-Dade county contaminated sites listing

Agency Version Date: 08/05/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/30/2024
Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/05/2024

DWM CONTAM - FL: Listing of known contaminated sites (primarily petroleum and drycleaning)

Agency Version Date: 07/30/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/24/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 07/30/2024

HAZMAT FACILITIES_BROWARD COUNTY - FL: Broward County hazardous material facility list

Agency Version Date: 05/27/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 11/15/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 08/21/2024

RESP PARTY - FL: Responsible party waste cleanups - Open, Closed, Inactive

Agency Version Date: 06/22/2021
Agency Update Frequency: Quarterly
Planned Next Contact: 10/22/2024
Agency: Department of Environmental Resources Management
Agency Contact: 850-245-2118
Most Recent Contact: 07/26/2024

RECORDS OF EMERGENCY RELEASE REPORTS

HMIRS (DOT): Hazardous Material spills reported by the Department of Transportation

Agency Version Date: 08/06/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/31/2024
Agency: U.S. Department of Transportation
Agency Contact: (202) 366-4996
Most Recent Contact: 08/06/2024

FUEL SPILL_MIAMI-DADE COUNTY - FL: Miami-Dade county fuel spill case listing of sites

Agency Version Date: 08/05/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/30/2024
Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/05/2024

SPILLS - FL: Listing of chemical spills and incidents referred to the emergency response unit

Agency Version Date: 08/01/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/28/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/01/2024

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES

HIST INDIAN ODI R8: List of Region 8 Indian land open dump inventory sites maintained within the STARS program that is no longer in current agency list.

Agency Version Date: 11/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 11/15/2024
Agency: Indian Health Service
Agency Contact: 855-246-3642
Most Recent Contact: 08/21/2024

LOCAL LISTS OF LANDFILL / SOLID WASTE DISPOSAL SITES (cont.)

INDIAN ODI R8: Region 8 Indian land open dump inventory sites maintained within the STARS program

Agency Version Date: 05/10/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/31/2024
Agency: Indian Health Service
Agency Contact: 855-246-3642
Most Recent Contact: 08/06/2024

ODI: Open dump inventory sites

Agency Version Date: 10/03/2017
Agency Update Frequency: No Update
Planned Next Contact: 09/26/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 07/02/2024

TRIBAL ODI: Indian land open dump inventory for all regions

Agency Version Date: 07/12/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/08/2024
Agency: Indian Health Service
Agency Contact: 301-443-3593
Most Recent Contact: 07/12/2024

HIST SWRCY - FL: List of permitted recycling centers that is no longer in current agency list.

Agency Version Date: 02/23/2018
Agency Update Frequency: Annually
Planned Next Contact: 09/25/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8731
Most Recent Contact: 07/01/2024

SWF_MIAMI-DADE COUNTY - FL: Miami-Dade county solid waste facility listing

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024
Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

SWRCY - FL: Permitted recycling centers

Agency Version Date: 04/25/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/16/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8731
Most Recent Contact: 07/22/2024

LOCAL LAND RECORDS

LIENS 2: Comprehensive Environmental Response Compensation and Liability Act sites with liens

Agency Version Date: 05/11/2017
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 10/30/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 800-424-9346
Most Recent Contact: 08/05/2024

OTHER ASCERTAINABLE RECORDS

AFS: Air Facility Systems Quarterly Extract

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 06/19/2024

ALT FUELING: Alternative Fueling Stations by fuel type.

Agency Version Date: 08/13/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/07/2024
Agency: U.S. Department of Energy
Agency Contact: N/R
Most Recent Contact: 08/13/2024

OTHER ASCERTAINABLE RECORDS (cont.)

ARENAS: List of Arenas and Sport Venues

Agency Version Date: 04/11/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/02/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 07/08/2024

ARENAS 2: List of Convention Centers and Fairgrounds

Agency Version Date: 04/09/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/30/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 07/04/2024

BRS: Reporting of hazardous waste generation and management from large quantity generators

Agency Version Date: 05/20/2024
Agency Update Frequency: Biennial
Planned Next Contact: 11/08/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/14/2024

CDC HAZDAT: The Agency for Toxic Substances and Disease Registry's Hazardous Substance Release/Health Effects Database.

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: Agency for Toxic Substances and Disease Registry
Agency Contact: 770-488-6399
Most Recent Contact: 06/19/2024

CHURCHES: List of places of worship

Agency Version Date: 04/15/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/04/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 07/10/2024

COAL ASH DOE: List of existing and planned generators with 1 megawatt or greater of combined capacity that are utilizing coal ash impoundments.

Agency Version Date: 11/15/2023
Agency Update Frequency: Varies
Planned Next Contact: 10/28/2024
Agency: Department of Energy
Agency Contact: (202) 586-8800
Most Recent Contact: 08/01/2024

COAL ASH EPA: Coal Combustion Residues Surface Impoundments List

Agency Version Date: 03/29/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/19/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 06/25/2024

COAL GAS: Manufactured Gas Plant locations

Agency Version Date: 05/24/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/14/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 08/20/2024

COLLEGES: List of major Universities & Colleges

Agency Version Date: 03/14/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/29/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/04/2024

COLLEGES 2: List of Universities & Colleges

Agency Version Date: 03/20/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/10/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 06/14/2024

OTHER ASCERTAINABLE RECORDS (cont.)

CONSENT (DECREES): Legal decisions regarding responsibility for Superfund locations

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: Environmental Protection Agency
Agency Contact: (800) 424-9346
Most Recent Contact: 06/19/2024

CORRECTIVE ACTIONS_2020: In 2009 the EPA created the 2020 Corrective Action Baseline list of contaminated or potentially contaminated sites with a cleanup goal to complete 95% by the year 2020. The names on the list indicate the facility owners who may or may not have caused the contamination.

Agency Version Date: 12/19/2023
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 12/27/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 09/04/2024

DAYCARE: List of Daycare facilities

Agency Version Date: 06/07/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/28/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/03/2024

DEBRIS EPA LF: EPA list of designated landfill facilities for the safe disposal of disaster debris.

Agency Version Date: 08/29/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/25/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 08/29/2024

DEBRIS EPA SWRCY: EPA list of facilities for the safe recovery, recycling, and disposal of disaster debris.

Agency Version Date: 08/29/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/25/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 08/29/2024

DOCKET CRIM PROS 2: Criminal affirmative cases filed by the United States involving CAA CWA CERCLA EPCRA FIFRA MPRSA RCRA & TSCA.

Agency Version Date: 06/06/2023
Agency Update Frequency: Quarterly
Planned Next Contact: 11/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-1744
Most Recent Contact: 08/13/2024

DOD: Department of Defense sites from the Protected Areas Database (PAD-US)

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: United States Geologic Survey (USGS)
Agency Contact: 1-888-275-8747
Most Recent Contact: 06/19/2024

DOT OPS: Incident Data Report

Agency Version Date: 04/11/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/02/2024
Agency: U.S. Department of Transportation
Agency Contact: (202) 366-4996
Most Recent Contact: 07/08/2024

ECHO: ECHO is EPA Enforcement and Compliance History Online website to search for facilities in your community to assess their compliance with environmental regulations related to CAA, CWA, RCRA, & SDWA.

Agency Version Date: 05/15/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/05/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 202-566-1667
Most Recent Contact: 08/09/2024

OTHER ASCERTAINABLE RECORDS (cont.)

ENOI: The Electronic Notice of Intent (eNOI) database contains construction sites and industrial facilities that submit permit requests to EPA for Construction General Permits (CGP) and Multi-Sector General Permits (MSGP).

Agency Version Date: 03/19/2021
Agency Update Frequency: Quarterly
Planned Next Contact: 10/21/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 07/25/2024

EPA FUELS: List of companies and facilities registered to participate in EPA Fuel Programs under Title 40 CFR Part 80.

Agency Version Date: 06/25/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/19/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: (202) 564-2307
Most Recent Contact: 06/25/2024

EPA OSC: Listing of oil spills and hazardous substance release sites requiring EPA On-Site Coordinators.

Agency Version Date: 05/08/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/29/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: (202) 564-2307
Most Recent Contact: 08/02/2024

EPA WATCH: The EPA Watch List was used to facilitate dialogue between EPA, state and local environmental agencies on enforcement matters relating to facilities with alleged violations identified as either significant or high priority. EPA maintained the lists from 2011 - 2013.

Agency Version Date: 02/09/2018
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 10/28/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: (202) 564-2307
Most Recent Contact: 08/01/2024

FA HWF: Hazardous Waste Facilities with Financial Assurance

Agency Version Date: 05/29/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/15/2024
Agency: Environmental Protection Agency
Agency Contact: (800) 424-9346
Most Recent Contact: 08/21/2024

FEDLAND: Federal Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: United States Geologic Survey (USGS)
Agency Contact: 1-888-275-8747
Most Recent Contact: 06/19/2024

FRS: Facility Registry Systems

Agency Version Date: 06/27/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/23/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 06/27/2024

FTTS: Tracking of administrative and enforcement activities related to FIFRA/TSCA

Agency Version Date: 04/06/2013
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 11/12/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-2280
Most Recent Contact: 08/16/2024

FTTS INSP: Tracking of inspections related to FIFRA/TSCA

Agency Version Date: 05/08/2017
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 11/05/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-2280
Most Recent Contact: 08/09/2024

OTHER ASCERTAINABLE RECORDS (cont.)

FUDS: Defense sites that require cleanup

Agency Version Date: 06/28/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/24/2024
Agency: US Army Corps of Engineering
Agency Contact: (202) 761-0011
Most Recent Contact: 06/28/2024

GOV MANSIONS: List of Governors Mansions

Agency Version Date: 04/11/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/02/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 07/08/2024

HIST AFS: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 06/19/2019
Agency Update Frequency: Quarterly
Planned Next Contact: 10/28/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/01/2024

HIST AFS 2: List of Air Facility Systems Quarterly Extract that are no longer in current agency list.

Agency Version Date: 11/26/2018
Agency Update Frequency: Quarterly
Planned Next Contact: 11/27/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 09/02/2024

HIST DOD: Department of Defense historical sites

Agency Version Date: 06/19/2024
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/13/2024
Agency: Environmental Protection Agency
Agency Contact: (800) 424-9346
Most Recent Contact: 06/19/2024

HIST LEAD_SMELTER: List of former lead smelter sites that is no longer in current agency list.

Agency Version Date: 12/12/2018
Agency Update Frequency: Annually
Planned Next Contact: 11/13/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/19/2024

HIST MLTS: List of sites in possession/use of radioactive materials regulated by NRC that is no longer in current agency list.

Agency Version Date: 07/13/2016
Agency Update Frequency: Annually
Planned Next Contact: 11/21/2024
Agency: Nuclear Regulatory Commission
Agency Contact: (800) 397-4209
Most Recent Contact: 08/27/2024

HIST PCB TRANS: List of PCB Disposal Facilities that are no longer in current agency list.

Agency Version Date: 01/18/2018
Agency Update Frequency: No Update
Planned Next Contact: 09/16/2024
Agency: Environmental Protection Agency
Agency Contact: (703) 308-8404
Most Recent Contact: 06/20/2024

HIST PCS ENF: List of permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/08/2018
Agency Update Frequency: Annually
Planned Next Contact: 09/30/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-6582
Most Recent Contact: 07/04/2024

OTHER ASCERTAINABLE RECORDS (cont.)

HIST PCS FACILITY: List of Permitted facilities to discharge wastewater (Federal equivalent to NPDES) that are no longer in current agency list.

Agency Version Date: 12/18/2018
Agency Update Frequency: Annually
Planned Next Contact: 09/30/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-6582
Most Recent Contact: 07/04/2024

HIST SSTS: List of tracking of facilities who produce pesticides and their quantity that are no longer in current agency list.

Agency Version Date: 02/13/2019
Agency Update Frequency: Annually
Planned Next Contact: 09/18/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 06/24/2024

HOSPITALS: List of major Hospitals

Agency Version Date: 06/10/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/29/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/04/2024

HWC DOCKET: Listing of Federal facilities which are managing or have managed hazardous waste; or have had a release of hazardous waste.

Agency Version Date: 06/25/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/19/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: (202) 564-2307
Most Recent Contact: 06/25/2024

ICIS: Comprised of all Federal Administrative and Judicial enforcement information [intended to replace PCS] by tracking enforcement and compliance information (also contains what used to be known as FFTS)

Agency Version Date: 05/17/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/13/2024

INACTIVE PCS: Inactive Permitted facilities to discharge wastewater

Agency Version Date: 05/17/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-6582
Most Recent Contact: 08/13/2024

INDIAN RESERVATION: American Indian Lands from the Protected Areas Database (PAD-US)

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: United States Geologic Survey (USGS)
Agency Contact: 1-888-275-8747
Most Recent Contact: 06/19/2024

LUCIS: Land Use Control Information Systems

Agency Version Date: 03/08/2023
Agency Update Frequency: Quarterly
Planned Next Contact: 11/06/2024
Agency: Department of the Navy: BRAC PMO
Agency Contact: (619) 532-0900
Most Recent Contact: 08/12/2024

LUCIS 2: Land Use Control Information Systems

Agency Version Date: 01/17/2018
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/17/2024
Agency: Department of the Navy: BRAC PMO
Agency Contact: (619) 532-0900
Most Recent Contact: 06/21/2024

OTHER ASCERTAINABLE RECORDS (cont.)

MANIFEST EPA: EPA Hazardous Waste Electronic Manifest System (e-Manifest)

Agency Version Date: 04/03/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/24/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 06/28/2024

MGP: Locations of all Manufactured Gas Plants

Agency Version Date: 07/05/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/01/2024
Agency: Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/05/2024

MINE OPERATIONS: Mine plants and operations for commodities monitored by the National Minerals Information Center of the USGS

Agency Version Date: 07/02/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/26/2024
Agency: USGS Mineral Resources Program
Agency Contact: (703) 648-5953
Most Recent Contact: 07/02/2024

MINES: Mines Master Index Files

Agency Version Date: 05/20/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/08/2024
Agency: Department of Labor
Agency Contact: (202) 693-9400
Most Recent Contact: 08/14/2024

MINES USGS: Listing of all active mines and mineral plants in 2003

Agency Version Date: 07/02/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/26/2024
Agency: USGS Mineral Resources Program
Agency Contact: (703) 648-5953
Most Recent Contact: 07/02/2024

MLTS: Sites in possession/use of radioactive materials regulated by NRC

Agency Version Date: 12/22/2023
Agency Update Frequency: Varies
Planned Next Contact: 09/09/2024
Agency: Nuclear Regulatory Commission
Agency Contact: (800) 397-4209
Most Recent Contact: 06/13/2024

NPL AOC: Areas of Concern related to NPL remediation sites

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 06/19/2024

NPL LIENS: National Priority List of sites with Liens

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

NURSING HOMES: List of Nursing Homes

Agency Version Date: 06/07/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/28/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/03/2024

OSHA: OSHA's listing of inspections violations and fatality information

Agency Version Date: 05/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/06/2024
Agency: Occupational Safety & Health Administration
Agency Contact: 800-321-6742
Most Recent Contact: 08/12/2024

OTHER ASCERTAINABLE RECORDS (cont.)

PADS: Listing of generators transporters commercial store/ brokers and disposers of PCB

Agency Version Date: 06/18/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/12/2024
Agency: Environmental Protection Agency
Agency Contact: (703) 308-8404
Most Recent Contact: 06/18/2024

PCB TRANSFORMER: Disposal and Storage of Polychlorinated Biphenyl (PCB) Waste

Agency Version Date: 07/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/26/2024
Agency: Environmental Protection Agency
Agency Contact: (703) 308-8404
Most Recent Contact: 07/02/2024

PCS ENF: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 05/17/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-6582
Most Recent Contact: 08/13/2024

PCS FACILITY: Permitted facilities to discharge wastewater (Federal equivalent to NPDES)

Agency Version Date: 05/17/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-6582
Most Recent Contact: 08/13/2024

PFAS FED SITES: PFAS Detection on Federal Facilities

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

PFAS INDUSTRY: List of Industries potentially handling PFAS

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

PFAS MANIFEST: PFAS Transfer Manifest

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

PFAS NPL: List of NPL sites with PFAS or PFOA contamination

Agency Version Date: 05/29/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/19/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 08/23/2024

PFAS PROD: PFAS Production Sites

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

PFAS SPILLS: List of PFAS Spill Sites

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

OTHER ASCERTAINABLE RECORDS (cont.)

PFAS TRIS: List of TRIS sites where PFAS or PFOA are used/manufactured/ treated/ transported/released.

Agency Version Date: 08/13/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/13/2024

PFAS UCMR3: List of PWS wells sampled for Unregulated Contaminant Monitoring Rule (UCMR)

Agency Version Date: 06/02/2022
Agency Update Frequency: Quarterly
Planned Next Contact: 10/21/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 07/25/2024

PFAS WQP: List of PFAS from Water Quality Portal

Agency Version Date: 07/12/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/08/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 07/12/2024

PRISONS: List of Prison facilities

Agency Version Date: 05/03/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/24/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 07/30/2024

RAATS: Listing of major violators with enforcement actions issued under RCRA. Includes administrative and civil actions filed by the EPA. This dataset is no longer maintained.

Agency Version Date: 09/23/2019
Agency Update Frequency: Varies
Planned Next Contact: 11/28/2024
Agency: Environmental Protection Agency
Agency Contact: N/R
Most Recent Contact: 09/03/2024

RADINFO: EPA regulated facilities with radiation and radioactive materials

Agency Version Date: 08/01/2019
Agency Update Frequency: Varies
Planned Next Contact: 11/18/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/22/2024

RMP: Facilities producing/handling/ process/ distribute/ store specific chemicals report plans required by the Clean Air Act

Agency Version Date: 06/14/2023
Agency Update Frequency: Monthly
Planned Next Contact: 11/15/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 564-2534
Most Recent Contact: 08/21/2024

ROD: Permanent remedy at an NPL site

Agency Version Date: 06/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024
Agency: Environmental Protection Agency
Agency Contact: (800) 424-9346
Most Recent Contact: 06/19/2024

SCHOOLS PRIVATE: List of Private Schools

Agency Version Date: 06/10/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/29/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/04/2024

SCHOOLS PUBLIC: List of Public Schools

Agency Version Date: 06/10/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/29/2024
Agency: DHS Homeland Infrastructure Foundation
Agency Contact: N/R
Most Recent Contact: 09/04/2024

OTHER ASCERTAINABLE RECORDS (cont.)

SCRD DRYCLEANERS: State Coalition for Remediation of Drycleaners

Agency Version Date: 07/22/2024
Agency Update Frequency: No Update
Planned Next Contact: 10/16/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 07/22/2024

SEMS_SMELTER: This report includes sites that have smelting-related, or potentially smelting-related, indicators in the SEMS database. The report includes information on the site location as well as contaminants of concern.

Agency Version Date: 06/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/13/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 703-603-8867
Most Recent Contact: 06/19/2024

SSTS: Tracking of facilities who produce pesticides and their quantity

Agency Version Date: 05/01/2024
Agency Update Frequency: Annually
Planned Next Contact: 10/22/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 07/26/2024

STORMWATER: Permitted storm water sites

Agency Version Date: 05/10/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/31/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/06/2024

TOSCA-PLANT: Plants controlled by the Toxic Substance Control Act

Agency Version Date: 08/22/2023
Agency Update Frequency: Varies
Planned Next Contact: 10/29/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/02/2024

TRIS: Information regarding toxic chemicals that are being used/manufactured/ treated/ transported/released into the environment

Agency Version Date: 08/13/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: Environmental Protection Agency
Agency Contact: (202) 566-1667
Most Recent Contact: 08/13/2024

UMTRA: Uranium Recovery Sites

Agency Version Date: 05/17/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/07/2024
Agency: United States Nuclear Regulatory Commission
Agency Contact: (301) 415-8200
Most Recent Contact: 08/13/2024

VAPOR: EPA Vapor Intrusion Database

Agency Version Date: 03/19/2021
Agency Update Frequency: Varies
Planned Next Contact: 10/22/2024
Agency: U.S. Environmental Protection Agency
Agency Contact: 855-246-3642
Most Recent Contact: 07/26/2024

AIRS - FL: Listing of facilities with air permits

Agency Version Date: 06/27/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/23/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-717-9091
Most Recent Contact: 06/27/2024

OTHER ASCERTAINABLE RECORDS (cont.)

AIRS_MIAMI-DADE COUNTY - FL: Miami-Dade county facilities with air permits

Agency Version Date: 08/16/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

BROWNFIELDS_AREAS - FL: Designated Redevelopment Areas where property owners are eligible to enter into a Brownfields Site Rehabilitation Agreement (BSRA) with the State.

Agency Version Date: 07/09/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/03/2024

Agency: Department of Environmental Protection
Agency Contact: 407-897-4322
Most Recent Contact: 07/09/2024

CAP_MIAMI-DADE COUNTY - FL: Miami-Dade county facilities with construction air permits

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

CATTLE DIPPING VATS - FL: Cattle Dipping Vats from the Ground Water Inspection Facility listing.

Agency Version Date: 08/21/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/15/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 08/21/2024

COAL ASH - FL: Coal Ash Disposal Site Listing

Agency Version Date: 04/25/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/16/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850.245.8712
Most Recent Contact: 07/22/2024

DAYCARE - FL: Daycare listing

Agency Version Date: 03/06/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/21/2024

Agency: Florida Department of Children & Families
Agency Contact: 866-762-2237
Most Recent Contact: 08/27/2024

DEDB - FL: Drinking water wells contaminated with ethylene dibromide

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/16/2024

DRYCLEANERS - FL: Drycleaner facility listing

Agency Version Date: 05/14/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/04/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 08/08/2024

ENF_MIAMI-DADE COUNTY - FL: Miami-Dade County enforcement case listing of sites

Agency Version Date: 08/19/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/13/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/19/2024

OTHER ASCERTAINABLE RECORDS (cont.)

FA 1 - FL: Financial Assurance for SWF/LF facilities

Agency Version Date: 05/07/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/28/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 08/01/2024

FA 2 - FL: Financial Assurance for Hazardous Waste Managment facilities

Agency Version Date: 05/07/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 10/28/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 08/01/2024

FA 3 - FL: Financial Assurance and Insurance Information for Tank Facilities

Agency Version Date: 05/23/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/13/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 08/19/2024

FACILITY LIST_ALACHUA COUNTY - FL: Alachua county hazardous material facility list

Agency Version Date: 06/12/2024
Agency Update Frequency: Annually
Planned Next Contact: 12/03/2024
Agency: Alachua County Environmental Protection Department
Agency Contact: 352-264-6806
Most Recent Contact: 09/06/2024

FF TANKS - FL: listing of Federal facilities with tanks, no longer updated

Agency Version Date: 04/02/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 09/23/2024
Agency: Department of Environmental Protection
Agency Contact: 850-245-8705
Most Recent Contact: 06/27/2024

GTO_MIAMI-DADE COUNTY - FL: Miami-Dade county non-residential facilities that discharge waste to a sanitary sewer

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024
Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

GWCA - FL: Ground water contaminated areas

Agency Version Date: 06/28/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/24/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 06/28/2024

GWIF - FL: Groundwater Monitoring sites that are inspected and monitored.

Agency Version Date: 08/21/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/15/2024
Agency: Florida Bureau of Environmental Health
Agency Contact: 850-245-4240
Most Recent Contact: 08/21/2024

GWP_MIAMI-DADE COUNTY - FL: Miami-Dade County Class I, II, III, IV, V, VI, Domestic Wastewater permits

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/15/2024
Agency: Miami-Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

OTHER ASCERTAINABLE RECORDS (cont.)

HAZ WASTE_MIAMI-DADE COUNTY - FL: Miami-Dade county hazardous waste permits

Agency Version Date: 08/05/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 10/30/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/05/2024

HIST CAP_MIAMI-DADE COUNTY - FL: List of Miami-Dade county facilities with construction air permits that are no longer in current agency list.

Agency Version Date: 12/25/2018
Agency Update Frequency: Annually
Planned Next Contact: 10/07/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 07/11/2024

HIST CATTLE DIPPING VATS - FL: Vats from the 1910's through the 1950's that were filled with an arsenic solution for the control and eradication of the cattle fever tick

Agency Version Date: 01/18/2018
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/16/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 06/20/2024

HIST DEDB - FL: List of drinking water wells contaminated with ethylene dibromide that is no longer in current agency list.

Agency Version Date: 02/04/2019
Agency Update Frequency: Annually
Planned Next Contact: 11/13/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/19/2024

HIST FF TANKS - FL: List of Federal facilities with tanks that are no longer in current agency list.

Agency Version Date: 01/28/2019
Agency Update Frequency: Quarterly
Planned Next Contact: 11/15/2024

Agency: Department of Environmental Protection
Agency Contact: N/R
Most Recent Contact: 08/21/2024

HIST MINES - FL: Location information of recorded mines

Agency Version Date: 01/08/2019
Agency Update Frequency: Annually
Planned Next Contact: 09/17/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 06/21/2024

IW SQG_MIAMI-DADE COUNTY - FL: Miami-Dade county permitted industrial waste small quantity generator

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

IW_MIAMI-DADE COUNTY - FL: Miami-Dade county industrial waste permits

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

IWP_MIAMI-DADE COUNTY - FL: Miami-Dade County permitted industrial waste pretreatment facility listing

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

OTHER ASCERTAINABLE RECORDS (cont.)

LWT_MIAMI-DADE COUNTY - FL: Miami-Dade county permitted liquid waste transporter listing

Agency Version Date: 08/16/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

MINES - FL: Location information of recorded mines

Agency Version Date: 06/28/2024
Agency Update Frequency: Varies
Planned Next Contact: 09/24/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 06/28/2024

MOP_MIAMI-DADE COUNTY - FL: Miami-Dade county marine facilities operating permit listing

Agency Version Date: 08/16/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/12/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/16/2024

MRE_MIAMI-DADE COUNTY - FL: Miami-Dade county Maimi River Enforcement case listing

Agency Version Date: 08/19/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/13/2024

Agency: Dade County Department of Environmental Resources Management
Agency Contact: 305-372-6715
Most Recent Contact: 08/19/2024

NPDES - FL: Listing of facilities with wastewater and NPDES permits

Agency Version Date: 08/08/2024
Agency Update Frequency: Monthly
Planned Next Contact: 11/04/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8325
Most Recent Contact: 08/08/2024

PFAS - FL: List of PFAS sites and areas of interest

Agency Version Date: 08/07/2023
Agency Update Frequency: Quarterly
Planned Next Contact: 10/14/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8927
Most Recent Contact: 07/18/2024

PFAS AFFF - FL: List of sites with environmental assessments related to the historic and current use of chemicals found in aqueous film forming foam (AFFF) at fire training facilities.

Agency Version Date: 06/04/2024
Agency Update Frequency: Quarterly
Planned Next Contact: 11/25/2024

Agency: Department of Environmental Protection
Agency Contact: 850-245-2006
Most Recent Contact: 08/29/2024

PRIORITY CLEANERS - FL: Listing of sites included in the Drycleaning Solvent Cleanup Program Priority Ranking List

Agency Version Date: 08/09/2021
Agency Update Frequency: No Longer Maintained
Planned Next Contact: 09/11/2024

Agency: Department of Environmental Protection
Agency Contact: N/R
Most Recent Contact: 06/17/2024

SIS - FL: Listing of site investigation section sites

Agency Version Date: 08/10/2021
Agency Update Frequency: Varies
Planned Next Contact: 09/13/2024

Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 06/19/2024

OTHER ASCERTAINABLE RECORDS (cont.)

T 2 - FL: List of facilities that must submit an Emergency and Hazardous Chemical Inventory Form

Agency Version Date: 05/14/2024
Agency Update Frequency: Varies
Planned Next Contact: 11/04/2024
Agency: Florida Division of Emergency Management
Agency Contact: 850-413-9928
Most Recent Contact: 08/08/2024

UIC - FL: Underground injection well permits

Agency Version Date: 08/06/2024
Agency Update Frequency: Varies
Planned Next Contact: 10/31/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-2118
Most Recent Contact: 08/06/2024

VIOLATION_BROWARD COUNTY - FL: Broward county listing of environmental notices of violation cases

Agency Version Date: 02/29/2024
Agency Update Frequency: Semi Annually
Planned Next Contact: 11/15/2024
Agency: Broward County Environmental Protection Department
Agency Contact: 954-519-0332
Most Recent Contact: 08/21/2024

WASTEWATER - FL: Listing of permitted wastewater facilities

Agency Version Date: 06/12/2024
Agency Update Frequency: Monthly
Planned Next Contact: 12/03/2024
Agency: Florida Department of Environmental Protection
Agency Contact: 850-245-8325
Most Recent Contact: 09/06/2024

SUBJECT PROPERTY ADDRESS:

Vacant Parcels
Carol Ann Dr
Edgewater, FL 32132

SUBJECT PROPERTY COORDINATES:

Latitude(North):	28.985354 - 28°59'7.3"
Longitude(West):	-80.917948 - -80°55'4.6"
Universal Transverse Mercator:	Zone 17N
UTM X (Meters):	507993.03
UTM Y (Meters):	3206365.75
State Plane Coordinates:	0901 - Florida East (US Survey Feet)
X Coordinate (Feet):	682399.424 E
Y Coordinate (Feet):	1690973.071 N

ELEVATION:

Elevation:	6 ft. above sea level

USGS TOPOGRAPHIC MAP:

Subject Property Map:	28080-H8 Edgewater, FL
Most Recent Revision:	2021

GEOHYDROLOGY DATA:

SUBJECT PROPERTY TOPOGRAPHY:

Topographic Gradient: North

DFIRM FLOOD ZONE:

	DFIRM Flood
Subject Property County:	Electronic Data:
VOLUSIA	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	12127C0685J (Eff. date 9/29/2017)
Additional Panels in search area:	12127C0543J (Eff. date 9/29/2017)

FEMA FLOOD ZONE:

	FEMA Flood
Subject Property County:	Electronic Data:
VOLUSIA	Yes - refer to the PROPERTY PROXIMITY MAP and AREA MAP
Flood Plain Panel at Subject Property:	1203080001C 1251550535F
Additional Panels in search area:	1251550445E 1251320003C

NATIONAL WETLAND INVENTORY:

	NWI Electronic
NWI Quad at Subject Property:	Data Coverage:
Edgewater	Yes - refer to the Geological Findings Map

LITHOSTRATIGRAPHIC INFORMATION:

ROCK STRATIGRAPHIC UNIT:		GEOLOGIC AGE IDENTIFICATION
Era:	Cenozoic	Category: 2 Qh Holocene
System:	Quaternary	
Series:	Holocene	
Code:	Qh	

SURROUNDING ELEVATION PROFILES:





SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: September 09, 2024



SOIL COMPOSITION IN GENERAL AREA OF SUBJECT PROPERTY:

Agency source: Soil Conservation Service, US Department of Agriculture

SOIL MAP ID 1	SSURGO
USDA Soil Name	Cassia,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5.5
2	13-66	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	66-107	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-5.5
4	107-203	Fine sand	Reference: This is a	Reference: This is a	42-141	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	107-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 2 **SSURGO**

USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	80
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5
2	41-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	64-97	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
4	97-109	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
5	109-163	Loamy sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	7.9-8.4

SOIL MAP ID 3	SSURGO
USDA Soil Name	Pits,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 4	SSURGO
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 5	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	21
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	25-86	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	25-86	Sand	Transportation Officials, 1984.	material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	86-109	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	109-216	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 6	SSURGO
USDA Soil Name	Myakka variant,Variant
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	7
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	18-71	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	71-102	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	4.5-6
4	102-114	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-7.3
5	114-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	6.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	114-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	6.6-8.4

SOIL MAP ID 7 **SSURGO**

USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	80
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5
2	41-64	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5
3	64-97	Sandy clay loam	Reference: This is a classification of soil material for highway	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand.	14-42	6.1-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	64-97	Sandy clay loam	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
4	97-109	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
5	109-163	Loamy sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	7.9-8.4

SOIL MAP ID 8	SSURGO
USDA Soil Name	Immokalee,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	21
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-25	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
2	25-86	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	86-109	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-6
4	109-216	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6

SOIL MAP ID 9	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	25
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 10 **SSURGO**

USDA Soil Name	Wabasso,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	23
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	61-89	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4-14	3.5-5.9

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-89	Fine sand	M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-5.9
4	89-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	99-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.1-8.4

SOIL MAP ID 11	**SSURGO**
USDA Soil Name	Daytona,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	1
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
2	13-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	91-119	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	3.5-6
4	119-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6

SOIL MAP ID 12	SSURGO
USDA Soil Name	Wabasso,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	23
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	61-89	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-5.9
4	89-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	89-99	Fine sand	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	99-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.1-8.4

SOIL MAP ID 13 **SSURGO**

USDA Soil Name	Riviera,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	80
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-41	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5
2	41-64	Fine sand	Granular materials (35% or less passing	Reference: This is a classification of soil	42-141	4.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	41-64	Fine sand	No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6.5
3	64-97	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
4	97-109	Sandy clay loam	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, sands with fines, Clayey Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-8.4
5	109-163	Loamy sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	7.9-8.4

SOIL MAP ID 14	SSURGO
USDA Soil Name	Basinger,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	95
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	3.5-7.3
2	13-36	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	3.5-7.3
3	36-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	3.5-7.3
4	91-203	Fine sand	Reference: This is a classification of soil material for highway and airfield	Reference: This is a classification of soil material designed for general construction	42.3528-141.176	3.5-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42.3528-141.176	3.5-7.3

SOIL MAP ID 15 **SSURGO**

USDA Soil Name	Myakka variant,Variant
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	7
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	18-71	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	71-102	Fine sand	Granular materials (35% or less passing No. 200), fine sand.	Reference: This is a classification of soil material designed for	4-14	4.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	71-102	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	4.5-6
4	102-114	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-7.3
5	114-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	6.6-8.4

SOIL MAP ID 16	**SSURGO**
USDA Soil Name	Water,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 17	SSURGO
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	25
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	3.5-6.5

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	91-203	Fine sand	and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 18 **SSURGO**

USDA Soil Name	Myakka variant,Variant
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	7
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	18-71	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	71-102	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil	Reference: This is a classification of soil material designed for general construction purposes. It is dependent	4-14	4.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	71-102	Fine sand	material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	4.5-6
4	102-114	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-7.3
5	114-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	6.6-8.4

SOIL MAP ID 19	SSURGO
USDA Soil Name	Daytona,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	1
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
2	13-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	91-119	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	3.5-6
4	119-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6

SOIL MAP ID 20	SSURGO
USDA Soil Name	Pits,Miscellaneous area
USDA Soil Texture	Not Reported
Hydrologic Soil Group	Not Reported
Soil Drainage Class	Not Reported
Hydric Classification	0
Corrosion Potential - Uncoated Steel	Not Reported

SOIL MAP ID 21	SSURGO
USDA Soil Name	Wabasso,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	23
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	61-89	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials,	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and	4-14	3.5-5.9

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	61-89	Fine sand	1984.	the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-5.9
4	89-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	99-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.1-8.4

SOIL MAP ID 22 **SSURGO**

USDA Soil Name	Myakka variant,Variant
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	7
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
2	18-71	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	4.5-6
3	71-102	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	4.5-6
4	102-114	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	6.1-7.3
5	114-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a	Reference: This is a classification of soil material designed for general construction	42-141	6.6-8.4

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
5	114-203	Fine sand	classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	6.6-8.4

SOIL MAP ID 23 **SSURGO**

USDA Soil Name	Daytona,Series
USDA Soil Texture	Sand
Hydrologic Soil Group	A
Soil Drainage Class	Moderately well drained
Hydric Classification	1
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
2	13-91	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6
3	91-119	Sand	Granular materials (35% or less passing No. 200), fine sand.	Reference: This is a classification of soil material designed for	14-42	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
3	91-119	Sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	14-42	3.5-6
4	119-203	Sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	141-353	3.5-6

SOIL MAP ID 24 **SSURGO**

USDA Soil Name	Cassia,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Somewhat poorly drained
Hydric Classification	0
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-5.5
2	13-66	Fine sand	Granular materials (35% or less passing	Reference: This is a classification of soil	42-141	3.5-6

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
2	13-66	Fine sand	No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6
3	66-107	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	COARSE-GRAINED SOILS, Sands, Sands with fines, Silty Sand. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-5.5
4	107-203	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 25	**SSURGO**
USDA Soil Name	Myakka,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A/D
Soil Drainage Class	Poorly drained
Hydric Classification	25
Corrosion Potential - Uncoated Steel	Moderate

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-15	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	15-51	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	51-91	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-42	3.5-6.5
4	91-203	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5

SOIL MAP ID 26	SSURGO
USDA Soil Name	Wabasso,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	23
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-18	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
2	18-61	Fine sand	Granular materials (35% or less passing No. 200), fine sand. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	3.5-6.5
3	61-89	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	3.5-5.9
4	89-99	Fine sand	Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc.	Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size	42-141	5.1-7.3

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
4	89-99	Fine sand	of State Highway and Transportation Officials, 1984.	distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	42-141	5.1-7.3
5	99-203	Sandy clay loam	Silt-Clay materials (more than 35% passing No. 200) clayey soils. Reference: This is a classification of soil material for highway and airfield construction (Procedure M 145-73 in Am. Assoc. of State Highway and Transportation Officials, 1984.	FINE-GRAINED SOILS, Silts and clays (liquid limit is less than 50%), Lean Clay. Reference: This is a classification of soil material designed for general construction purposes. It is dependent on the particle size distribution of the <75 mm, the liquid limit, and the plasticity index and on whether the soil material is high in organic matter (ASTM test D 2487, in ASTM, 1984).	4-14	5.1-8.4

SOIL MAP ID A **STATSGO**

USDA Soil Name	Paola,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	A
Soil Drainage Class	Excessively drained
Hydric Classification	5
Corrosion Potential - Uncoated Steel	Low

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-3	Fine sand	No data	No data	141.1433-141.1433	3.6-7.3
2	3-25	No data	No data	No data	141.1433-141.1433	3.6-7.3
3	25-80	No data	No data	No data	141.1433-141.1433	3.6-7.3

SOIL MAP ID B	STATSGO
USDA Soil Name	Smyrna,Series
USDA Soil Texture	Fine sand
Hydrologic Soil Group	B/D
Soil Drainage Class	Poorly drained
Hydric Classification	54
Corrosion Potential - Uncoated Steel	High

Layer	Depth (inches)	Soil Texture	AASHTO Group	Unified Soil Description	Saturated Hydraulic Conductivity micro m/sec	Soil Reaction pH
1	0-13	Fine sand	No data	No data	42.343-141.1433	3.6-7.3
2	13-28	No data	No data	No data	4.2343-42.343	3.6-7.3
3	28-80	No data	No data	No data	42.343-141.1433	4.5-5.5

WATER AGENCY DATA:

WATER AGENCY SEARCH DISTANCES:

DATABASE:	SEARCH DISTANCE (MILES):
NWIS	1.000
OIL & GAS WELLS - FL	1.000
PWS	1.000
WELLS - FL	1.000
WELLS NW - FL	1.000
WELLS SJ - FL	1.000
WELLS SR - FL	1.000
WELLS SW - FL	1.000

DISTANCE TO NEAREST:	DISTANCE:
NWIS	0.872 mi / 4604 ft
OIL & GAS WELLS - FL	N/A
PWS	0.189 mi / 999 ft
WELLS - FL	0.000 mi / 0 ft
WELLS NW - FL	N/A
WELLS SJ - FL	0.593 mi / 3132 ft
WELLS SR - FL	N/A
WELLS SW - FL	N/A

FEDERAL WATER AGENCY DATA SUMMARY:

MAP ID:	WELL ID:	LOCATION FROM SP:
11	FL3640488 | OAK HILL SUNOCO-OAK HILL SUNOCO (GROCERY BOX)	1/8 - 1/4 Mile W
35	285921080541001	1/2 - 1 Mile ENE

Note: PWS System location is not always the same as well location.

STATE/LOCAL WATER AGENCY DATA SUMMARY:

MAP ID:	WELL ID:	LOCATION FROM SP:
1	AAF0035	< 1/8 Mile ESE
2	AAF0034	< 1/8 Mile W
3	AAF0037	< 1/8 Mile SSW
4	AAF0036	< 1/8 Mile SSE
A5	AAF0040	< 1/8 Mile SSE
6	640032601 | 640032701 | 640032801	< 1/8 Mile NE
A7	AAF0041	< 1/8 Mile SSE
A8	AAF0042	1/8 - 1/4 Mile SSE
9	AAF0038	1/8 - 1/4 Mile S
12	AAF0039	1/8 - 1/4 Mile SSW
C19	AAF0043	1/4 - 1/2 Mile NE
20	AAD2022	1/4 - 1/2 Mile NNE
C21	AAD4518	1/4 - 1/2 Mile NE
25	AAD2023	1/4 - 1/2 Mile NNE
E26	AAD4515	1/2 - 1 Mile NNE
E27	AAD4514	1/2 - 1 Mile NNE
28	141015-1	1/2 - 1 Mile W
29	N/R	1/2 - 1 Mile W
31	141013-1	1/2 - 1 Mile W
F32	N/R	1/2 - 1 Mile SE
F33	N/R	1/2 - 1 Mile SE
36	N/R	1/2 - 1 Mile NW

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: September 09, 2024



- Subject Property
- Geological Site
- WetLands
- Basins (No Data)
- NWI
- Geologic Cluster
- NWIS
- Geologic Cluster with Water Well
- Oil & Gas Wells (No Data)

Map Id: 1
Direction: ESE
Distance: 0.000 mi., 0 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0035
259 CAROL ANN DR
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 57303243
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0035
Well Type :	Private Well
Well Name :	MCALEENAN
Status :	ACTIVE
Well Address :	259 CAROL ANN DR, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308070
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308070
Water Supply Restoration Program ID :	640027401
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.98
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.985159
Longitude :	-80.917108
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 2
Direction: W
Distance: 0.016 mi., 84 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0034
28.985052, -80.919582
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8337146
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0034
Well Type :	Private Well
Well Name :	FRANK PARILLO
Status :	ACTIVE
Well Address :	260 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308068
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308068
Water Supply Restoration Program ID :	640027301
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6.62
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.985052
Longitude :	-80.919582
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 3
Direction: SSW
Distance: 0.034 mi., 179 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAF0037
266 CAROL ANN
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 57303221
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0037
Well Type :	Private Well
Well Name :	MCCOMISKUI
Status :	ACTIVE
Well Address :	266 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308074
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308074
Water Supply Restoration Program ID :	640027501
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	9.12
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.983756
Longitude :	-80.919007
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 4
Direction: SSE
Distance: 0.039 mi., 205 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0036
28.983661, -80.91727
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8458692
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0036
Well Type :	Private Well
Well Name :	SWEENY
Status :	ACTIVE
Well Address :	267 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308072
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308072
Water Supply Restoration Program ID :	640027901
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	9.93
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.983661
Longitude :	-80.91727
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: A5
Direction: SSE
Distance: 0.077 mi., 405 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0040
28.983115, -80.917271
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8319567
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0040
Well Type :	Private Well
Well Name :	SMALL
Status :	ACTIVE
Well Address :	283 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308080
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308080
Water Supply Restoration Program ID :	640027801
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.44
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.983115
Longitude :	-80.917271
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 6
Direction: NE
Distance: 0.112 mi., 591 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : 640032601 | 640032701 | 640032801
28.98771, -80.91589
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8305314
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	640032601
Well Type :	Large (>150,000 gpd) Community PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	210 MANGO DR, LOT # 30, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	489352
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	489352
Water Supply Restoration Program ID :	640032601
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.98771
Longitude :	-80.91589
Comments :	HOSE SPIGOT, CITY WATER, CLEAN RESAMPLE FOR LEAD
Last Date in Agency List :	2024-06-04

Florida Unique Well ID :	640032701
Well Type :	Large (>150,000 gpd) Community PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	210 MANGO TREE DR, LOT #29, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R

Map Id: 6
Direction: NE
Distance: 0.112 mi., 591 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : 640032601 | 640032701 | 640032801
28.98771, -80.91589
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8305314
EPA ID: N/R

WELLS - FL ***(cont.)***

Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	489354
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	489354
Water Supply Restoration Program ID :	640032701
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.98771
Longitude :	-80.91589
Comments :	HOSE BIBB
Last Date in Agency List :	2024-06-04

Florida Unique Well ID :	640033001
Well Type :	Large (>150,000 gpd) Community PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	210 MANGO TREE DR LOT 27, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	489358
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	489358
Water Supply Restoration Program ID :	640033001

Map Id: 6
Direction: NE
Distance: 0.112 mi., 591 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : 640032601 | 640032701 | 640032801
28.98771, -80.91589
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8305314
EPA ID: N/R

WELLS - FL ***(cont.)***

Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.98771
Longitude :	-80.91589
Comments :	HOSE BIB CITY WATER
Last Date in Agency List :	2024-06-04

Florida Unique Well ID :	640032801
Well Type :	Large (>150,000 gpd) Community PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	210 MANGO TREE DR, LOT 35, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	489356
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	489356
Water Supply Restoration Program ID :	640032801
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R

Map Id: 6
Direction: NE
Distance: 0.112 mi., 591 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : 640032601 | 640032701 | 640032801
28.98771, -80.91589
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8305314
EPA ID: N/R

WELLS - FL ***(cont.)***

GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.98771
Longitude :	-80.91589
Comments :	KITCHEN SINK
Last Date in Agency List :	2024-06-04

Florida Unique Well ID :	640033101
Well Type :	Large (>150,000 gpd) Community PWS Well
Well Name :	N/R
Status :	ACTIVE
Well Address :	210 MANGO TREE DR LOT 38, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	N/R
Well Depth :	N/R
Length :	N/R
Diameter :	0
Sanitary Seal :	N/R
Permit Number :	N/R
Location ID :	489360
Location Method :	ADDR = Geocoded by address or parcel
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	489360
Water Supply Restoration Program ID :	640033101
Water Supply Restoration Program Action:	UNFILTERED
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	N/R
GPS Date :	N/R
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.98771
Longitude :	-80.91589
Comments :	CITY WATER
Last Date in Agency List :	2024-06-04

Map Id: A7
Direction: SSE
Distance: 0.115 mi., 610 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0041
299 CAROL ANN DR
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 57303233
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0041
Well Type :	Private Well
Well Name :	JONES
Status :	ACTIVE
Well Address :	299 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308082
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308082
Water Supply Restoration Program ID :	640028001
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	16.05
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.982405
Longitude :	-80.917036
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: A8
Direction: SSE
Distance: 0.137 mi., 725 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : AAF0042
28.982235, -80.916807
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8331408
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0042
Well Type :	Private Well
Well Name :	KOSKINEN
Status :	ACTIVE
Well Address :	313 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308084
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308084
Water Supply Restoration Program ID :	640028101
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	5.48
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.982235
Longitude :	-80.916807
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 9
Direction: S
Distance: 0.178 mi., 939 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0038
28.981651, -80.917635
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8319557
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0038
Well Type :	Private Well
Well Name :	REDMAND
Status :	ACTIVE
Well Address :	335 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308076
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308076
Water Supply Restoration Program ID :	640027601
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.17
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.981651
Longitude :	-80.917635
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: 10
Direction: E
Distance: 0.180 mi., 952 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : TOWER
28.984564, -80.913506
EDGEWATER, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1651749
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2022-12-27
Action :	Change
FAA Study Number :	2022ASO15524OE
OBS Number :	12-027216
Obstacle Type :	TOWER
City Name :	EDGEWATER
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00153
Above Mean Sea Level Height (Feet) :	00160
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 04.43N
Longitude :	080 54 48.62W

Map Id: 11
Direction: W
Distance: 0.189 mi., 999 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL3640488 | OAK HILL SUNOCO-OAK HILL SUNOCO (GROCERY BOX)
OAK HILL SONOCO 1950 W. PARK AVE
EDGEWATER, FL 32132

Database(s) : [PWS, PWS ENF]

Envirosite ID: 54308986
EPA ID: N/R

PWS

Facility Address :	OAK HILL SONOCO 1950 W. PARK AVE, EDGEWATER, FL 32132
PWS ID :	FL3640488
PWS Type :	Transient non-community system
PWS Name :	OAK HILL SUNOCO
Activity Status :	Active
Primary Source :	Ground water
Submission Year :	2024
Submission Year Quarter :	2024Q1
Population Served Count :	25
Service Connections Count :	1
Population Category 2 :	<10,000
Population Category 3 :	<=3300
Population Category 4 :	<10K
Population Category 5 :	<=500
Population Category 11 :	<=100
Submission Quarter :	1
Submission Status Code :	Y
First Reported Date :	1979-02-10
Last Reported Date :	2024-02-20
Deactivation Date :	N/R
GW or SW :	Groundwater

Map Id: 11
Direction: W
Distance: 0.189 mi., 999 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL3640488 | OAK HILL SUNOCO-OAK HILL SUNOCO (GROCERY BOX)
OAK HILL SONOCO 1950 W. PARK AVE
EDGEWATER, FL 32132

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 54308986
EPA ID: N/R

PWS ***(cont.)***

Is Grant Eligible :	Y
Is Outstanding Performer :	N/R
Is School or Daycare :	N
Is Source Water Protected :	N/R
Primacy Agency :	Florida
Primacy Type :	State
Org Name :	KAIVAL CORP
EPA Region :	Region 4
Admin Name :	V.M. PATEL
Owner Type :	Private
Phone Number :	386-345-1500
Phone Ext Number :	N/R
Alt Phone Number :	N/R
Email Address :	N/R
Fax Number :	N/R
Is Wholesaler :	N
LT2 Schedule Category :	N/R
NPM Candidate :	Y
CDS ID :	N/R
DBPR Schedule Category :	N/R
Outstanding Performer Date :	N/R
Season Begin Date :	01-01
Season End Date :	12-31
Source Water Protection Date :	N/R
Seasonal Startup System :	N/R
Reduced Monitoring Begin Date :	N/R
Reduced Monitoring End Date :	N/R
Reduced RTCR Monitoring :	N/R
Last Date in Agency List :	2024-08-16

PWS ENF

Facility Address :	OAK HILL SONOCO 1950 W. PARK AVE, EDGEWATER, FL 32132

Site Details

PWS ID :	FL3640488
PWS Name :	OAK HILL SUNOCO
EPA Region :	Region 4
Primacy Agency :	Florida
PWS Type :	Transient non-community system
Primacy Type :	State
Primary Source :	Ground water
Activity Status :	Active
Deactivation Date :	N/R
Owner Type :	Private
Phone Number :	386-345-1500
Last Date in Agency List :	2024-08-27

Violation Details

RTC Enforcement ID :	N/R
Violation ID :	98V0001
Submission Year :	2024

Map Id: 11
Direction: W
Distance: 0.189 mi., 999 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL3640488 | OAK HILL SUNOCO-OAK HILL SUNOCO (GROCERY BOX)
OAK HILL SONOCO 1950 W. PARK AVE
EDGEWATER, FL 32132

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 54308986
EPA ID: N/R

PWS ENF ***(cont.)***

Violation First Reported Date :	1998-05-23
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	OAK HILL SONOCO, EDGEWATER, 32132
Address Line 2 :	1950 W. PARK AVE
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	V.M. PATEL
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	97V0001
Submission Year :	2024
Violation First Reported Date :	1997-11-22
Contaminant Name :	Coliform (TCR)
Rule Family :	Total Coliform Rules
Rule Group :	Microbials
Rule Name :	Total Coliform Rule
Violation Type :	Monitoring, Routine Major (TCR)
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	OAK HILL SONOCO, EDGEWATER, 32132
Address Line 2 :	1950 W. PARK AVE
Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	V.M. PATEL
Email Address :	N/R

RTC Enforcement ID :	N/R
Violation ID :	92V0001
Submission Year :	2024
Violation First Reported Date :	1992-02-21
Contaminant Name :	Nitrate
Rule Family :	Inorganic Chemicals
Rule Group :	Chemicals
Rule Name :	Nitrate Rule
Violation Type :	Monitoring, Regular
Is Health Based :	N
Is Major Violation :	Y
Severity Indicator Count :	N/R
Public Notification Tier :	3
Address Line 1 :	OAK HILL SONOCO, EDGEWATER, 32132
Address Line 2 :	1950 W. PARK AVE

Map Id: 11
Direction: W
Distance: 0.189 mi., 999 ft.
Elevation: 12 ft.
Relative: Higher

Site Name : FL3640488 | OAK HILL SUNOCO-OAK HILL SUNOCO (GROCERY BOX)
OAK HILL SONOCO 1950 W. PARK AVE
EDGEWATER, FL 32132

Database(s) : [PWS, PWS ENF] ***(cont.)***

Envirosite ID: 54308986
EPA ID: N/R

PWS ENF ***(cont.)***

Compliance Status :	Known
RTC Date :	N/R
Enforcement Action Description :	N/R
Admin Name :	V.M. PATEL
Email Address :	N/R

Map Id: 12
Direction: SSW
Distance: 0.215 mi., 1136 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0039
28.981288, -80.919415
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8320835
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0039
Well Type :	Private Well
Well Name :	IGOU
Status :	ACTIVE
Well Address :	334 CAROL ANN, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308078
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308078
Water Supply Restoration Program ID :	640027701
Water Supply Restoration Program Action:	NO ACTION AT THIS TIME
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.05

Map Id: 12
Direction: SSW
Distance: 0.215 mi., 1136 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAF0039
28.981288, -80.919415
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8320835
EPA ID: N/R

WELLS - FL ***(cont.)***

GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.981288
Longitude :	-80.919415
Comments :	Laura Schulz
Last Date in Agency List :	2024-06-04

Map Id: B13
Direction: W
Distance: 0.260 mi., 1376 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : UTILITY POLE
28.985614, -80.923917
NEW SMYMA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1700413
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-27
Action :	Add
FAA Study Number :	2012ASO05115OE
OBS Number :	12-097640
Obstacle Type :	UTILITY POLE
City Name :	NEW SMYMA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00043
Above Mean Sea Level Height (Feet) :	00053
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 08.21N
Longitude :	080 55 26.10W

Map Id: B14
Direction: W
Distance: 0.267 mi., 1408 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : UTILITY POLE
28.985761, -80.924006
NEW SMYMA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1714476
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-27
Action :	Add

Map Id: B14
Direction: W
Distance: 0.267 mi., 1408 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : UTILITY POLE
28.985761, -80.924006
NEW SMYMA BEACH, FL

Database(s) : [DIGITAL OBSTACLE] ***(cont.)***

Envirosite ID: 1714476
EPA ID: N/R

DIGITAL OBSTACLE ***(cont.)***

FAA Study Number :	2012ASO05114OE
OBS Number :	12-097547
Obstacle Type :	UTILITY POLE
City Name :	NEW SMYMA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00043
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 08.74N
Longitude :	080 55 26.42W

Map Id: B15
Direction: W
Distance: 0.282 mi., 1490 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : UTILITY POLE
28.986128, -80.924217
NEW SMYMA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1713972
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-27
Action :	Add
FAA Study Number :	2012ASO05113OE
OBS Number :	12-097620
Obstacle Type :	UTILITY POLE
City Name :	NEW SMYMA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00043
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 10.06N
Longitude :	080 55 27.18W

Map Id: B16
Direction: W
Distance: 0.308 mi., 1625 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : T-L TWR
28.985967, -80.924664
NEW SMYRNA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1651532
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2015-02-05
Action :	Add
FAA Study Number :	2012ASO05112OE
OBS Number :	12-027017
Obstacle Type :	T-L TWR
City Name :	NEW SMYRNA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	Spherical Marker
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00044
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 09.48N
Longitude :	080 55 28.79W

Map Id: 17
Direction: W
Distance: 0.349 mi., 1844 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : BLDG
28.986667, -80.925278
EDGEWATER, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1642249
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2014-06-01
Action :	Change
FAA Study Number :	2000ASO02351OE
OBS Number :	12-004236
Obstacle Type :	BLDG
City Name :	EDGEWATER
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00033
Above Mean Sea Level Height (Feet) :	00044
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-50'
Latitude :	28 59 12.00N
Longitude :	080 55 31.00W

Map Id: 18
Direction: W
Distance: 0.361 mi., 1907 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : T-L TWR
28.985639, -80.925583
NEW SMYRNA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1649315
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2015-02-05
Action :	Add
FAA Study Number :	2012ASO05111OE
OBS Number :	12-027018
Obstacle Type :	T-L TWR
City Name :	NEW SMYRNA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	Spherical Marker
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00046
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 08.30N
Longitude :	080 55 32.10W

Map Id: C19
Direction: NE
Distance: 0.380 mi., 2009 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0043
28.990749, -80.912984
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8318753
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAF0043
Well Type :	Irrigation or other Non-potable well
Well Name :	JIMS AUTO REPAIR
Status :	ABANDONED
Well Address :	115 N FLAGLER AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	Galvanized
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	308086
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	ANDREW
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	308086
Water Supply Restoration Program ID :	640027001

Map Id: C19
Direction: NE
Distance: 0.380 mi., 2009 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAF0043
28.990749, -80.912984
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8318753
EPA ID: N/R

WELLS - FL ***(cont.)***

Water Supply Restoration Program Action:	CONNECTED TO PWS
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	7.91
GPS Date :	2001-01-09
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.990749
Longitude :	-80.912984
Comments :	Laura Schulz; Per county AAF0043 no longer exists
Last Date in Agency List :	2024-06-04

Map Id: 20
Direction: NNE
Distance: 0.397 mi., 2096 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAD2022
28.991521, -80.914075
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8451204
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD2022
Well Type :	Limited Use PWS Well
Well Name :	TARMAC INC
Status :	ACTIVE
Well Address :	200 D N FLAGLER AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	64-57-00847
Location ID :	292168
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	292168

Map Id: 20
Direction: NNE
Distance: 0.397 mi., 2096 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAD2022
28.991521, -80.914075
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8451204
EPA ID: N/R

WELLS - FL ***(cont.)***

Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	OWNER
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	0.71
GPS Date :	2000-10-02
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.991521
Longitude :	-80.914075
Comments :	N/R
Last Date in Agency List :	2024-06-04

Map Id: C21
Direction: NE
Distance: 0.400 mi., 2112 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAD4518
28.990934, -80.912721
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8439861
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4518
Well Type :	Irrigation or other Non-potable well
Well Name :	DAN MIELKE
Status :	ABANDONED
Well Address :	202 RAILROAD AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	N/R
Location ID :	294534
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R

Map Id: C21
Direction: NE
Distance: 0.400 mi., 2112 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAD4518
28.990934, -80.912721
EDGEWATER, FL

Database(s) : [WELLS - FL] ***(cont.)***

Envirosite ID: 8439861
EPA ID: N/R

WELLS - FL ***(cont.)***

GPS ID :	294534
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	NON-POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	6.36
GPS Date :	2002-04-18
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.990934
Longitude :	-80.912721
Comments :	COMPLAINT; Per county AAD4518 is no longer exist
Last Date in Agency List :	2024-06-04

Map Id: D22
Direction: W
Distance: 0.416 mi., 2198 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : T-L TWR
28.985308, -80.9265
NEW SMYRNA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1649019
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2015-01-20
Action :	Add
FAA Study Number :	2012ASO05110OE
OBS Number :	12-027019
Obstacle Type :	T-L TWR
City Name :	NEW SMYRNA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00045
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 07.11N
Longitude :	080 55 35.40W

Map Id: 23
Direction: NNW
Distance: 0.450 mi., 2376 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : UTILITY POLE
28.993408, -80.921839
EDGEWATER, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1701211
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-30
Action :	Add
FAA Study Number :	2016ASO06897OE
OBS Number :	12-102895
Obstacle Type :	UTILITY POLE
City Name :	EDGEWATER
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00090
Above Mean Sea Level Height (Feet) :	00098
Horizontal Accuracy :	+-250'
Vertical Accuracy :	+-50'
Latitude :	28 59 36.27N
Longitude :	080 55 18.62W

Map Id: D24
Direction: W
Distance: 0.462 mi., 2438 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : UTILITY POLE
28.985044, -80.927242
NEW SMYRNA BEACH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1703444
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2018-01-27
Action :	Add
FAA Study Number :	2012ASO05109OE
OBS Number :	12-097639
Obstacle Type :	UTILITY POLE
City Name :	NEW SMYRNA BEACH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00034
Above Mean Sea Level Height (Feet) :	00044
Horizontal Accuracy :	+-20'
Vertical Accuracy :	+-3'
Latitude :	28 59 06.16N
Longitude :	080 55 38.07W

Map Id: 25
Direction: NNE
Distance: 0.470 mi., 2484 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : AAD2023
28.992593, -80.913877
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8456592
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD2023
Well Type :	Limited Use PWS Well
Well Name :	TARMAC INC
Status :	ACTIVE
Well Address :	200 C N FLAGLER AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	2
Sanitary Seal :	Yes
Permit Number :	64-57-00773
Location ID :	292170
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	292170
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	3.19
GPS Date :	2000-10-02
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.992593
Longitude :	-80.913877
Comments :	N/R
Last Date in Agency List :	2024-06-04

Map Id: E26
Direction: NNE
Distance: 0.520 mi., 2748 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : AAD4515
28.993722, -80.914502
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8320639
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4515
Well Type :	Limited Use PWS Well
Well Name :	TARMAC INC
Status :	ACTIVE
Well Address :	200 A N FLAGLER AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	64-57-00936
Location ID :	294528
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294528
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	5.8
GPS Date :	2000-10-02
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.993722
Longitude :	-80.914502
Comments :	N/R
Last Date in Agency List :	2024-06-04

Map Id: E27
Direction: NNE
Distance: 0.533 mi., 2816 ft.
Elevation: 10 ft.
Relative: Higher

Site Name : AAD4514
28.993591, -80.913901
EDGEWATER, FL

Database(s) : [WELLS - FL]

Envirosite ID: 8320083
EPA ID: N/R

WELLS - FL

Florida Unique Well ID :	AAD4514
Well Type :	Limited Use PWS Well
Well Name :	TARMAC INC
Status :	ACTIVE
Well Address :	200 B N FLAGLER AVE, EDGEWATER, 32132
Well County :	VOLUSIA
Well Owner Name :	N/R
Phone :	N/R
Phone Extension :	N/R
Casing Material :	PVC
Well Depth :	N/R
Length :	N/R
Diameter :	4
Sanitary Seal :	Yes
Permit Number :	64-57-00772
Location ID :	294526
Location Method :	DGPS = Differentially Corrected GPS
Project ID :	SUPER
Insp Name :	N/R
Insp CHD :	N/R
Request Number :	N/R
Property ID :	N/R
GPS ID :	294526
Water Supply Restoration Program ID :	N/R
Water Supply Restoration Program Action:	N/R
Potable Status :	POTABLE
Resident Type :	N/R
Other Well ID :	N/R
Software :	N/R
Streetside :	N/R
Agency :	N/R
Parcel ID :	N/R
PWS Design :	N/R
PWS Verify :	0
HAE (Height Above Ellipsoid) :	1.7
GPS Date :	2000-10-02
Large PWS Well :	0
Datum :	WS1984
Latitude :	28.993591
Longitude :	-80.913901
Comments :	N/R
Last Date in Agency List :	2024-06-04

Map Id: 28
Direction: W
Distance: 0.593 mi., 3133 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : 141015-1
28.984286, -80.929348
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33120763
EPA ID: N/R

WELLS SJ - FL

Permit :	141015-1
Issue Date :	2015-02-20
Completion Date :	2015-03-02
Station ID :	17612
Legacy Number :	N/R
Contractor License :	7157
Owner Name :	City of Edgewater
Contractor Name :	Jerry E Thompson Jr
Driller Name :	Jerry Thompson
County :	Volusia
Section/Township/Range :	SEC: 31, TWP: 17S, RNG: 34E
Casing Depth :	0
Total Depth :	175
Diameter :	0
Compliance Number :	1276864
Well Street Address :	EDGEWATER; FL - 32132
Location Address :	EDGEWATER; FL - 32132
Type of Work :	Abandonment
Well Use :	Public Water Supply (Community or Non-Community/DEP)
Static Water Level (ft) :	3
Latitude :	285903.4296
Longitude :	805545.6528
Well Completion Report Link :	Click here for hyperlink provided by the agency.

Map Id: 29
Direction: W
Distance: 0.604 mi., 3188 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : N/R
28.985647, -80.929599
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33137466
EPA ID: N/R

WELLS SJ - FL

Permit :	N/R
Issue Date :	N/R
Completion Date :	2011-01-25
Station ID :	412279
Legacy Number :	N/R
Contractor License :	1837
Owner Name :	THOMPSON WILLIAM R & SHIRLEY L
Contractor Name :	Dan Buren Alderman
Driller Name :	Buren Alderman
County :	Volusia
Section/Township/Range :	SEC: 31, TWP: 17S, RNG: 34E
Casing Depth :	31
Total Depth :	36
Diameter :	0
Compliance Number :	1182128
Well Street Address :	1280ROBERTALN
Location Address :	1280ROBERTALN, NEW SMYRNA BEACH, FL 32168
Type of Work :	N/R
Well Use :	Domestic

Map Id: 29
Direction: W
Distance: 0.604 mi., 3188 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : N/R
28.985647, -80.929599
FL

Database(s) : [WELLS SJ - FL] ***(cont.)***

Envirosite ID: 33137466
EPA ID: N/R

WELLS SJ - FL ***(cont.)***

Static Water Level (ft) :	8
Latitude :	285908.3292
Longitude :	805546.5564
Well Completion Report Link :	Click here for hyperlink provided by the agency.

Map Id: 30
Direction: WSW
Distance: 0.722 mi., 3812 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : REFINERY
28.981239, -80.930572
EDGEWATER, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 37101656
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2020-09-25
Action :	Add
FAA Study Number :	2018ASO21805OE
OBS Number :	12-162166
Obstacle Type :	REFINERY
City Name :	EDGEWATER
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	None
Verification Status :	Unverified
Quantity :	1
Mark Indicator :	None
Above Ground Level Height (Feet) :	00008
Above Mean Sea Level Height (Feet) :	00015
Horizontal Accuracy :	+-250'
Vertical Accuracy :	+-50'
Latitude :	28 58 52.46N
Longitude :	080 55 50.06W

Map Id: 31
Direction: W
Distance: 0.779 mi., 4113 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : 141013-1
28.983055, -80.932222
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33120752
EPA ID: N/R

WELLS SJ - FL

Permit :	141013-1
Issue Date :	2015-02-20
Completion Date :	2015-03-03
Station ID :	17613
Legacy Number :	N/R

Map Id: 31
Direction: W
Distance: 0.779 mi., 4113 ft.
Elevation: 6 ft.
Relative: Higher

Site Name : 141013-1
28.983055, -80.932222
FL

Database(s) : [WELLS SJ - FL] ***(cont.)***

Envirosite ID: 33120752
EPA ID: N/R

WELLS SJ - FL ***(cont.)***

Contractor License :	7157
Owner Name :	City of Edgewater
Contractor Name :	Jerry E Thompson Jr
Driller Name :	Jerry Thompson
County :	Volusia
Section/Township/Range :	SEC: 53, TWP: 17S, RNG: 34E
Casing Depth :	0
Total Depth :	200
Diameter :	0
Compliance Number :	1276845
Well Street Address :	2605 W PARK AV
Location Address :	2605 W PARK AV, EDGEWATER, FL 32132
Type of Work :	Abandonment
Well Use :	Public Water Supply (Community or Non-Community/DEP)
Static Water Level (ft) :	3
Latitude :	285858.998
Longitude :	805555.9992
Well Completion Report Link :	Click here for hyperlink provided by the agency.

Map Id: F32
Direction: SE
Distance: 0.800 mi., 4224 ft.
Elevation: 9 ft.
Relative: Higher

Site Name : N/R
28.974448, -80.909385
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33137438
EPA ID: N/R

WELLS SJ - FL

Permit :	N/R
Issue Date :	N/R
Completion Date :	2011-04-15
Station ID :	412267
Legacy Number :	N/R
Contractor License :	1837
Owner Name :	PRIEBE RICHARD W
Contractor Name :	Dan Buren Alderman
Driller Name :	Buren Alderman
County :	Volusia
Section/Township/Range :	SEC: 3, TWP: 18S, RNG: 34E
Casing Depth :	40
Total Depth :	45
Diameter :	0
Compliance Number :	1182076
Well Street Address :	1205REGENTST
Location Address :	1205REGENTST, EDGEWATER, FL 32132
Type of Work :	N/R
Well Use :	Irrigation - Landscape
Static Water Level (ft) :	9
Latitude :	285828.0128
Longitude :	805433.786
Well Completion Report Link :	Click here for hyperlink provided by the agency.

Map Id: F33
Direction: SE
Distance: 0.813 mi., 4295 ft.
Elevation: 8 ft.
Relative: Higher

Site Name : N/R
28.974555, -80.908799
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33137439
EPA ID: N/R

WELLS SJ - FL

Permit :	N/R
Issue Date :	N/R
Completion Date :	2011-04-14
Station ID :	412268
Legacy Number :	N/R
Contractor License :	1837
Owner Name :	WILLIAMS JOYCE E
Contractor Name :	Dan Buren Alderman
Driller Name :	Buren Alderman
County :	Volusia
Section/Township/Range :	SEC: 3, TWP: 18S, RNG: 34E
Casing Depth :	40
Total Depth :	45
Diameter :	0
Compliance Number :	1182077
Well Street Address :	1111REGENTST
Location Address :	1111REGENTST, EDGEWATER, FL 32132
Type of Work :	N/R
Well Use :	Irrigation - Landscape
Static Water Level (ft) :	9
Latitude :	285828.398
Longitude :	805431.6764
Well Completion Report Link :	Click here for hyperlink provided by the agency.

Map Id: 34
Direction: NNW
Distance: 0.841 mi., 4444 ft.
Elevation: 7 ft.
Relative: Higher

Site Name : TOWER
28.998056, -80.925833
NEW SMYRNA BCH, FL

Database(s) : [DIGITAL OBSTACLE]

Envirosite ID: 1646325
EPA ID: N/R

DIGITAL OBSTACLE

Date of Action :	2014-06-01
Action :	Change
FAA Study Number :	1992ASO00530OE
OBS Number :	12-003027
Obstacle Type :	TOWER
City Name :	NEW SMYRNA BCH
State Identifier :	FL
Country Identifier :	USA
Type of Lighting :	Red
Verification Status :	Verified
Quantity :	1
Mark Indicator :	Marked
Above Ground Level Height (Feet) :	00152
Above Mean Sea Level Height (Feet) :	00161
Horizontal Accuracy :	+-50'
Vertical Accuracy :	+-20'
Latitude :	28 59 53.00N
Longitude :	080 55 33.00W

Map Id: 35
Direction: ENE
Distance: 0.872 mi., 4605 ft.
Elevation: 3 ft.
Relative: Lower

Site Name : 285921080541001
28.989431, -80.902554
FL

Database(s) : [NWIS]

Envirosite ID: 8507265
EPA ID: N/R

NWIS

Site Identification Number :	285921080541001
Site Type :	Well
Station Name :	85905402 MOORE WELL RIVERSIDE DR EDGEWATER
Agency :	U.S. Geological Survey
District :	N/R
State :	FL
County :	Volusia County
Country :	USA
Land Net Location :	SLGT17SR34ET
Name of Location Map :	EDGEWATER
Scale of Location Map :	24000
Altitude of Gage/Land Surface :	7.00
Method Altitude Determined :	Interpolated from topographic map.
Altitude Accuracy :	2.5
Altitude Datum :	National Geodetic Vertical Datum of 1929
Hydrologic Unit :	Cape Canaveral
Drainage Basin :	N/R
Topographic Setting :	N/R
Flags for the Type of Data Collected:	NNNNNNNNNNNNNNNNNNNNNNNNNNNNO
Flags for Instruments at Site :	NNNNNNNNNNNNNNNNNNNNNNNNNNNNN
Date of First Construction :	N/R
Date Site Established or Inventoried:	N/R
Drainage Area :	N/R
Contributing Drainage Area :	N/R
Data Reliability :	Data have been checked by the reporting agency.
Data-Other GW Files :	YNNNNYNN
National Aquifer :	N/R
Local Aquifer :	N/R
Local Aquifer Type :	N/R
Well Depth :	N/R
Hole Depth :	N/R
Source of Depth Data :	N/R
Project Number :	N/R
Real-Time Data Flag :	0
Peak-Streamflow Data Begin Date :	N/R
Peak-Streamflow Data End Date :	N/R
Peak-Streamflow Data Count :	0
Water-Quality Data Begin Date :	1954-12-09
Water-Quality Data End Date :	2000-09-12
Water-Quality Data Count :	42
Field Water-Level Measurements Begin Date:	1954-12-09
Field Water-level Measurements End Date:	2006-09-20
Field Water-Level Measurements Count:	49
Site-Visit Data Begin Date :	N/R
Site-Visit Data End Date :	N/R
Site-Visit Data Count :	0
Latitude :	28.989431
Longitude :	-80.902554
Last Date in Agency List :	2024-06-11

Map Id: 36
Direction: NW
Distance: 0.998 mi., 5270 ft.
Elevation: 11 ft.
Relative: Higher

Site Name : N/R
28.996964, -80.931698
FL

Database(s) : [WELLS SJ - FL]

Envirosite ID: 33145568
EPA ID: N/R

WELLS SJ - FL

Permit :	N/R
Issue Date :	N/R
Completion Date :	2011-03-28
Station ID :	419487
Legacy Number :	N/R
Contractor License :	7049
Owner Name :	Kerry Raffety
Contractor Name :	David A Schmidt
Driller Name :	Dave Chase
County :	Volusia
Section/Township/Range :	SEC: 30, TWP: 17S, RNG: 34E
Casing Depth :	20
Total Depth :	25
Diameter :	0
Compliance Number :	1182495
Well Street Address :	1440TATUM BLVD
Location Address :	1440TATUM BLVD, NEW SMYRNA BEACH, FL 32168
Type of Work :	N/R
Well Use :	Irrigation - Landscape
Static Water Level (ft) :	9
Latitude :	285949.0704
Longitude :	805554.1128
Well Completion Report Link :	Click here for hyperlink provided by the agency.

RADON DATA:

STATE SOURCE: FL

Radon Test Results:

Zip:	Database Source:	No. of Samples:	Average pCi/L:	Max pCi/L:
32132	Mandatory Non-Residential Database	11	0.745	3
32132	Mandatory Residential Database	12	0.722	1.8

FEDERAL AREA RADON INFORMATION FOR: 32132

NUMBER OF SAMPLE SITES: No Available Data

FEDERAL EPA RADON ZONE FOR VOLUSIA COUNTY: Zone = 3

Note: Zone 1 indoor average level > 4 pCI/L

: Zone 2 indoor average level > = 2 pCI/L and <= 4 pCI/L

: Zone 3 indoor average < 2 pCI/L

HIST PWS ENF
Historical Public Water Supply locations with Enforcement Violations
Environmental Protection Agency
(800) 426-4791
List of Safe Drinking Water Information Systems (SDWIS) with enforcement violations that are no longer in current agency list.

NWIS
National Water Information Systems
United States Geological Society
(703) 648-5953
Information on all water resources for the United States. This database contains all current and historical data for the nation.

PWS
Public Water Supply
Environmental Protection Agency
(800) 426-4791
Safe drinking water information Systems

PWS ENF
Public Water Supply locations with Enforcement Violations
Environmental Protection Agency
(800) 426-4791
Safe drinking water information Systems with enforcememnt violations

PWS_MIAMI-DADE COUNTY - FL
Miami-Dade County Potable Water Supply
Miami-Dade County Department of Environmental Resources Management
305-372-6715
Miami-Dade County Potable Water Supply permits

WELLS - FL
Water Well Locations
Florida Department of Health
850-245-4444
Registered Water well locations

WELLS NW - FL
NWWMD Water Wells
Northwest Florida Water Management District
(850) 539-5999
Water well permits for NW Water Management District

WELLS SJ - FL
SJWMD Water Wells
St. Johns River Water Management District
(904) 730-6270
Water well permits for St. Johns River Water Management District

WELLS SR - FL
SRWMD Water Wells
Suwannee River Water Management District
(386) 362-1001
Water well permits for Suwannee River Water Management District

WELLS SW - FL
SWWMD Water Wells
Southwest Florida Water Management District
(352) 796-7211
Water well permits for SW Water Management District

FLOOD Q3
Flood data
Environmental Protection Agency
(202) 566-1667
Q3 Flood Data

HYDROLOGIC UNIT
Hydrologic Unit Maps
USGS
The United States Geological Survey created a hierarchical system of hydrologic units originally called regions, sub-regions, accounting units, and cataloging units. Each unit was assigned a unique Hydrologic Unit Code (HUC). As first implemented the system had 21 regions, 221 subregions, 378 accounting units, and 2,264 cataloging units. Over time the system was changed and expanded. As of 2010 there are six levels in the hierarchy, represented by hydrologic unit codes from 2 to 12 digits long, called regions, subregions, basins, subbasins, watersheds, and subwatersheds. The table below describes the system's hydrologic unit levels and their characteristics, along with example names and codes.

WETLANDS NWI
National Wetland Inventory
U.S. Fish and Wildlife Service
(703) 358-2171
Wetland Inventory for the United States

WETLANDS - FL
Wetlands
U.S. Fish and Wildlife Service
Wetlands Inventory

SSURGO
Detailed Soil Data Map
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
Detailed Soil Data Map

STATSGO & MUI
General Soil Data Map
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
General Soil Data Map

USGS GEOLOGIC AGE
USGS Digital Data Series DDS
Natural Resources Conservation Service: U.S. Department of Agriculture
(202) 690-4985
USGS Digital Data Series DDS: Geologic Age and Rock Stratigraphic Unit

OIL & GAS WELLS - FL
Permitted oil & gas wells
Florida Department of Environmental Protection
850-245-2118
Listing of permitted oil and gas wells

RADON
National Radon Database
U.S. Environmental Protection Agency
215-814-2469
A study of the EPA/State Residential Radon Survey and the National Residential Radon Survey.

RADON - FL
Radon test results
Florida Department of Health
(850) 245-4444
Radon test results by zip code

RADON EPA
RADON EPA
U.S. Environmental Protection Agency
215-814-2469
EPA list of Radon zones

SINKHOLE - FL
Sinkholes
Florida Department of Environmental Protection
850-617-0316
Sinkhole types, development and distribution based on GIS published map

AIRPORT FACILITIES
Airport landing facilities
Federal Aviation Administration
(866) 835-5322
Airport landing facilities

BASINS
Better Assessment Science Integrating point & Non-point Sources
U.S. Environmental Protection Agency
855-246-3642
Integrated geographical information system national watershed data and environmental assessment known as Better Assessment Science Integrating point & Non-point Sources

DIGITAL OBSTACLE
Obstacles of interest to aviation users
Federal Aviation Administration
855-379-6518
The Digital Obstacle File describes all known obstacles of interest to aviation users in the U.S. with limited coverage of the Pacific the Caribbean Canada and Mexico. The obstacles are assigned unique numerical identifiers; accuracy codes and listed in order of ascending latitude within each state or area by FAA Region.

EPICENTERS
National Geographical Data Center
National Geographical Data Center
303-497-6826
List of recent and historic earthquakes and information.

FLOOD DFIRM
National Flood Hazard Layer Database
Federal Emergency Management Agency
The National Flood Hazard Layer Database (NFHL) is a computer database that contains the flood hazard map information from FEMAs Flood Map Modernization program. These map data are from Digital Flood Insurance Rate Map (DFIRM) databases and Letters of Map Revision.

Historical Aerial Photo Report | 2024

Order Number: 101428
Report Generated: 09/12/2024

Project Name:
Project Number:

Vacant Parcels
Carol Ann Dr
Edgewater, FL, 32132

Contact us at:
(866) 211-2028
envirositecorp.com

Historical Aerial Photo Report 2024

Envirosite's Historical Aerial Photo Report is designed to assist in evaluating a subject property resulting from past activities. Envirosite's Historical Aerial Photo Report includes a search of available historical aerial photographs, dating back to the 1930s, or earliest available photographs.

ENVIROSITE SEARCHED SOURCES

SUBJECT PROPERTY:

Vacant Parcels
Carol Ann Dr
Edgewater, FL, 32132

YEAR:	***SCALE:***	***SOURCE:***
1943	1" = 500'	U.S.D.A
1950	1" = 1,000'	U.S.G.S
1951	1" = 500'	U.S.D.A
1958	1" = 500'	U.S.D.A
1977	1" = 1,000'	U.S.G.S
1980	1" = 500'	U.S.D.A
1983	1" = 500'	U.S.G.S
1984	1" = 1,000'	NHAP
1985	1" = 1,000'	NHAP
1989	1" = 500'	U.S.D.A
1991	1" = 1,000'	U.S.G.S
1995	1" = 500'	DOQ
1999	1" = 500'	DOQ
2007	1" = 500'	NAIP
2010	1" = 500'	NAIP
2013	1" = 500'	NAIP
2015	1" = 500'	NAIP
2017	1" = 500'	NAIP
2019	1" = 500'	NAIP
2021	1" = 500'	NAIP
2023	1" = 500'	NAIP

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

FLIGHT YEAR:
1943

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1950

Subject Cannot Be Centered

N
W E
S

Scale: 1" = 1,000'

FLIGHT YEAR:
1951

Subject Cannot Be Centered

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1958

Subject Cannot Be Centered

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1977

N
W E
S

Scale: 1" = 1,000'

FLIGHT YEAR:
1980

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1983

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1984

N
W E
S

Scale: 1" = 1,000'



FLIGHT YEAR:
1985

N
W E
S

Scale: 1" = 1,000'

FLIGHT YEAR:
1989

Subject Cannot Be Centered

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1991

N
W E
S

Scale: 1" = 1,000'

FLIGHT YEAR:
1995

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
1999

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2007

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2010

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2013

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2015

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2017

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2019

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2021

N
W E
S

Scale: 1" = 500'

FLIGHT YEAR:
2023

N
W E
S

Scale: 1" = 500'

City Directory Report | 2024

Order Number: 101428

Report Generated: September 10, 2024

Vacant Parcels

Carol Ann Dr
Edgewater, FL 32132

---

56 Broome Corporate Parkway
Conklin, NY 13748

Toll Free: 866-211-2028
www.envirositecorp.com

Prepared for Envirosite Corporation By:

Property Archives

City Directory Report

Envirosite's Standard City Directory Report is a screening tool designed to assist in historical use determination of a subject property and adjacent properties. It includes a search of Property Archives digital datasets and national book collections including the Library of Congress and/or the Allen County Public Library at five year intervals or the closest available intervals.

RESEARCH SUMMARY:

The following research sources were consulted in the preparation of this report:

SOURCE:	***YEAR:***
Property Archives	2020, 2015, 2011, 2006, 2001, 1998, 1993
New Smyrna Beach City Directory	1988, 1983, 1978, 1973, 1968, 1964

Property Archives is a proprietary and comprehensive dataset of over 1.5 billion commercial, industrial and residential records, business names and uses and occupant records for every city and town in the United States, from recent years to the early 1990s. Property Archives dataset is wholly owned and operated by Property Archives, LLC

This report was prepared by Property Archives, LLC for Envirosite Corporation

Property Archives

SUBJECT PROPERTY:

Carol Ann Dr , Edgewater, FL 32132

ADJOINING PROPERTIES:

700 - 902 W Park Ave, Edgewater, FL

Carol Ann Dr, Edgewater, FL 32132

Disclaimer - Copyright and Trademark Notice

All information contained in this report is based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Property Archives, LLC

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Property Archives, LLC assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Property Archives. Property Archives cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Property Archives shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneysâ€™ fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Property Archives. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Property Archives, and contain copyrighted material and trademarks of Property Archives. All other trademarks used herein are the property of their respective owners. All rights of Property Archives,LLC as to the Reports are reserved.

2020 **Carol Ann Dr, Edgewater, FL 32132**

SUSAN VANTINE	115 Carol Ann Dr
DOUGLAS MULLEN	260 Carol Ann Dr
DONNA ROSS	262 Carol Ann Dr
JOHN GRIMES	266 Carol Ann Dr
PEG MCCOMISKEY	266 Carol Ann Dr
WILLIAM MCCOMISKEY	266 Carol Ann Dr
BETTY SWEENEY	267 Carol Ann Dr
GINGER MILLER	274 Carol Ann Dr
DONNA SMALL	283 Carol Ann Dr
ROBERT ASHE	283 Carol Ann Dr
JACI REDMOND	284 Carol Ann Dr
CHARLES STILLSOND JR	314 Carol Ann Dr

2015 **Carol Ann Dr, Edgewater, FL 32132**

SUSAN VANTINE	115 CAROL ANN DR
HAROLD GILBERT	259 CAROL ANN DR
JABORI STALEY	259 CAROL ANN DR
FRANK PAOLILLO	260 CAROL ANN DR
BILL MCCOMISKEY	266 CAROL ANN DR
JOHN GRIMES	266 CAROL ANN DR
PEG MCCOMISKEY	266 CAROL ANN DR
BETTY SWEENEY	267 CAROL ANN DR
GUY SWEENEY	267 CAROL ANN DR
SYLVIA SWEENEY	267 CAROL ANN DR
GINGER MILLER	274 CAROL ANN DR
TIMOTHY MILLER	274 CAROL ANN DR
DONNA SMALL	283 CAROL ANN DR
ROBERT ASHE	283 CAROL ANN DR
ROBERT SMALL	283 CAROL ANN DR
CAROL WILLIAMS	300 CAROL ANN DR
FAYE WILL	300 CAROL ANN DR
JAMES WILLIS	300 CAROL ANN DR
LYMAN GLEASON	313 CAROL ANN DR
MARIE GLEASON	313 CAROL ANN DR
CHARLES STILLSOND JR	314 CAROL ANN DR

2011 **Carol Ann Dr, Edgewater, FL 32132**

SUSAN VANTINE	115 CAROL ANN DR
FRANK PAOLILLO	262 CAROL ANN DR
SUSAN PAOLILLO	262 CAROL ANN DR
BILL MCCOMISKEY	266 CAROL ANN DR
PEG MCCOMISKEY	266 CAROL ANN DR
ROBERT SMALL	283 CAROL ANN DR
TIMOTHY MILLER	284 CAROL ANN DR
JIM WILLIS	300 CAROL ANN DR
BEAU GLEASON	313 CAROL ANN DR
LYMAN GLEASON	313 CAROL ANN DR
MARIE GLEASON	313 CAROL ANN DR
Kari Koskinen	313 CAROL ANN DR

2006 **Carol Ann Dr, Edgewater, FL 32132**

Mike & Robin Hendricks	113 Carol Ann Dr
Robert Ashe	205 Carol Ann Dr
Edward B Melanson	260 Carol Ann Dr
Bill & Peg Mccomiskey	266 Carol Ann Dr
David J Nobaris	284 Carol Ann Dr
Kari E Koskinen	313 Carol Ann Dr
Kari Koskinen	313 CAROL ANN DR
Clinton E Small	334 Carol Ann Dr
C Niewisch	335 Carol Ann Dr

2001 **Carol Ann Dr, Edgewater, FL 32132**

Mike Hendricks	113 Carol Ann Dr
Jim Fleury	115 Carol Ann Dr
Robert Ashe	205 Carol Ann Dr
Howard Hood	259 Carol Ann Dr
Jose Nieves	259 Carol Ann Dr
Frank Sr Paolillo	260 Carol Ann Dr
Bill Mccomiskey	266 Carol Ann Dr
Atlantic Accounting Svc	313 Carol Ann Dr
Tip Top Cleaning	313 Carol Ann Dr
Fred Igou	334 Carol Ann Dr
C Niewisch	335 Carol Ann Dr

1998 **Carol Ann Dr, Edgewater, FL 32132**

Mike & Robin Hendricks	113 Carol Ann Dr
Robert Ashe	205 Carol Ann Dr
Edward B Melanson	260 Carol Ann Dr
Bill & Peg Mccomiskey	266 Carol Ann Dr
David J Nobaris	284 Carol Ann Dr
Kari E Koskinen	313 Carol Ann Dr
Clinton E Small	334 Carol Ann Dr
C Niewisch	335 Carol Ann Dr

1993 **Carol Ann Dr, Edgewater, FL 32132**

ASHE ROBERT	205 CAROL ANN DR
MELANSON EDWARD B	260 CAROL ANN DR
PORTER BILL L	260 CAROL ANN DR
SMALL R G	283 CAROL ANN DR
NOBARIS DAVID J	284 CAROL ANN DR
KOSKINEN KARI	313 CAROL ANN DR
SMALL CLINTON E	334 CAROL ANN DR
NIEWISCH C	335 CAROL ANN DR

CAROL ANN DR
(EDGEWATER)–FROM
1950 W PARK AV SOUTH

ZIP CODE 32032
113 Flippo Wm ◎ 423-2154
205 Malone Jas F ◎
259 No Return
260 Melanson Edw B 427-3039
266 Mc Comtskey Wm ◎ 423-0744
283 Small Robt G ◎ 423-0858

IMAGE: 1 of 2
SOURCE: New Smyrna Beach City Directory
STREET: Carol Ann Dr, Edgewater, FL 32132
YEAR: 1988


284 Nobaris David J © 427-8634
299 No Return
314 Engle Buckie 423-7235
334 Small Clinton E © 428-6775
335 Niewisch Christine M
423-4915

IMAGE:	2 of 2
SOURCE:	New Smyrna Beach City Directory
STREET:	Carol Ann Dr, Edgewater, FL 32132
YEAR:	1988



CAROL ANN DR
(EDGEWATER)—FROM 1950
W PARK AV SOUTH

ZIP CODE 32032

1★Melanson Edw B 477-3039
2★Fuhrmann Fred A ◎ 428-3768
4★Haig Terry ◎
5★Kennedy Joy J
6★Freeman Georg A ◎
7 Niewsch Christine ◎ 423-4915
9 Uzzi Richd D 427-6678
8 No Return
10 No Return
11 Semino Francis X ◎ 427-3201

IMAGE:	1 of 1
SOURCE:	New Smyrna Beach City Directory
STREET:	Carol Ann Dr, Edgewater, FL 32132
YEAR:	1983



IMAGE: 1 of 1
SOURCE: New Smyrna Beach City Directory
STREET: Carol Ann Dr, Edgewater, FL 32132
YEAR: 1978

SOURCE: New Smyrna Beach City Directory
STREET: Carol Ann Dr, Edgewater, FL 32132
YEAR: 1973
INFO: Street not listed.

SOURCE: New Smyrna Beach City Directory
STREET: Carol Ann Dr, Edgewater, FL 32132
YEAR: 1968
INFO: Street not listed.

SOURCE: New Smyrna Beach City Directory
STREET: Carol Ann Dr, Edgewater, FL 32132
YEAR: 1964
INFO: Street not listed.

2020: W Park Ave, Edgewater, FL

HOTEL-PAK GOLD INC	702 W PARK AVE	D
LUKE KOHM	704 W Park Ave	
ALLIED TIME USA	704 W PARK AVE	
TURCO MACHINE PRODUCTS INC	704 W PARK AVE	E
I P DATA CORP	704 W PARK AVE	C
HENDRICKS PRINTING CO	704 W PARK AVE	I
C2 CONSTRUCTION SVC	704 W PARK AVE	H
PROACT SERVICES CORP	706 W PARK AVE	H
MIL-SPEC METAL FINISHING INC	706 W PARK AVE	A
MIKE\'S AUTO REPAIR	706 W PARK AVE	I
MAD MAX AUTO PAINTING INC	706 W PARK AVE	
BETTER BODY\'S	706 W PARK AVE	D
BETTER BODY\'S	706 W PARK AVE	D
TOP SHELF MARINE PRODUCTS	707 W PARK AVE	D
FASTENAL	707 W PARK AVE	C
FASTENAL INDUSTRIAL SUPPLY	707 W PARK AVE	B-C
FLATWATER STUDIOS	707 W PARK AVE	D
MAX ATHLETICS	709 W PARK AVE	A
SEMINOLE CLUBS INC	709 W PARK AVE	
COMPLETE DEWATERING PUMPS	710 W PARK AVE	
G C I DESIGNS LLC	815 W PARK AVE	
GCI DESIGNS LLC	815 W PARK AVE	
ELKS LODGE	820 W PARK AVE	
GIFTS OF LOVE COALITION	820 W PARK AVE	
J L HAG\'S	821 W PARK AVE	
PARKER\'S AUTOMOTIVE	825 W PARK AVE	C
JOHNY\'S TRANSMISSION AUTO	827 W PARK AVE	
R & B PROPERTIES	875 W PARK AVE	
AWS ROOFING SVC INC	875 W PARK AVE	

2015: W Park Ave, Edgewater, FL

MOOR PERFORMANCE PRODUCTS	702 W PARK AVE	E
HOTEL-PAK GOLD INC	702 W PARK AVE	D
UMOE SCHAT HARDING INC	702 W PARK AVE	A1
I P DATA CORP	704 W PARK AVE	C
TURCO MACHINE PRODUCTS INC	704 W PARK AVE	E
NUTEK INTERNATIONAL INC	704 W PARK AVE	
HENDRICKS PRINTING CO	704 W PARK AVE	I
ALLIED TIME USA	704 W PARK AVE	
MAD MAX AUTO PAINTING INC	706 W PARK AVE	
BETTER BODY\'S	706 W PARK AVE	D
MIL-SPEC METAL FINISHING INC	706 W PARK AVE	A
MIKE\'S AUTO REPAIR	706 W PARK AVE	I
FASTENAL INDUSTRIAL SUPPLY	707 W PARK AVE	B-C
JAMES PORTA	708 W PARK AVE	
MAX ATHLETICS	709 W PARK AVE	A

SEMINOLE CLUBS INC	709 W PARK AVE
COMPLETE DEWATERING PUMPS	710 W PARK AVE
ELKS LODGE	820 W PARK AVE
GIFTS OF LOVE COALITION	820 W PARK AVE
J L HAG\'S	821 W PARK AVE
AFFORDABLE AUTO GLASS & AUTO	825 W PARK AVE
PARKER\'S AUTOMOTIVE	825 W PARK AVE C
R & B PROPERTIES	875 W PARK AVE
AWS ROOFING SVC INC	875 W PARK AVE

2011: W Park Ave, Edgewater, FL

JEFF RIX	702 W PARK AVE
Thomas Moore	702 W PARK AVE
Tim Curren	702 W PARK AVE A
Thomas Moore	702 W PARK AVE STE E
Brian Clarke	702 W PARK AVE STE D
Thomas Moore	702 W PARK AVE STE E
Jeff Rix	702 W PARK AVE 1
A & P AUTOMOTIVE RACING	704 W PARK AVE
ALLIED TIME USA	704 W PARK AVE
Richard Burgess	704 W PARK AVE STE C
James Hendricks	704 W PARK AVE STE I
John Darino	704 W PARK AVE STE E
John Darino	704 W PARK AVE
Matt Froehlich	706 W PARK AVE STE D
CAT TRANSPORT	706 W PARK AVE
MAD MAX AUTO PAINTING INC	706 W PARK AVE
Nate Ratcliffe	706 W PARK AVE STE H
Pat Bristol	706 W PARK AVE A
C M Wilson	706 W PARK AVE STE I
Pat Bristol	706 W PARK AVE STE C
Curtis Harrison	707 W PARK AVE
CORTEZ HEATING & AIR COND	707 W PARK AVE STE D
Curtis Harrison	707 W PARK AVE STE C
J P York	708 W PARK AVE STE D
Michael Fiello	708 W PARK AVE STE A
Michael A Fiello	708 W PARK AVE STE A
Scott Porta	708 W PARK AVE STE D
A & A RV SVC	708 W PARK AVE
MC CARTNEY & CO INC	709 W PARK AVE
S J Share	710 W PARK AVE
Amy Johnson	710 W PARK AVE
Bob Freeze	710 W PARK AVE
Howard Brunet	710 W PARK AVE
ELKS LODGE	820 W PARK AVE
Larry Skates	820 W PARK AVE
Marilyn Bader	820 W PARK AVE
Jerry Hags	821 W PARK AVE
Jerry Hager	821 W PARK AVE

AFFORDABLE AUTO GLASS	825 W PARK AVE
Alfred Parker	825 W PARK AVE STE C
Alfred Parker	825 W PARK AVE C
John Green	827 W PARK AVE
RMS DISEASE MANAGEMENT INC	875 W PARK AVE
George Smith Jr	875 W PARK AVE
George Smith Jr	875 W PARK AVE
George Smith Jr	875 W PARK AVE
George Smith	875 W PARK AVE
George Smith Jr	875 W PARK AVE

2006: W Park Ave, Edgewater, FL

Tim Curren	702 W PARK AVE A
Thomas Moore	702 W PARK AVE STE E
Brian Clarke	702 W PARK AVE STE D
Thomas Moore	702 W PARK AVE
Thomas Moore	702 W PARK AVE STE E
Jeff Rix	702 W PARK AVE 1
A & P AUTOMOTIVE RACING	704 W PARK AVE
Neal Owen Kohm	704 W Park Ave
ALLIED TIME USA	704 W PARK AVE
James Hendricks	704 W PARK AVE STE I
Richard Burgess	704 W PARK AVE STE C
John Darino	704 W PARK AVE STE E
John Darino	704 W PARK AVE
Matt Froehlich	706 W PARK AVE STE D
C M Wilson	706 W PARK AVE STE I
Pat Bristol	706 W PARK AVE A
Nate Ratcliffe	706 W PARK AVE STE H
MAD MAX AUTO PAINTING INC	706 W PARK AVE
CAT TRANSPORT	706 W PARK AVE
Pat Bristol	706 W PARK AVE STE C
SOUTHEAST VOLUSIA BUILDING	707 W PARK AVE STE A
Curtis Harrison	707 W PARK AVE STE C
CORTEZ HEATING & AIR COND	707 W PARK AVE STE D
Curtis Harrison	707 W PARK AVE
Trace Funderburk	707 W PARK AVE STE A
Michael Fiello	708 W PARK AVE STE A
Michael A Fiello	708 W PARK AVE STE A
Scott Porta	708 W PARK AVE STE D
J P York	708 W PARK AVE STE D
A & A RV SVC	708 W PARK AVE
MC CARTNEY & CO INC	709 W PARK AVE
Amy Johnson	710 W PARK AVE
Bob Freeze	710 W PARK AVE
Howard Brunet	710 W PARK AVE
S J Share	710 W PARK AVE
Marilyn Bader	820 W PARK AVE
D Loeffler	820 W Park Ave

ELKS LODGE	820 W PARK AVE
Larry Skates	820 W PARK AVE
Jerry Hager	821 W PARK AVE
Jerry Hags	821 W PARK AVE
AFFORDABLE AUTO GLASS	825 W PARK AVE
Alfred Parker	825 W PARK AVE STE C
Alfred Parker	825 W PARK AVE C
John Green	827 W PARK AVE
George Smith	875 W PARK AVE
George Smith Jr	875 W PARK AVE
George Smith Jr	875 W PARK AVE
George Smith Jr	875 W PARK AVE
RMS DISEASE MANAGEMENT INC	875 W PARK AVE
George Smith Jr	875 W PARK AVE

2001: W Park Ave, Edgewater, FL

Access Unlimited	702 W Park Ave
Susie \'Q\' Products	702 W Park Ave
Turco Machine Products Inc	704 W Park Ave
M K Mechanical	704 W Park Ave
Dennis Coppola	704 W Park Ave
Neal O Kohm	704 W Park Ave
William Clar	704 W Park Ave
Allied Time USA	704 W Park Ave
Coppola\'s Construction & Mntnc	704 W Park Ave
Interior Service Group Inc	706 W Park Ave
Better Body\'s	706 W Park Ave
Mil-Spec Metal Finishing Inc	706 W Park Ave
Primeline Products Inc	706 W Park Ave
W G Gone	706 W Park Ave
D K Plastering Inc	708 W Park Ave
Mike\'s Transmission & Auto	708 W Park Ave
Homac Companies	710 W Park Ave
J L Hag\'s	821 W Park Ave
Parker\'s Automotive	825 W Park Ave
Johny\'s Transmission & Auto	827 W Park Ave

1998: W Park Ave, Edgewater, FL

Access Unlimited	702 W Park Ave
Susie Q R V Products Inc	702 W Park Ave
Turco Machine Products Inc	704 W Park Ave Ste E
Rmp Vending	704 W Park Ave
Neal Owen Kohm	704 W Park Ave
A & P Automotive & Marine	704 W Park Ave Ste D
L L Steffey Company Inc	704 W Park Ave
M K Mechanical Inc	704 W Park Ave
Phoenix Products	706 W Park Ave

Mil-Spec Metal Finishing Inc	706 W Park Ave
Packaging Systems Corp	706 W Park Ave
B M C Classics	706 W Park Ave
Waco Manufacturing Inc	710 W Park Ave
D Loeffler	820 W Park Ave
J L Hags	821 W Park Ave
Dannys Auto Service	823 W Park Ave
Smyrna Auto Air	825 W Park Ave
Johnys Transmission & Auto Re	827 W Park Ave

1993: **W Park Ave, Edgewater, FL**

PORTA FIBERGLASS	708 W PARK AVE
WACO MANUFACTURING INC	710 W PARK AVE
HAG\'S J L CUSTOM AUTOMOTIVE RE	821 W PARK AVE
BILL\'S AUTO ELECTRIC	823 W PARK AVE
TONY\'S AUTO UPOLSTERY	823 W PARK AVE
SMYRNA AUTO AIR	825 W PARK AVE



424 Richenberg's Randy Surf Boards surf board mfr 428-8557
MANGO TREE DR BEGINS
702a Family Foundation Of America non-profit org 423-0316
702b Family Foundation Of America Inc (Overflow)
702c Family Foundation Of America Inc (Overflow)
702e Pandalus Seafood International shrimp wholesaler 423-7656
702f Pandalus Seafood International (Overflow)
702g Pandalus Seafood International (Overflow)
702h Pandalus Seafood International (Overflow)
702i Chamberlain-Bowen Pottery
704a Family Foundation Of America (Overflow)
704b Family Foundation Of America (Overflow)
704c Family Foundation Of America (Overflow)
704d Family Foundation Of America (Overflow)
704e Turco Machine Products mach shop 423-5840
704i Vacant
706a T-L Design int dsgns 427-6092
706b T-L Design (Overflow)
706c Jade Enterprises mfr bike racks 423-9290
706d Atlantic Industrial Properties realtors 427-5130
706e Diversified Carpet carpet retail 428-3343
706f O S A Machine mach shop 423-7932
706g O S A Machine (Overflow)
706h Better Barricades Inc striping & sealing 427-4971
706i C M & G steel fabricators 427-5324
708a Freeman Well Drilling 427-4652
708b Porta Fiberglass fiberglass products 428-7417

IMAGE: 1 of 2
SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1988

708c D & S Aviation & Machine
Inc aviation mach shop
423-6990
708d D & S Aviation & Machine
Inc (Overflow)
710 Waco Manufacturing Inc mfg
aluminum connectors
427-9543
CAROL ANN DR BEGINS
821 Hag's J L Custom Automotive
Refinishing auto painting
428-8814
823 Bill's Auto Electric 428-1342
825 Smyrna Auto Air auto air
condt repair 427-8254
827 Tomco Auto Transmission
428-5917
CAROL-ANN-DRIVE
INTERSECTS
1945 Vacant
I All In One Signs

IMAGE:	2 of 2
SOURCE:	New Smyrna Beach City Directory
STREET:	W Park Ave, Edgewater, FL
YEAR:	1988



IMAGE: 1 of 1
SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1983



IMAGE: 1 of 1

SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1978

SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1973
INFO: Address not listed (700-902).

SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1968
INFO: Address not listed (700-902).

SOURCE: New Smyrna Beach City Directory
STREET: W Park Ave, Edgewater, FL
YEAR: 1964
INFO: Address not listed (700-902).

Historical Topographic Map Report | 2024

Order Number: 101428

Report Generated: 09/09/2024

Project Name:

Project Number:

Vacant Parcels
Carol Ann Dr
Edgewater, FL 32132

Contact us at:
(866) 211-2028
envirositecorp.com

Envirosite's Historical Topographic Map Report is designed to assist in evaluating a subject property resulting from past activities. Envirosite's Historical Topographic Map Report includes a search of USGS historical topographic maps, dating back to the early 1900s.

TOPOGRAPHIC MAPS FOUND:

	Map Name:	Year:	Revision Year:	Scale:
1.	Edgewater	1950	N/R	1 : 24000
2.	Edgewater	1950	1970	1 : 24000
3.	Edgewater	2012	N/R	1 : 24000
4.	Edgewater	2015	N/R	1 : 24000
5.	Edgewater	2018	N/R	1 : 24000
6.	Edgewater	2021	N/R	1 : 24000

The USGS 7.5 minute series includes scales 1:24,000 / 1:25,000 / 1:31,680. The USGS 15 minute series includes scales 1:48,000 / 1:62,500 / 1:63,360. The USGS 30x60 minute series scale is 1:100,000.

Disclaimer - Copyright and Trademark Notice

All information contained in this report are based on data available from various public, government and other sources and are based upon the best data available from those sources. The information available in this report may be available from other sources and is not exclusive or the exclusive property of Envirosite Corporation.

NO WARRANTY EXPRESSED OR IMPLIED, IS MADE IN CONNECTION WITH THIS REPORT, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. ALL RISK IS ASSUMED BY USER AND Envirosite assumes no liability for faulty or inaccurate information. The Reports may utilize a variety of public and other sources reasonably available to Envirosite. Envirosite cannot, and does not assure, warrant, guarantee or assume any liability for the correctness, comprehensiveness, timeliness or completeness of any of such information, nor is the information in any Report to be construed as legal advice with respect to environmental risks associated with any property. Envirosite shall not be liable to anyone for any claims, causes of action, suits, damages, losses, costs and expenses (including, without limitation, attorneys' fees and costs) arising out of or caused by this report regardless of the acts, errors or omissions, or negligence of Envirosite. Any damages shall be limited to the purchase price of the report.

Purchaser of the report accepts the report "As Is". The report is intended only to provide information only and should not be considered as providing any legal advice, prediction, forecast, or fact as to the environmental risk for any specific property. Reports are proprietary to Envirosite, and contain copyrighted material and trademarks of Envirosite. All other trademarks used herein are the property of their respective owners. All rights of Envirosite as to the Reports are reserved.

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME:	Edgewater	MAP YEAR:	1950	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		



SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME: Edgewater MAP YEAR: 1950 REVISION YEAR: 1970

SCALE: 1 : 24000 Part 1



SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME: Edgewater MAP YEAR: 2012 REVISION YEAR: N/R

SCALE: 1 : 24000 Part 1

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME:	Edgewater	MAP YEAR:	2015	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		



Historical Topographic Map

2024

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME:	Edgewater	MAP YEAR:	2018	REVISION YEAR:	N/R
SCALE:	1 : 24000	Part	1		

SUBJECT NAME: Vacant Parcels
ADDRESS: Carol Ann Dr, Edgewater, FL, 32132
LAT/LONG: 28.985354 / -80.917948

PREPARED FOR: G&S Good Environmental
ORDER #: 101428
REPORT DATE: 09/09/2024

SUBJECT QUAD:

MAP NAME: Edgewater
MAP YEAR: 2021
REVISION YEAR: N/R
SCALE: 1 : 24000
Part 1

Fire Insurance Maps No Coverage Statement

Site Location
Vacant Parcels
Carol Ann Dr
Edgewater, FL

Requested by
Envirosite Corporation
56 Broome Corporate Parkway
Conklin, NY

HIG Project #
2084876
Client Project #
101428
Date Created
09/09/2024

Historical Information Gatherers

FIM+ Maps

The HIG Historical Map Collection and the United States Library of Congress Map Collection were searched for fire insurance maps (FIMs), real estate atlases and similar maps for the site location and adjoining properties. No FIMs or similar maps were identified for the site location and/or adjoining properties.

APPENDIX E- USER QUESTIONNAIRE

G & S Good Environmental

Phase 1 & II Environmental Assessments

Soil and Groundwater Testing • Tank Closures

Contamination Remediation • Asbestos

Buyer / Seller Environmental Questionnaire

Name: E.V. LaCour **Interview Date: 09-05-2024**
Company/Organization: Oak Grove on Park Ave LLC
Job Title: Mgr
Site Address: 257,259,267 Carol Ann Dr. Edgewater, FL
Parcel No: 743208000130 -743208000120 -743208000110- 74520100037G -74520100037H

Current Site Affiliation: Owner _x____ Buyer _____

Are you aware of any previous Phase I ESA's or Phase II drilling been done on the property?
Yes / No If yes, are the documents available? _____No_____

Does the purchase price being paid for this property reasonably reflect the fair market value of the property? Yes
If not, have you considered whether the price difference is due to contamination? _____

Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law? Yes/ No
If yes, describe: _____No_____

Are you aware of any Activity Use Limitations (AUL's), such as engineering controls, land use restrictions, or institutional controls, that are in place at the site and/or have been filed or recorded in a registry? No
If yes, describe: _____

Do you know the past uses of the property? Yes/ No If yes, describe: ____Residential and Vacant land_____

Do you know of petroleum spills or other chemical releases that have taken place at the property?
No If yes, describe: _____

Do you know of any environmental cleanups that have taken place at the property?
No If yes, describe: _____

Are there any indicators pointing to the presence or likely presence of contamination at the property? No If yes, describe: _____

Any underground storage tanks on the property current /past that contain chemicals, petroleum, products?
No If yes, describe: _____

Any underground hydraulic lifts, oil water separators, pits, 55-gallon drums?
No If yes, describe: _____

APPENDIX F- PHOTOGRAPHS

Photo 1: Subject property – gate

Photo 2: Subject property

Photo 3: Subject property

Photo 4: Subject property

Photo 5: Cage/fencing on subject property

Photo 6: Debris on subject property

Photo 7: Water on subject property

Photo 8: Subject property

Photo 9: North end of subject property

Photo 10: Hydrant on subject property

Photo 11: Fence on subject property

Photo 12: Subject property

Photo 13: Subject property

Photo 14: Subject property

Photo 15: West adjoining property

Photo 16: West adjoining property

Photo 17: Rotary Park- near subject property

Photo 18: East adjoining property- Holland Pump

APPENDIX G- INTERVIEW DOCUMENTATION

G & S Good Environmental

Phase 1 & II Environmental Assessments

Soil and Groundwater Testing • Tank Closures

Contamination Remediation • Asbestos

Buyer / Seller Environmental Questionnaire

Name: E.V. LaCour **Interview Date: 09-05-2024**
Company/Organization: Oak Grove on Park Ave LLC
Job Title: Mgr
Site Address: 257,259,267 Carol Ann Dr. Edgewater, FL
Parcel No: 743208000130 -743208000120 -743208000110- 74520100037G -74520100037H

Current Site Affiliation: Owner _x____ Buyer _____

Are you aware of any previous Phase I ESA's or Phase II drilling been done on the property?
Yes / No If yes, are the documents available? _____No_____

Does the purchase price being paid for this property reasonably reflect the fair market value of the property? Yes
If not, have you considered whether the price difference is due to contamination? _____

Are you aware of any environmental cleanup liens against the property that are filed or recorded under federal, tribal, state, or local law? Yes/ No
If yes, describe: _____No_____

Are you aware of any Activity Use Limitations (AUL's), such as engineering controls, land use restrictions, or institutional controls, that are in place at the site and/or have been filed or recorded in a registry? No
If yes, describe: _____

Do you know the past uses of the property? Yes/ No If yes, describe: ____Residential and Vacant land_____

Do you know of petroleum spills or other chemical releases that have taken place at the property?
No If yes, describe: _____

Do you know of any environmental cleanups that have taken place at the property?
No If yes, describe: _____

Are there any indicators pointing to the presence or likely presence of contamination at the property? No If yes, describe: _____

Any underground storage tanks on the property current /past that contain chemicals, petroleum, products?
No If yes, describe: _____

Any underground hydraulic lifts, oil water separators, pits, 55-gallon drums?
No If yes, describe: _____

APPENDIX H- REFERENCES

REFERENCES

“Edgewater”, United States Geological Survey (USGS) topographic quadrangle map

Envirosite, Inc. Report

U.S. Department of Agriculture, Soil Conservation District, “Soil Survey of Volusia County”

Volusia County Property Appraisers Office

Volusia County Historical Society

Florida Department of Transportation, Tallahassee, Florida

University of Florida, Aerial Library Web Page

APPENDIX I- QUALIFICATIONS

Bill Good, P.G., L.A.C

President

REGISTRATIONS

Professional Geologist: FL

Licensed Asbestos Consultant: Fl

CERTIFICATIONS

Asbestos Inspector
Asbestos Management Planner

EDUCATION

Bachelor of Arts, 1998
Geology, Georgia Southern University

EXPERIENCE

Over 25 years of professional experience
Founded Good Environmental in 2004

PROFESSIONAL PROFILE

Mr. Good has owned and operated G&S Good Environmental since 2004. Mr. Good has over 25 years of experience in the environmental engineering industry. As the President of G&S Good Environmental, Inc., Mr. Good's duties include supervision and direction of all environmental services throughout Florida. Mr. Good is responsible for making proper staff assignments, scheduling, managing and reviewing all environmental projects. Mr. Good's experience has covered a wide range of environmental and geologic investigations. These investigations include Phase I and II Environmental Assignments, contamination assessments, soil and groundwater quality assessments, remedial action activities and tank closure assessments throughout Florida.

PROJECT EXPERIENCE

- Florida Brownfield - Field Crew Supervisor, New Smyrna Beach, FL
- Sears- Asbestos Survey & Abatement Plan, Daytona Beach, FL
- Naval Air Station- Bulk Aboveground Storage Tank Closures
- Turnbull Bay Road re-pavement, New Smyrna Beach, Fl
- City of Deland Jail- Asbestos Survey & Abatement Plan, Deland, FL
- Flagler County Airport- Petroleum Product Line Replacement, PC,FL
- Advent Hospital- Phase I ESA, Ormond Beach, FL
- Wawa Gasoline Station- Fill Dirt Analysis, Ormond Beach, Fl
- City of Daytona Beach, Fuel Spill, Public Works, Daytona Beach, FL
- Florida Brownfield Application Assessment, Celery Farm, Sanford, FL
- Citgo Gasoline Station, Tank Closure Report, Ormond Beach, Florida
- City of Ormond Beach, Fuel Depot, Site Assessment / Work Plan
- Walmart Superstore, South Daytona, Florida
- Walmart Superstore, Wildwood, Florida
- 7-Eleven Gasoline Station, Site Assessment, Wildwood, Florida
- Key West Island, Site Assessment & Remediation, Key West, FL
- Black Bear Parking Lot Expansion, Sanford, Florida
- Old New York Avenue Replacement Grant, Volusia County, FL
- Pilot Truck Stop, Site Assessment & Remediation, Waldo
- W Granada Blvd and Tymber Creek Commercial Parcel, Ormond Beach, FL
- Former Drycleaner, Walnut Street, Jacksonville, Florida